

No. 4. An open cut, the center of the face of which bears from a point on the lode line N.28°13'E. 102 ft. from the discovery monument, S.19°07'E. 138.4 ft., running thence N.36°E. 21 ft. to mouth; 4 ft. wide, 10 ft. face. At the face, there is a shaft 6x6 ft., 13 ft. deep, course N.61°30'W., dip about 57°. All in rock.

Value of cut and shaft \$200.00

No. 5. A shaft which bears from a point on the lode line N.28°13'E. 102 ft. from the discovery monument, N.40°40'E. 153 ft., 4 1/2 x 7 ft., 58 ft. deep. All in rock. Value \$580.00

OTHER IMPROVEMENTS.

There are no other improvements on this claim.

INSTRUMENT.

This survey was made with a C. L. Berger mining transit, No. 4270. The courses were deflected from the true meridian as determined by direct observation on Polaris at Eastern elongation. The distances were measured with 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run either directly upon the ground or by traverses, run upon the ground, and submitted in a separate report herewith.

The S. E. Cor. of Sec. 1, T. 26 S., R. 64 E., M.D.M., is a granite stone, 5x7 ins., standing 12 ins. above a mound of stone, chiseled with one notch on the north edge and five notches on the south edge. This is the nearest standing corner of the public survey that can be found and identified.

Sur. No. 2086, Jubilee lode;

Cors. Nos. 1 and 4 are pine posts, properly set and scribed with the number of the corner and survey. I find the course of line 4-1 to be S.81°29'E., instead of S.81°48'E., as approved, and the course and distance from Cor. No. 1 to the S. E. Cor. of Sec. 1 to be S.87°29'30"E. 1453.93 ft., instead of S.88°26'E. 1432.98 ft. as approved.

Sur. No. 3684, King lode;

Cor. No. 2 is a pine post, properly set and scribed with the number of the corner and survey. I find line 2-1 to be correct as