

026

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Original

FIELD NOTES

OF THE

SUBDIVISION

OF

SECTIONS 4, 5, 6, 7, 9, 18, 19, 20, 28, AND 32,

TOWNSHIP 13 NORTH, RANGE 19 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA

EXECUTED BY

David L. Dukleth, Cadastral Surveyor

Under Special Instructions dated July 11, 1994,  
and approved July 11, 1994,  
and Supplemental Special Instructions dated June 11, 1996,  
and approved June 11, 1996,  
which provided for the surveys included under Group No. 748,  
and Assignment Instructions dated July 11, 1994.

Survey commenced July 25, 1994

Survey completed August 25, 1997

## INDEX DIAGRAM

TOWNSHIP 13 NORTH, RANGE 19 EAST

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Subdivision of sec. 4 - pp. 2-4  
 Subdivision of sec. 5 - pp. 4-8  
 Subdivision of sec. 6 - pp. 8-16  
 Subdivision of sec. 7 - pp. 16-17  
 Subdivision of sec. 9 - pp. 17-20

Subdivision of sec. 18 - p. 21  
 Subdivision of sec. 19 - p. 22  
 Subdivision of sec. 20 - pp. 23-27  
 Subdivision of sec. 28 - pp. 27-30  
 Subdivision of sec. 32 - pp. 30-31

## TOWNSHIP 13 NORTH, RANGE 19 EAST, MOUNT DIABLO MERIDIAN, NEVADA

## CHAINS

The following field notes are those of the subdivision of sections 4, 5, 6, 7, 9, 18, 19, 20, 28, and 32, Township 13 North, Range 19 East, Mount Diablo Meridian, Nevada.

## History of prior surveys

- 1861 U. S. Deputy Surveyor J.S. Lawson surveyed the north, south, east, and west boundaries under Contract "B".
- 1861 U. S. Deputy Surveyor B. Ives surveyed the subdivisional lines of the Tp. under Contract "C".
- 1939-50 Cadastral Engineers C.S. Swanholm, R.F. Wilson, and G.M. Litz and Public Land Surveyor W. McConkie dependently resurveyed the south boundary of the Tp. under Group No. 245-N. Cadastral Engineers C.S. Swanholm and R.F. Wilson dependently resurveyed the west boundary under Group No. 281-C.
- 1985 Cadastral Surveyor R.E. Williams dependently resurveyed the east one mile of the north boundary under Group No. 624.
- 1985-86 Cadastral Surveyors D.L. Dukleth and J.S. Parrish dependently resurveyed portions of the south, east, west, and north boundaries and a portion of the subdivisional lines under Group No. 620.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, the Special Instructions dated July 11, 1994, and the Supplemental Special Instructions dated June 11, 1996.

The direction of the lines were determined by direct solar and stellar observations. The lines were carried forward by sustained angulation being supplemented by other observations of the sun and polaris taken throughout the progress of the survey.

The vertical angles of measurements made on the slope were ascertained with electronic distance measuring devices in good adjustment; the horizontal equivalents only are entered in the field notes. All lines were verified by traverse closure.

The geographic position for the  $\frac{1}{4}$  sec. cor. of secs. 7 and 18, is at Lat.  $38^{\circ}59'49.89''$  N. and Long.  $119^{\circ}53'22.30''$  W. (NAD 1983), as calculated from U.S.C. and G.S. triangulation station "CASTLE ROCK", located in sec. 13, T. 13 N., R. 18 E.

The geographic position for the  $\frac{1}{4}$  sec. cor. of secs. 31 and 32, is at Lat.  $38^{\circ}56'48.30''$  N. and Long.  $119^{\circ}52'50.02''$  W. (NAD 1983), as calculated from U.S.C. and G.S. triangulation station "LEDGE", located in sec. 32.

The mean magnetic declination is  $15\frac{1}{2}^{\circ}$  E., as shown on U.S.G.S. quadrangle map "GENOA NV" dated 1994.

SUBDIVISION OF SECTION 4,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 9, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 7 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing tree</p> <p style="padding-left: 40px;">A rotted pine stump, 30 ins. diam., bears N. <math>75^\circ</math> E., 60 lks. dist., no marks visible.</p> <p>and the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A ponderosa pine, 15 ins. diam., bears N. <math>27\frac{1}{2}^\circ</math> E., <math>33\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S4 BT visible on open blaze.</p> <p style="padding-left: 40px;">A ponderosa pine, 19 ins. diam., bears EAST, <math>17\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S9 BT visible on open blaze.</p> <p>Cor. is located on steep rocky timbered SE. slope.</p> <p>N. <math>0^\circ 13' 30''</math> E., on the N. and S. center line of sec. 4.</p>
40.190	<p>Point for the center <math>\frac{1}{4}</math> sec. cor. of sec. 4, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T13N R19E C <math>\frac{1}{4}</math> S4</p> <p style="text-align: center;">1997</p> <p>from which</p> <p style="padding-left: 40px;">A ponderosa pine, 30 ins. diam., bears N. <math>4\frac{1}{2}^\circ</math> E., 111 lks. dist., mkd. C <math>\frac{1}{4}</math> S4 BT.</p> <p style="padding-left: 40px;">A ponderosa pine, 12 ins. diam., bears N. <math>89^\circ</math> W., <math>45\frac{1}{2}</math> lks. dist., mkd. C <math>\frac{1}{4}</math> S4 BT.</p> <p>Cor. is located on steep ESE. slope.</p>
60.195	<p>Point for the C-N <math>\frac{1}{16}</math> sec. cor. of sec. 4.</p> <p>Set a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">C N <math>\frac{1}{16}</math>   S4 C</p> <p style="text-align: center;">1997</p> <p>from which</p> <p style="padding-left: 40px;">A ponderosa pine, 30 ins. diam., bears S. <math>15\frac{1}{2}^\circ</math> W., 99 lks. dist., mkd. CN <math>\frac{1}{16}</math> S4 BT.</p>

030

SUBDIVISION OF SECTION 4,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A ponderosa pine, 30 ins. diam., bears N. 13° W., 16 lks. dist., mkd. CN <math>\frac{1}{16}</math> S4 BT.</p> <p>Cor. is located on steep brushy ENE. slope.</p>
80.000	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 33, on the N. bdy. of the Tp., monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 12 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p>A stump hole, with decayed remains of the bearing tree, bears S. 10° W., 27 lks. dist., no marks visible.</p> <p>A stump hole, with the decayed remains of the bearing tree, bears N. 65° W., 50 lks. dist., no marks visible.</p> <p>and the 1985-86 bearing trees</p> <p>A jeffrey pine, 14 ins. diam., bears N. <math>52\frac{3}{4}</math>° E., 110 lks. dist., with scribe marks <math>\frac{1}{4}</math> S33 BT visible on open blaze.</p> <p>A jeffrey pine, 12 ins. diam., bears S. 36° W., <math>128\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S4 BT visible on open blaze.</p> <p>Cor. is located on steep rocky SE. slope, 50 lks. N. of ravine, drains S. 59° E., with pine and fir timber.</p>
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 3 and 4, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 6 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p>A jeffrey pine, 28 ins. diam., bears S. 4° E., <math>190\frac{1}{2}</math> lks. dist., unmarked.</p> <p>A telephone pole, bears S. 26°00' W., 153 lks. dist., tag No. 114088.</p> <p>Cor. is located in pasture, on level ground, 1 ft. E. of fence, bears N. and S.</p>
0.34	<p>S. 89°21'00" W., on the E. and W. center line of sec. 4.</p> <p>Centennial Drive, 22 lks. wide, gravel surface, bears N. and S.</p>
39.602	<p>The center <math>\frac{1}{4}</math> sec. cor. of sec. 4.</p>
79.259	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 5, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p>

031

SUBDIVISION OF SECTION 4,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A red fir, 24 ins. diam., bears N. <math>5\frac{1}{2}^{\circ}</math> E., <math>91\frac{1}{2}</math> lks. dist., with partial scribe marks <math>\frac{1}{4}</math> S4 BT visible on partially healed blaze.</p> <p>A jeffrey pine, 21 ins. diam., bears S. <math>36^{\circ}</math> W., 40 lks. dist., with scribe marks <math>\frac{1}{4}</math> S5 BT visible on open blaze.</p> <p>Cor. is located on steep rocky E. slope.</p> <hr/> <p>From the N <math>\frac{1}{16}</math> sec. cor. of secs. 3 and 4, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 5 ins. above ground, and in a collar of stone, <math>2\frac{1}{2}</math> ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing tree</p> <p>A ponderosa pine, 33 ins. diam., bears N. <math>42^{\circ}</math> W., <math>72\frac{1}{2}</math> lks. dist., unmarked.</p> <p>Cor. is located on gradual SE. slope in pasture, and corner of fences, bears S. <math>22^{\circ}</math> E., <math>6\frac{1}{2}</math> lks. dist., from which fences bear W. and S.</p> <p>S. <math>89^{\circ}17'40''</math> W., on the E. and W. center line of the NE<math>\frac{1}{4}</math> of sec. 4.</p>
16.872	At a point, 18.8 lks. N. of an iron pipe, $\frac{3}{4}$ in. diam., firmly set, projecting 3 ins. above ground, with metal cap mkd. RLS 2350.
39.536	The C-N $\frac{1}{16}$ sec. cor. of sec. 4.
	<p style="text-align: center;">SUBDIVISION OF SECTION 5, T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 8, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A jeffrey pine, 16 ins. diam., bears S. <math>40\frac{1}{2}^{\circ}</math> E., 23 lks. dist., with scribe marks <math>\frac{1}{4}</math> S8 BT visible on open blaze.</p> <p>A white fir, 17 ins. diam., bears S. <math>76\frac{1}{2}^{\circ}</math> W., 32 lks. dist., with scribe marks S8 BT visible on partially healed blaze.</p> <p>Cor. is located on brushy NE. slope with granite boulders and pine and fir timber.</p> <p>N. <math>0^{\circ}16'20''</math> W., on the N. and S. center line of sec. 5.</p>
20.023	Point for the C-S $\frac{1}{16}$ sec. cor. of sec. 5.

032

SUBDIVISION OF SECTION 5,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3<sup>1</sup>/<sub>2</sub> ft. base, to top, with brass cap mkd.</p> $S \begin{array}{c} C \\ 1/16   S5 \\ C \end{array}$ <p>1997</p> <p>from which</p> <p>A jeffrey pine, 20 ins. diam., bears N. 88<sup>1</sup>/<sub>2</sub>° E., 80<sup>1</sup>/<sub>2</sub> lks. dist., mkd. CS<sup>1</sup>/<sub>16</sub> S5 BT.</p> <p>A jeffrey pine, 26 ins. diam., bears S. 30° E., 68 lks. dist., mkd. CS<sup>1</sup>/<sub>16</sub> S5 BT.</p> <p>Cor. is located on NE. slope.</p>
40.046	<p>Point for the center <sup>1</sup>/<sub>4</sub> sec. cor. of sec. 5, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> $T13N \ R19E \\ C \ 1/4 \ S5$ <p>1997</p> <p>from which</p> <p>A granite boulder, 3 X 5 X 3 ft. high, bears S. 15°30' W., 12.5 lks. dist., mkd. BXO on N. face, 2<sup>1</sup>/<sub>2</sub> ft. above ground.</p> <p>A white fir, 26 ins. diam., bears N. 41° W., 8<sup>1</sup>/<sub>2</sub> lks. dist., mkd. C <sup>1</sup>/<sub>4</sub> S5 BT.</p> <p>Cor. is located on gradual N. slope.</p>
80.421	<p>The <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 5 and 32, on the N. bdy. of the Tp., monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p>A stump hole, with fir bark ring, bears S. 39° E., 45 lks. dist., no marks visible.</p> <p>A stump hole, with a 36 ins. diam. stump alongside embedded roots, bears N. 77° W., 23 lks. dist., no marks visible.</p> <p>and the 1985-86 bearing trees</p> <p>A fir, 18 ins. diam., bears S. 22° E., 88 lks. dist., with healed blaze.</p>

033

SUBDIVISION OF SECTION 5,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A fir, 14 ins. diam., bears N. 10° W., 33 lks. dist., with healed blazes.</p> <p>Cor. is located on steep rocky NE. slope in alder, aspen and scattered fir timber.</p>
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 5, hereinbefore described.</p> <p>S. 89°22'00" W., on the E. and W. center line of sec. 5.</p>
39.880	The center $\frac{1}{4}$ sec. cor. of sec. 5.
59.655	Point for the C-W $\frac{1}{16}$ sec. cor. of sec. 5.
	<p>Set a brass tablet, <math>3\frac{1}{4}</math> ins. diam., <math>3\frac{1}{2}</math>-in. stem., in a drill hole in the top of a granite boulder, 4 X <math>2\frac{1}{2}</math> X 1 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>W <math>\frac{1}{16}</math></p> <p>C ——— C</p> <p>S5</p> <p>1996</p> </div>
	<p>from which</p> <p>A white fir, 14 ins. diam., bears N. 17° E., 6 lks. dist., mkd. with location tag only.</p> <p>A boulder, 5 X <math>4\frac{1}{2}</math> X 4 ft. high, bears S. 32°00' W., 24.5 lks. dist., mkd. BXO on NE. face, <math>3\frac{1}{2}</math> ft. above ground.</p> <p>A boulder, 8 X 3 X 4 ft. high, bears N. 33°20' W., 16.4 lks. dist., mkd. BXO on top of E. face, 4 ft. above ground.</p>
79.430	<p>Cor. is located on brushy NE. slope with pine and fir timber.</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 6, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 9 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p>A stump hole, with decayed remains of the bearing tree, bears S. 49° E., 23 lks. dist.</p> <p>A stump hole, with decayed remains of the bearing tree, bears N. 40° W., 17 lks. dist.</p> <p>and the 1985-86 bearing trees</p> <p>A red fir, 12 ins. diam., bears S. <math>84\frac{1}{4}</math>° E., 28 lks. dist., with scribe marks <math>\frac{1}{4}</math> S5 BT visible on open blaze.</p> <p>A red fir, 13 ins. diam., bears S. 30° W., 68 lks. dist., with scribe marks <math>\frac{1}{4}</math> S6 BT visible on open blaze.</p>

SUBDIVISION OF SECTION 5,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Cor. is located on brushy E. slope with fir and pine timber.</p> <hr/> <p>From the W <math>\frac{1}{16}</math> sec. cor. of secs. 5 and 8, monumented with a stainless steel post, 2<math>\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A jeffrey pine, 18 ins. diam., bears S. 49° E., 50 lks. dist., with scribe marks W <math>\frac{1}{16}</math> S8 BT visible on open blaze.</p> <p style="padding-left: 40px;">A jeffrey pine, 25 ins. diam., bears N. 46<math>\frac{1}{2}</math>° W., 37 lks. dist., with scribe marks W <math>\frac{1}{16}</math> S5 BT visible on open blaze.</p>
20.072	<p>Cor. is located on steep rocky S. slope with granite boulders and brush.</p> <p>N. 0°22'10" W., on the N. and S. center line of the SW<math>\frac{1}{4}</math> of sec. 5.</p> <p>Point for the SW <math>\frac{1}{16}</math> sec. cor. of sec. 5, at intersection with the E. and W. center line of the SW<math>\frac{1}{4}</math>.</p> <p>Set a stainless steel post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">SW 1/16 S5 1996</p> <p>from which</p> <p style="padding-left: 40px;">A white fir, 18 ins. diam., bears N. 36° E., 45<math>\frac{1}{2}</math> lks. dist., mkd. SW <math>\frac{1}{16}</math> S5 BT.</p> <p style="padding-left: 40px;">A red fir, 16 ins. diam., bears S. 56° E., 28<math>\frac{1}{2}</math> lks. dist., mkd. SW <math>\frac{1}{16}</math> S5 BT.</p>
40.144	<p>Cor. is located on SSE. slope with large granite boulders.</p> <p>The C-W <math>\frac{1}{16}</math> sec. cor. of sec. 5.</p> <hr/>
19.742	<p>From the C-S <math>\frac{1}{16}</math> sec. cor. of sec. 5.</p> <p>S. 89°13'20" W., on the E. and W. center line of the SW<math>\frac{1}{4}</math> of sec. 5.</p>
	<p>The SW <math>\frac{1}{16}</math> sec. cor. of sec. 5.</p>
39.484	<p>The S <math>\frac{1}{16}</math> sec. cor. of secs. 5 and 6, monumented with a stainless steel post, 2<math>\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p>

035

SUBDIVISION OF SECTION 5,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

A ponderosa pine, 18 ins. diam., bears N.  $69\frac{1}{2}^{\circ}$  E., 106 lks. dist., with scribe marks S  $\frac{1}{16}$  S5 BT visible on open blaze.

A red fir, double trunk, 23 ins. diam., bears N.  $75^{\circ}$  W., 123 lks. dist., with scribe marks S  $\frac{1}{16}$  S6 BT visible on open blaze on S. fork.

Cor. is located on brushy N.  $70^{\circ}$  E. slope with pine and fir timber.

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

From the  $\frac{1}{4}$  sec. cor. of secs. 6 and 7, monumented with an iron pipe,  $2\frac{3}{8}$  ins. diam., firmly set, projecting 6 ins. above ground, and in a collar of stone,  $1\frac{1}{2}$  ft. diam., to top, with iron cap mkd.  $\frac{1}{4}$  COR 6 7, as recorded in Douglas County, Record of Surveys Book 1, Document No. 50265. The cap marks T13N R19E  $\frac{1}{4}$  S6 S7 BLM 1995 along side local cap markings, from which the remains of the original bearing trees

A double trunk sugar pine, 20 ins. diam., bears N.  $35\frac{1}{2}^{\circ}$  E.,  $40\frac{1}{2}$  lks. dist., with healed blaze on N. trunk.

A pine stump, 17 ins. diam., bears S.  $40^{\circ}$  W., 50 lks. dist., with scribe marks BT and a chaining notch visible on open blaze.

and local bearing trees

A red fir, 24 ins. diam., bears S.  $82^{\circ}$  E.,  $30\frac{1}{2}$  lks. dist., with healed blaze.

A red fir, 30 ins. diam., bears S.  $20\frac{1}{2}^{\circ}$  W., 48 lks. dist., with scribe marks  $\frac{1}{4}$  S7 BT visible on open blaze.

Cor. is located on timbered NW. slope.

N.  $0^{\circ}40'40''$  E., on the N. and S. center line of sec. 6.

19.992 Point for the C-S  $\frac{1}{16}$  sec. cor. of sec. 6.

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone,  $1\frac{1}{2}$  ft. diam., with brass cap mkd.

$$\begin{array}{c} \text{C} \\ \text{S } \frac{1}{16} \left| \text{S6} \\ \text{C} \end{array}$$

1995

from which

A white fir, 24 ins. diam., bears S.  $84^{\circ}$  E., 44 lks. dist., mkd. CS  $\frac{1}{16}$  S6 BT.

036

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
39.984	<p>A white fir, 24 ins. diam., bears N. 76° W., 33 lks. dist., mkd. CS <math>\frac{1}{16}</math> S6 BT.</p> <p>Cor. is located on W. slope.</p> <p>Point for the center <math>\frac{1}{4}</math> sec. cor. of sec. 6, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 2<math>\frac{1}{2}</math> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T13N R19E C <math>\frac{1}{4}</math> S6 1995</p> <p>from which</p> <p>A white fir, 24 ins. diam., bears N. 45° E., 58 lks. dist., mkd. C <math>\frac{1}{4}</math> S6 BT.</p> <p>A red fir, 20 ins. diam., bears S. 20° W., 47<math>\frac{1}{2}</math> lks. dist., mkd. C <math>\frac{1}{4}</math> S6 BT.</p> <p>Cor. is located on gradual N. slope.</p>
59.995	<p>Point for the C-N <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p> <p>Set a brass tablet, 3<math>\frac{1}{4}</math> ins. diam., 3<math>\frac{1}{2}</math>-in. stem., in a drill hole in the top of a granite boulder outcrop, 3 ins. below ground surface, with top mkd.</p> <p style="text-align: center;">C N <math>\frac{1}{16}</math>   S6 C</p> <p style="text-align: center;">1995</p> <p>from which</p> <p>A white pine, 16 ins. diam., bears N. 60° E., 49 lks. dist., mkd. CN <math>\frac{1}{16}</math> S6 BT.</p> <p>A white pine, 22 ins. diam., bears S. 38° E., 64 lks. dist., mkd. CN <math>\frac{1}{16}</math> S6 BT.</p> <p>Cor. is located on level ground.</p>
80.086	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 31, on the N. bdy. of the Tp., monumented with an iron pipe, 2<math>\frac{3}{8}</math> ins. diam., firmly set, projecting 3 ins. above ground, and in a collar of stone, 2 ft. diam., to top, with iron cap mkd. <math>\frac{1}{4}</math> COR 6, as recorded in Douglas County, Record of Surveys Book 1, Document No. 50265. The cap marks T14N R19E <math>\frac{1}{4}</math> S31 S6 T13N BLM 1985 alongside local cap markings, from which the original bearing tree</p> <p>A red fir, 58 ins. diam., bears S. 15<math>\frac{1}{2}</math>° E., 102 lks. dist., with scribe marks <math>\frac{1}{4}</math> S visible on sawed open blaze.</p>

037

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>and local bearing trees</p> <p>A red fir, 24 ins. diam., bears S. 4° E., 133 lks. dist., with scribe marks <math>\frac{1}{4}</math> S6 BT visible on open blaze.</p> <p>A red fir, 27 ins. diam., bears S. 2<math>\frac{1}{4}</math>° W., 159 lks. dist., with scribe marks <math>\frac{1}{4}</math> S6 BT visible on open blaze.</p> <p>and the 1985-86 bearing tree</p> <p>A red fir, 20 ins. diam., bears N. 30<math>\frac{1}{4}</math>° E., 200 lks. dist., with scribe marks <math>\frac{1}{4}</math> S31 BT visible on open blaze.</p> <p>Cor. is located on open SE. slope with scattered timber.</p>
19.340	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 6, hereinbefore described.</p> <p>S. 89°22'00" W., on the E. and W. center line of sec. 6.</p> <p>Point for the C-E <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 22 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone, 2 ft. diam., with brass cap mkd.</p> <div style="text-align: center;"> <p>E 1/16 C ——— C S6 1995</p> </div> <p>from which</p> <p>A boulder, 6 X 5 X 4 ft. high, bears S. 54°50' W., 18.9 lks. dist., mkd. BXO on NE. face, 3 ft. above ground.</p> <p>A western white pine, 16 ins. diam., bears N. 15° W., 28 lks. dist., mkd. CE <math>\frac{1}{16}</math> S6 BT.</p> <p>Cor. is located on SW. slope with jeffrey pine and young cedar timber.</p>
38.680	<p>The center <math>\frac{1}{4}</math> sec. cor. of sec. 6.</p>
58.457	<p>Point for the C-W <math>\frac{1}{16}</math> sec. cor. of sec. 6, occupied by a white fir, 10 ins. diam., mkd. CW <math>\frac{1}{16}</math> S6.</p> <p>from which</p> <p>A white fir, 21 ins. diam., bears N. 39<math>\frac{1}{2}</math>° E., 52<math>\frac{1}{2}</math> lks. dist., mkd. CW <math>\frac{1}{16}</math> S6 BT.</p> <p>A white fir, 24 ins. diam., bears S. 5<math>\frac{1}{2}</math>° W., 75 lks. dist., mkd. CW <math>\frac{1}{16}</math> S6 BT.</p>

038

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
77.744	<p>A stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., set 19 ins. in the ground, and in a mound of stone, 3 ft. base, to top, for a reference monument, bears N. 71<sup>1</sup>/<sub>2</sub>° E., 11.7 lks. dist., with brass cap mkd. RM CW 1/16 S6 1995 and an arrow pointing to the cor.</p> <p>Cor. is located on timbered SW. slope.</p> <p>The <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 1 and 6, on the W. bdy. of the Tp., monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, and in a mound of stone, 2 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the original bearing tree</p> <p style="padding-left: 40px;">A jeffrey pine, 36 ins. diam., bears WEST, 20 lks. dist., with scribe marks 4S and BT visible on 2 chopped open blazes.</p> <p>and the 1939 bearing trees</p> <p style="padding-left: 40px;">A jeffrey pine, 26 ins. diam., bears N. 9° E., 81 lks. dist., with healed blaze.</p> <p style="padding-left: 40px;">A white fir, 32 ins. diam., bears N. 25° W., 54 lks. dist., with healed blaze.</p>
20.008	<p>From the C-E <sup>1</sup>/<sub>16</sub> sec. cor. of sec. 6.</p> <p>N. 0°21'00" E., on the N. and S. center line of the NE<sup>1</sup>/<sub>4</sub> of sec. 6.</p> <p>Point for the NE <sup>1</sup>/<sub>16</sub> sec. cor. of sec. 6, at intersection with the E. and W. center line of the NE<sup>1</sup>/<sub>4</sub>.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 22 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">NE 1/16 S6 1996</p> <p>from which</p> <p style="padding-left: 40px;">A western white pine, 23 ins. diam., bears S. 43° W., 81<sup>1</sup>/<sub>2</sub> lks. dist., mkd. NE <sup>1</sup>/<sub>16</sub> S6 BT.</p> <p style="padding-left: 40px;">A western white pine, 31 ins. diam., bears N. 17° W., 81 lks. dist., mkd. NE <sup>1</sup>/<sub>16</sub> S6 BT.</p> <p>Cor. is located on SSE. slope with large granite boulders.</p>
25.010	<p>Point for the C-S-N-NE <sup>1</sup>/<sub>256</sub> sec. cor. of sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">C-S-N-NE 1/256 S6</p>
	<p style="text-align: center;">1996</p>
	<p>from which</p> <p>A white fir, 31 ins. diam., bears N. <math>1/4^\circ</math> E., 88<math>1/2</math> lks. dist., mkd. C S N NE <math>1/256</math> S6 BT.</p> <p>A red fir, 27 ins. diam., bears N. <math>55^\circ</math> E., 85<math>1/2</math> lks. dist., mkd. C S N NE <math>1/256</math> S6 BT.</p> <p>Cor. is located on SSE. slope with large granite boulders.</p>
40.135	<p>The E <math>1/16</math> sec. cor. of sec. 6 and 31, on the N. bdy. of the Tp., monumented with a stainless steel post, 2<math>1/2</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3<math>1/2</math> ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p>A red fir, 22 ins. diam., bears S. <math>17^\circ</math> W., 51 lks. dist., with scribe marks E <math>1/16</math> S6 BT visible on open blaze.</p> <p>A granite boulder, 5 X 2 X 2<math>1/2</math> ft. high, bears N. <math>48^\circ 00'</math> W., 9.0 lks. dist., mkd. BXO on SE. face.</p> <p>Cor. is located on E. slope, at head of ravine, drains E.</p> <hr/> <p>From the N <math>1/16</math> sec. cor. of secs. 5 and 6, monumented with a stainless steel post, 2<math>1/2</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p>A red fir, 18 ins. diam., bears N. <math>65^\circ</math> E., 37 lks. dist., with scribe marks N <math>1/16</math> S5 BT visible on open blaze.</p> <p>A granite rock outcrop, 6 X 5 X 4<math>1/2</math> ft. high, bears N. <math>85^\circ 45'</math> W., 24.5 lks. dist., mkd. BXO on E. face.</p> <p>Cor. is located on N. rocky slope, with fir and pine timber.</p> <p>S. <math>89^\circ 22' 00''</math> W., on the E. and W. center line of the NE<math>1/4</math> of sec. 6.</p>
19.226	<p>The NE <math>1/16</math> sec. cor. of sec. 6.</p>
38.452	<p>The C-N <math>1/16</math> sec. cor. of sec. 6.</p> <hr/>

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the S-N-N <math>\frac{1}{256}</math> sec. cor. of secs. 5 and 6, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 20 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A white fir, 15 ins. diam., bears N. <math>86^{\circ}</math> E., 15 lks. dist., with scribe marks SNN <math>\frac{1}{256}</math> S5 BT visible on open blaze.</p> <p style="padding-left: 40px;">A western white pine, 16 ins. diam., bears N. <math>21^{\circ}</math> W., 18 lks. dist., with scribe marks SNN <math>\frac{1}{256}</math> S6 BT visible on open blaze.</p> <p>Cor. is located on steep rocky N. slope with fir and pine timber.</p> <p>S. <math>89^{\circ}22'10''</math> W., on the E. and W. center line of the <math>SE\frac{1}{4}</math> of the <math>NE\frac{1}{4}</math> of the <math>NE\frac{1}{4}</math> of sec. 6.</p>
9.599	<p>Point for the C-S-NE-NE <math>\frac{1}{256}</math> sec. cor. of sec. 6, at its computed position.</p> <p>Not monumented.</p>
9.599	<p>S. <math>89^{\circ}22'10''</math> W., on the E. and W. center line of the <math>SW\frac{1}{4}</math> of the <math>NE\frac{1}{4}</math> of the <math>NE\frac{1}{4}</math> of sec. 6.</p> <p>The C-S-N-NE <math>\frac{1}{256}</math> sec. cor. of sec. 6.</p>
40.108	<p>From the E <math>\frac{1}{16}</math> sec. cor. of secs. 6 and 7, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A jeffrey pine, 23 ins. diam., bears N. <math>60^{\circ}</math> E., 5 lks. dist., with scribe marks E <math>\frac{1}{16}</math> S6 BT visible on open blaze.</p> <p style="padding-left: 40px;">A jeffrey pine, 19 ins. diam., bears S. <math>75^{\circ}</math> E., 21 lks. dist., with scribe marks E <math>\frac{1}{16}</math> S7 BT visible on open blaze.</p> <p>Cor. is located on timbered S. slope.</p> <p>N. <math>0^{\circ}06'40''</math> E., on the N. and S. center line of the <math>SE\frac{1}{4}</math> of sec. 6.</p> <p>The C-E <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p>
	<p>From the W <math>\frac{1}{16}</math> sec. cor. of secs. 6 and 7, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A red fir, 15 ins. diam., bears S. <math>51^{\circ}</math> W., 11 lks. dist., with scribe marks W <math>\frac{1}{16}</math> S7 BT visible on open blaze.</p>

## 041

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
19.940	<p>A western white pine, 20 ins. diam., bears N. 37° W., 32 lks. dist., with scribe marks W <math>\frac{1}{16}</math> S6 BT visible on open blaze.</p> <p>Cor. is located on timbered NW. slope.</p> <p>N. 0°31'20" E., on the N. and S. center line of the SW<math>\frac{1}{4}</math> of sec. 6.</p> <p>Point for the SW <math>\frac{1}{16}</math> sec. cor. of sec. 6, at intersection with the E. and W. center line of the SW<math>\frac{1}{4}</math>.</p> <p>Set a brass tablet, 3<math>\frac{1}{4}</math> ins. diam., 3<math>\frac{1}{2}</math>-in. stem., in a drill hole in the top of a granite boulder, with top mkd.</p> <p style="text-align: center;">SW <math>\frac{1}{16}</math> S6 1994</p>
39.878	<p>from which</p> <p>A granite boulder, 12 X 4 X 5<math>\frac{1}{2}</math> ft. high, bears N. 25°00' E., 91.9 lks. dist., mkd. BXO on southerly face, 4<math>\frac{1}{2}</math> ft. above ground.</p> <p>A white fir, 16 ins. diam., bears S. 79<math>\frac{1}{2}</math>° W., 113 lks. dist., mkd. SW <math>\frac{1}{16}</math> S6 BT.</p> <p>Cor. is located on SSE. slope with large granite boulders.</p> <p>The C-W <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p>
19.723	<hr/> <p>From the C-S <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p> <p>S. 89°31'10" W., on the E. and W. center line of the SW<math>\frac{1}{4}</math> of sec. 6.</p> <p>The SW <math>\frac{1}{16}</math> sec. cor. of sec. 6.</p>
29.584	<p>Point for the CW-SW <math>\frac{1}{64}</math> sec. cor. of sec. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 21 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone, 2 ft. diam., with brass cap mkd.</p> <p style="text-align: center;">CW-SW <math>\frac{1}{64}</math> S6 1996</p> <p>from which</p> <p>A granite boulder, 5 X 3 X 3 ft. high, bears S. 44°50' E., 18.9 lks. dist., mkd. BXO on W. face.</p> <p>A white fir, 21 ins. diam., bears S. 68° W., 52 lks. dist., mkd. CW SW <math>\frac{1}{64}</math> S6 BT.</p> <p>Cor. is located on timbered W. slope.</p>

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 38.836</p>	<p>The S <math>\frac{1}{16}</math> sec. cor. of secs. 1 and 6, on the W. bdy. of the Tp., monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 6 ins. above ground, and in a collar of stone, <math>2\frac{1}{2}</math> ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p>A granite boulder, 10 X 7 X 7 ft. high, bears N. <math>51^{\circ}00'</math> W., 10.6 lks. dist., mkd. BXO.</p> <p>A white fir, 9 ins. diam., bears N. <math>10^{\circ}</math> W., 34 lks. dist., with scribe marks S <math>\frac{1}{16}</math> S1 BT visible on healed blaze.</p> <p>Cor. is located on moderate W. slope.</p>
	<p>From the W-W <math>\frac{1}{64}</math> sec. cor. of secs. 6 and 7, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A red fir, 15 ins. diam., bears N. <math>29\frac{1}{4}^{\circ}</math> E., <math>39\frac{1}{2}</math> lks. dist., with scribe marks WW <math>\frac{1}{64}</math> S6 BT visible on open blaze.</p> <p>A lodgepole pine, 16 ins. diam., bears S. <math>5\frac{1}{2}^{\circ}</math> W., <math>62\frac{1}{2}</math> lks. dist., with scribe marks WW <math>\frac{1}{64}</math> S7 BT visible on open blaze.</p> <p>Cor. is located on open rocky NW. slope.</p> <p>N. <math>0^{\circ}26'50''</math> E., on the N. and S. center line of the SW<math>\frac{1}{4}</math> of the SW<math>\frac{1}{4}</math> of sec. 6.</p>
<p>4.979</p>	<p>Point for the C-S-SW-SW <math>\frac{1}{256}</math> sec. cor. of sec. 6, at its computed position.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 21 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone, 2 ft. diam., with brass cap mkd.</p> <p style="text-align: center;">C-S-SW-SW <math>\frac{1}{256}</math> S6 1995</p> <p>from which</p> <p>A red fir, 27 ins. diam., bears N. <math>62^{\circ}</math> E., <math>37\frac{1}{2}</math> lks. dist., mkd. C S SW <math>\frac{1}{256}</math> S6 BT.</p> <p>A granite boulder, 5 X 6 X 9 ft. high, bears S. <math>66^{\circ}30'</math> E., 91.1 lks. dist., mkd. BXO on NW. face, <math>2\frac{1}{2}</math> ft. above ground.</p>
<p>19.916</p>	<p>The CW-SW <math>\frac{1}{64}</math> sec. cor. of sec. 6.</p> <hr/> <p>From the C-S-SW-SW <math>\frac{1}{256}</math> sec. cor. of sec. 6.</p>

043

SUBDIVISION OF SECTION 6,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p> <p>9.142</p>	<p>S. 89°38'10" W., on the E. and W. center line of the SW<sup>1</sup>/<sub>4</sub> of the SW<sup>1</sup>/<sub>4</sub> of the SW<sup>1</sup>/<sub>4</sub> of sec. 6.</p> <p>The S-S-S <sup>1</sup>/<sub>256</sub> sec. cor. of secs. 1 and 6, on the W. bdy. of the Tp., monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 13 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p style="padding-left: 40px;">A granite boulder, 4 X 3 X 4 ft. high, bears N. 40°00' E., 23 lks. dist., mkd. BXO.</p> <p style="padding-left: 40px;">A granite boulder, 3 X 5 X 5 ft. high, bears N. 60°00' W., 6.5 lks. dist., mkd. BXO.</p> <p>Cor. is located on SE. slope with granite boulders.</p> <hr/> <p style="text-align: center;">SUBDIVISION OF SECTION 7, T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>From the <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 7 and 18, monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A pine stump, 24 ins. diam., bears S. 35° E., 84 lks. dist., with scribe marks BT and a chaining notch visible on open blaze.</p> <p style="padding-left: 40px;">A pine stump, 30 ins. diam., bears N. 8<sup>1</sup>/<sub>2</sub>° W., 129 lks. dist., with scribe marks BT and a chaining notch visible on open blaze.</p> <p>and the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A white fir snag, 19 ins. diam., bears N. 37° E., 28 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S7 BT visible on open blaze.</p> <p style="padding-left: 40px;">A red fir, 28 ins. diam., bears S. 38<sup>1</sup>/<sub>2</sub>° E., 42 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S18 BT visible on open blaze.</p> <p>and a new accessory</p> <p style="padding-left: 40px;">A granite boulder, 6 X 6 X 4 ft. high, bears N. 48°20' E., 29.4 lks. dist., mkd. BXO on W. face, 1<sup>1</sup>/<sub>2</sub> ft. above ground.</p> <p>From this corner, U.S.C. &amp; G.S. triangulation station "CASTLE ROCK", monumented with a drill hole, <sup>3</sup>/<sub>4</sub> in. diam., in an igneous rock formation, bears S. 63°56'20" W., 92.579 chs. dist.</p> <p>Cor. is located on rocky SW. slope with pine and fir timber.</p> <p>N. 1°21'40" W., on the N. and S. center line of sec. 7.</p>
----------------------------	--

044

SUBDIVISION OF SECTION 7,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 34.939</p>	<p>Point selected for a witness point on the N. and S. center line of sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 16 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">WP C   S7 C</p> <p style="text-align: center;">1997</p>
<p>67.772</p>	<p>Point is located on timbered W. slope among scattered boulders.</p> <p>Point selected for a witness point on the N. and S. center line of sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 18 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 2<sup>1</sup>/<sub>2</sub> ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">WP C   S7 C</p> <p style="text-align: center;">1997</p>
<p>79.417</p>	<p>Point is located on gradual SW. slope among timber and boulders.</p> <p>The <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 6 and 7, hereinbefore described.</p> <hr/> <p style="text-align: center;">SUBDIVISION OF SECTION 9, T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>From the <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 9 and 16, monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A yellow pine, 15 ins. diam., bears S. 48<sup>1</sup>/<sub>4</sub>° W., 58 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S16 BT visible on open blaze.</p> <p style="padding-left: 40px;">A yellow pine, 21 ins. diam., bears N. 73<sup>1</sup>/<sub>4</sub>° W., 56 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S9 BT visible on open blaze.</p> <p>Cor. is located on steep rocky NE. slope, 10 lks. W. of ravine, drains NE.</p> <p>N. 0°02'50" W., on the N. and S. center line of sec. 9.</p>

045

SUBDIVISION OF SECTION 9,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 20.026	<p>The C-S <math>\frac{1}{16}</math> sec. cor. of sec. 9, monumented with an aluminum pipe, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 14 ins. above ground, and in a collar of stone, 1 ft. diam., with aluminum cap mkd. T13N R19E CS 1/16 S9 RLS 3209 1988, as recorded in Douglas County, Map Book 989, Page 3944, File No. 211937, and is accepted as a careful determination of the position of the cor.</p> <p>Not remonumented.</p> <p>Cor. is located on steep S. slope.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. <math>0^{\circ}03'30''</math> W., beginning new measurement.</p>
20.050	<p>The center <math>\frac{1}{4}</math> sec. cor. of sec. 9, monumented with an aluminum pipe, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, <math>2\frac{1}{2}</math> ft. diam., to top, with aluminum cap erroneously mkd. T13N R19E C 1/16 S9 RLS 3209 1988 and recorded in Douglas County, Map Book 989, Page 3944, File No. 211937, and is accepted as a careful determination of the position of the cor.</p> <p>Not remonumented, from which</p> <p style="padding-left: 40px;">A rock outcrop, bears S. <math>38^{\circ}10'</math> W., 23.1 lks. dist., mkd. BXO.</p> <p style="padding-left: 40px;">A portion of the same rock outcrop, bears N. <math>57^{\circ}40'</math> W., 19.7 lks. dist., mkd. BXO.</p> <p>Alter the marks C 1/16 to read C 1/4 and add 1997 to the cap.</p> <p>Cor. is located on steep NE. slope.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. <math>0^{\circ}00'20''</math> W., beginning new measurement.</p>
19.914	<p>The C-N <math>\frac{1}{16}</math> sec. cor. of sec. 9, monumented with an aluminum pipe, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 18 ins. above ground, and in a mound of stone, 2 ft. diam., to top, with aluminum cap mkd. T13N R19E CN 1/16 S9 RLS 3209 1988, as recorded in Douglas County, Map Book 989, Page 3944, File No. 211937, and is accepted as a careful determination of the position of the cor.</p> <p>Not remonumented, from which</p> <p style="padding-left: 40px;">A rock outcrop, bears S. <math>72^{\circ}10'</math> W., 12.8 lks. dist., mkd. BXO 4.5 ft. above ground and level with top of monument. Outcrop rises 40 ft. up from N. side of creek.</p> <p style="padding-left: 40px;">A portion of the same rock outcrop, bears N. <math>60^{\circ}30'</math> W., 27.4 lks. dist., mkd. BXO 3 ft. above ground on lowest portion of outcrop, 10 ft. wide and 25 ft. high.</p> <p>Cor. is located on steep S. slope, 15 ft. N. of creek, 4 lks. wide, drains easterly.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. <math>0^{\circ}02'50''</math> W., beginning new measurement.</p>
19.940	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 9, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/>

SUBDIVISION OF SECTION 9,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 9 and 10, determined from the 1985-86 accessories</p> <p>A brass disk, 3 ins. diam., firmly set, 12 ins. below surface of Kinsey Way, and in an iron cylinder, 8 ins. diam., bears N. <math>22^{\circ}50'</math> E., 3.44 chs. dist., unmarked, as recorded in Douglas County, Book 680, Page 3013, Subdivision Map Book of Sierra Shadows.</p> <p>A brass disk, 2 ins. diam., firmly set, 12 ins. below surface of Reese Court, Cul-de-sac, and in an iron cylinder, 8 ins. diam., bears S. <math>8^{\circ}20'</math> W., 1.44 chs. dist., unmarked, as recorded in Douglas County, Book 680, Page 3013, Subdivision Map Book of Sierra Shadows. (1985-86 Record, S. <math>8^{\circ}20'</math> E.)</p> <p>Point falls in landscaped ditch and edge of landscaped vegetation. The monument as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 260, no longer exists.</p> <p>Not remonumented.</p> <p>S. <math>89^{\circ}50'00''</math> W., on the E. and W. center line of sec. 9.</p>
39.781	<p>The center <math>\frac{1}{4}</math> sec. cor. of sec. 9.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. <math>89^{\circ}39'00''</math> W., beginning new measurement.</p>
19.902	<p>The C-W <math>\frac{1}{16}</math> sec. cor. of sec. 9, monumented with an aluminum pipe, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 2 ft. diam., to top, with aluminum cap mkd. T13N R19E CW 1/16 S9 RLS 3209 1988, as recorded in Douglas County, Map Book 989, Page 3944, File No. 211937, and is accepted as a careful determination of the position of the cor.</p> <p>Not remonumented, from which</p> <p>A jeffrey pine, 19 ins. diam., bears N. <math>17^{\circ}</math> E., 74 lks. dist., mkd. CW <math>\frac{1}{16}</math> S9 BT.</p> <p>A metamorphic boulder, 10 X 17 X 6 ft. high, bears S. <math>15^{\circ}50'</math> W., 110.4 lks. dist., mkd. BXO on NE. face, <math>4\frac{1}{2}</math> ft. above ground.</p> <p>Cor. is located on S. slope.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. <math>89^{\circ}46'50''</math> W., beginning new measurement.</p>
19.889	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 9, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a collar of stone, <math>2\frac{1}{2}</math> ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A ponderosa pine, 22 ins. diam., bears S. <math>65\frac{1}{2}^{\circ}</math> E., 75 lks. dist., with scribe marks <math>\frac{1}{4}</math> S9 BT visible on open blaze.</p>

047

SUBDIVISION OF SECTION 9,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A ponderosa pine, 23 ins. diam., bears N. 25<sup>1</sup>/<sub>2</sub>° W., 54 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S8 BT visible on open blaze.</p> <p>Cor. is located on steep rocky S. slope with fir and pine timber.</p>
	<p>From the N <sup>1</sup>/<sub>16</sub> sec. cor. of secs. 9 and 10, monumented with a nail, set flush in asphalt driveway. No recovery of the iron rod as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p>
	<p>An apple tree, 22 ins. diam., bears N. 13<sup>1</sup>/<sub>2</sub>° E., 18<sup>1</sup>/<sub>2</sub> lks. dist., with nail at base.</p>
	<p>A stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, flush with the ground, as reference monument, bears S. 78°45' E., 69.0 lks. dist., with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620.</p>
	<p>Cor. is located in private driveway, 2<sup>1</sup>/<sub>2</sub> lks. N. of center, 15 lks. wide, bear N. 70° W. and S. 70° E.</p>
	<p>S. 89°36'20" W., on the E. and W. center line of the NE<sup>1</sup>/<sub>4</sub> of sec. 9.</p>
18.54	<p>Intersect fence at a point, 10.6 lks. S. of a fence cor., barb wire fence bears E. and split rail fences bears W. and S. from cor.</p>
19.898	<p>At a point, 13.1 lks. S. of an unrecorded iron pipe, 1<sup>3</sup>/<sub>4</sub> ins. diam., firmly set, projecting 4 ins. above ground, no marks. This monument appears to be an improper determination of the NE <sup>1</sup>/<sub>16</sub> sec. cor. of sec. 9 and is not utilized in this resurvey. Pipe is located under split rail fence, bears E. and W.</p>
25.94	<p>Intersect fence, split rail fences bear N. and S.</p>
25.961	<p>Point selected for a witness point on the E. and W. center line of the NE<sup>1</sup>/<sub>4</sub> of sec. 9.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, with brass cap mkd.</p>
	<p style="text-align: center;">WP N ——— N S9 1997</p>
	<p>From this point, an iron pipe, <sup>3</sup>/<sub>4</sub> in. diam., loosely set, projecting 5 ins. above ground, with brass cap mkd. RLS 2350, bears N. 0°38' E., 22.1 lks. dist. Iron pipe is located N. 64° W., 1.7 lks. dist., from fence cor., split rail fences bear S. and E.</p> <p>Point is located on steep S. slope.</p>
39.747	<p>The C-N <sup>1</sup>/<sub>16</sub> sec. cor. of sec. 9.</p>

SUBDIVISION OF SECTION 18,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 18 and 19, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A white fir, 15 ins. diam., bears N. <math>35^{\circ}</math> E., <math>7\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S18 BT visible on open blaze.</p> <p style="padding-left: 40px;">A ponderosa pine, 15 ins. diam., bears S. <math>1^{\circ}</math> W., 75 lks. dist., with scribe marks <math>\frac{1}{4}</math> S19 BT visible on open blaze.</p> <p>Cor. is located on timbered W. slope.</p> <p>N. <math>1^{\circ}16'40''</math> E., on the N. and S. center line of sec. 18.</p>
29.833	<p>Point selected for a witness point on the N. and S. center line of sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">WP C   S18 C</p> <p style="text-align: center;">1997</p> <p>Point is located on gradual SW. slope in timber.</p>
57.709	<p>Point selected for a witness point on the N. and S. center line of sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 21 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">WP C   S18 C</p> <p style="text-align: center;">1997</p> <p>Point is located on gradual S. slope.</p>
58.03	<p>Jeep trail, 12 lks. wide, bears E. and N. <math>80^{\circ}</math> W. in curve.</p>
80.123	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 7 and 18, hereinbefore described.</p> <hr/>

SUBDIVISION OF SECTION 19,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 19 and 30, monumented with an aluminum pipe, <math>2\frac{3}{8}</math> ins. diam., firmly set, projecting 5 ins. above ground, and in a collar of stone, <math>1\frac{1}{2}</math> ft. diam., with aluminum cap mkd. 1983 T13N R19E S19 S30 RLS 3519, as recorded in Douglas County, Map Book 885, Page 1599, Document No. 121585, sheet 1 of 7 sheets, from which the remains of the original bearing tree</p> <p>A pine stump, 26 ins. diam., bears N. <math>55\frac{1}{2}^{\circ}</math> E., 43 lks. dist., mkd. with partial scribing T and a chaining notch on chopped open blaze.</p> <p>and local bearing trees</p> <p>A fir, 24 ins. diam., bears S. <math>72^{\circ}</math> W., 23 lks. dist., with scribe marks <math>\frac{1}{4}</math> S30 BT visible on open blaze.</p> <p>A fir, 29 ins. diam., bears N. <math>8^{\circ}</math> W., <math>11\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S19 BT visible on open blaze.</p> <p>Cor. is located on timbered SW. slope.</p> <p>N. <math>0^{\circ}02'50''</math> E., on the N. and S. center line of sec. 19.</p>
51.631	<p>Point selected for a witness point on the N. and S. center line of sec. 19.</p> <p>Set a brass tablet, <math>3\frac{1}{4}</math> ins. diam., <math>3\frac{1}{2}</math>-in. stem., in a drill hole in the top of a granite boulder, 3 X <math>3\frac{1}{2}</math> X 2 ft. high, with top mkd.</p> <p style="text-align: center;">WP C   S19 C</p> <p style="text-align: center;">1997</p>
66.408	<p>Point is located on brushy SE. slope among boulders and scattered timber.</p> <p>Point selected for a witness point on the N. and S. center line of sec. 19.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, <math>3\frac{1}{2}</math> ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">WP C   S19 C</p> <p style="text-align: center;">1997</p>
79.525	<p>Point is located on brushy NW. slope in scattered timber.</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 18 and 19, hereinbefore described.</p> <hr/>

SUBDIVISION OF SECTION 20,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 20 and 29, monumented with an aluminum pipe, <math>2\frac{3}{8}</math> ins. diam., firmly set, projecting 12 ins. above ground, and in a collar of stone, <math>2\frac{1}{2}</math> ft. diam., to top, with aluminum cap mkd. 1983 T13N R19E <math>\frac{1}{4}</math> S20 S29 RLS 3519, as recorded in Douglas County, Map Book 885, Page 1599, Document No. 121585, sheet 5 of 7 sheets, from which local bearing trees</p> <p style="padding-left: 40px;">A pine, 11 ins. diam., bears N. <math>85\frac{1}{2}^{\circ}</math> E., 108 lks. dist., with healed blaze.</p> <p style="padding-left: 40px;">A pine, 10 ins. diam., bears N. <math>44^{\circ}</math> W., <math>44\frac{1}{2}</math> lks. dist., with healed blaze.</p> <p>Cor. is located on SW. slope, 42 lks. W. of jeep trail, 12 lks. wide, bears S. and S. <math>25^{\circ}</math> E. in curve.</p> <p>N. <math>0^{\circ}03'00''</math> E., on the N. and S. center line of sec. 20.</p> <p>19.967 Point for the C-S <math>\frac{1}{16}</math> sec. cor. of sec. 20.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} C \\ S\ 1/16 \left  S20 \\ C \end{array}</math> <p>1994</p> </div> <p>from which</p> <p style="padding-left: 40px;">A jeffrey pine, 17 ins. diam., bears S. <math>34\frac{1}{2}^{\circ}</math> W., <math>121\frac{1}{2}</math> lks. dist., mkd. CS <math>\frac{1}{16}</math> S20 BT.</p> <p style="padding-left: 40px;">A granite boulder, 4 X 4 X 3 ft. high, bears N. <math>81^{\circ}20'</math> W., 87.2 lks. dist., mkd. BXO on SE. face.</p> <p>Cor. is located on SW. slope.</p>
39.934	<p>Point for the center <math>\frac{1}{4}</math> sec. cor. of sec. 20, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, <math>3\frac{1}{2}</math> ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T13N R19E C <math>\frac{1}{4}</math> S20</p> <p>1997</p> </div> <p>from which</p> <p style="padding-left: 40px;">A granite boulder, 5 X 4 X 4 ft. high, bears N. <math>18^{\circ}10'</math> E., 55.5 lks. dist., mkd. BXO on SW. face, 3 ft. above ground.</p> <p style="padding-left: 40px;">A jeffrey pine, 25 ins. diam., bears S. <math>28\frac{3}{4}^{\circ}</math> E., 103 lks. dist., mkd. C <math>\frac{1}{4}</math> S20 BT.</p>

SUBDIVISION OF SECTION 20,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
79.840	<p>Cor. is located on gradual E. slope.</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 17 and 20, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A decayed stump, 18 ins. diam., bears N. <math>35\frac{1}{2}^{\circ}</math> E., 104 lks. dist., with open blaze, no marks visible.</p> <p style="padding-left: 40px;">A decayed stump, 26 ins. diam., bears S. <math>61^{\circ}</math> W., 133 lks. dist., with burned center, no marks visible.</p> <p>and the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A white fir snag, 14 ins. diam., bears S. <math>16\frac{1}{2}^{\circ}</math> W., <math>86\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S20 BT visible on open blaze.</p> <p style="padding-left: 40px;">A yellow pine, 19 ins. diam., bears N. <math>47\frac{1}{2}^{\circ}</math> W., <math>58\frac{1}{2}</math> lks. dist., with scribe marks <math>\frac{1}{4}</math> S17 BT visible on open blaze.</p> <p>and a new accessory</p> <p style="padding-left: 40px;">A granite boulder, 5 X 4 X 3 ft. high, bears S. <math>32^{\circ}50'</math> W., 60.1 lks. dist., mkd. BXO on top of easterly sloping face, <math>2\frac{1}{2}</math> ft. above ground.</p> <p>Cor. is located 9 lks. N. of wash, 3 lks. wide, drains S. <math>85^{\circ}</math> E.</p> <hr/> <p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 20 and 21, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A decayed stump, 28 ins. diam., bears S. <math>88^{\circ}</math> E., 58 lks. dist., with scribe marks BT and a chaining notch visible on open blaze.</p> <p style="padding-left: 40px;">A decayed stump, 22 ins. diam., bears S. <math>78^{\circ}</math> W., 20 lks. dist., no marks visible.</p> <p>and the 1985-86 bearing trees</p> <p style="padding-left: 40px;">A fir, 20 ins. diam., bears N. <math>46^{\circ}</math> E., 29 lks. dist., with healed blaze.</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears N. <math>63^{\circ}</math> W., <math>40\frac{1}{2}</math> lks. dist., with healed blaze.</p> <p>Cor. is located on gradual timbered SE. slope.</p> <p>S. <math>89^{\circ}19'20''</math> W., on the E. and W. center line of sec. 20.</p>
19.915	<p>Point for the C-E <math>\frac{1}{16}</math> sec. cor. of sec. 20.</p>

052

SUBDIVISION OF SECTION 20,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3<sup>1</sup>/<sub>2</sub> ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">E 1/16 C ——— C S20 1995</p> <p>from which</p> <p style="padding-left: 40px;">A jeffrey pine, 26 ins. diam., bears S. 1° W., 67<sup>1</sup>/<sub>2</sub> lks. dist., mkd. CE <sup>1</sup>/<sub>16</sub> S20 BT.</p> <p style="padding-left: 40px;">A jeffrey pine, 28 ins. diam., bears S. 48° W., 65<sup>1</sup>/<sub>2</sub> lks. dist., mkd. CE <sup>1</sup>/<sub>16</sub> S20 BT.</p> <p>Cor. is located on SW. slope with jeffrey pine and young cedar timber.</p>
39.830	The center <sup>1</sup> / <sub>4</sub> sec. cor. of sec. 20.
59.655	Point for the C-W <sup>1</sup> / <sub>16</sub> sec. cor. of sec. 20.
	<p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3<sup>1</sup>/<sub>2</sub> ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">W 1/16 C ——— C S20 1995</p> <p>from which</p> <p style="padding-left: 40px;">A jeffrey pine, 24 ins. diam., bears S. 52° E., 55<sup>1</sup>/<sub>2</sub> lks. dist., mkd. CW <sup>1</sup>/<sub>16</sub> S20 BT.</p> <p style="padding-left: 40px;">A boulder, 4 X 5 X 5<sup>1</sup>/<sub>2</sub> ft. high, bears S. 31°40' W., 29.2 lks. dist., mkd. BXO on top of NE. sloping face.</p> <p>Cor. is located on SW. slope with jeffrey pine and young cedar timber.</p>
79.480	<p>The <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 19 and 20, monumented with a PK nail, at N. edge of Kingsbury Grade Road, State Highway No. 207, as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 accessories</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 9 ins. above the ground, and in a mound of stone, 3 ft. diam., to top, for a reference monument, bears S. 5°49' E., 115.2 lks. dist., with brass cap mkd. RM T13N R19E S20 76.0 FT. 1985 and an arrow pointing to the cor.</p>

053

SUBDIVISION OF SECTION 20,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>An iron pipe, 1 in. diam., firmly set, projecting 2 ins. above ground, bears S. 0°08' W., 2.35 chs. dist., with aluminum cap, 1½ ins. diam., mkd. RLS 3519, as recorded in Douglas County, Map Book 885, Page 1599, Document No. 121585, sheet 7 of 7 sheets.</p> <p>An iron pipe, 1 in. diam., firmly set, projecting 1 in. above ground, bears S. 62°18' W., 1.62 chs. dist., with aluminum cap, 1½ ins. diam., mkd. RLS 3519, as recorded in Douglas County, Map Book 885, Page 1599, Document No. 121585, sheet 7 of 7 sheets.</p> <p>and the remaining highway monuments</p> <p>A brass disk, 3½ ins. diam., firmly set in concrete footing, 10 ins. diam., flush with ground, bears N. 26°35' W., 1.59 chs. dist., mkd. NEVADA HIGHWAY DEPT. ELEV.-7074.12 STA "K3" 42+19.28 P.O.T DIST 193.05 ANGLE "K3" TAN.</p> <p>A brass disk, 3½ ins. diam., firmly set in concrete footing, 10 ins. diam., flush with ground, bears N. 8°19' W., 1.29 chs. dist., mkd. NEVADA HIGHWAY DEPT. ELEV. - STA "K3" 42+19.28 P.O.T DIST 228.79 ANGLE "K3" TAN.</p> <p>Cor. is located 36 lks. N. of center of State Highway No. 207, Kingsbury Grade Road, 30 ft. wide, bears S. 40° E. and N. 40° W.</p> <hr/> <p>From the E 1/16 sec. cor. of secs. 20 and 29, monumented with a stainless steel post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, and in a collar of stone, 2½ ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A white fir snag, 15 ins. diam., bears N. 32° E., 26 lks. dist., with scribe marks E 1/16 S20 BT visible on open blaze.</p> <p>A jeffrey pine, 34 ins. diam., bears S. 12° E., 5 lks. dist., with scribe marks E 1/16 S29 BT visible on open blaze.</p> <p>and a new accessory</p> <p>A jeffrey pine, 10 ins. diam., bears N. 4° W., 15 lks. dist., mkd. E 1/16 S20 BT.</p> <p>Cor. is located on gradual timbered N. slope, 12 lks. S. of small drainage, 4 lks. wide, drains S. 75° E.</p> <p>N. 0°07'40" E., on the N. and S. center line of the SE¼ of sec. 20.</p> <p>19.985 Point for the SE 1/16 sec. cor. of sec. 20, at intersection with the E. and W. center line of the SE¼.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 23 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>

SUBDIVISION OF SECTION 20,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">SE 1/16 S20</p> <p style="text-align: center;">1996</p> <p>from which</p> <p>A jeffrey pine, 30 ins. diam., bears N. 14° E., 161 lks. dist., mkd. SE 1/16 S20 BT.</p> <p>A jeffrey pine, 15 ins. diam., bears N. 32° W., 63 lks. dist., mkd. SE 1/16 S20 BT.</p> <p>Cor. is located on SSE. slope with large granite boulders.</p> <p>39.970 The C-E 1/16 sec. cor. of sec. 20.</p>
	<hr/> <p>From the S 1/16 sec. cor. of secs. 20 and 21, monumented with a brass tablet, 3 1/4 ins. diam., firmly set, on rock outcrop 4 X 2 X 2 ft. high, mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A ponderosa pine, 14 ins. diam., bears S. 44° E., 17 1/2 lks. dist., with scribe marks S 1/16 S21 BT visible on open blaze.</p> <p>A ponderosa pine, 18 ins. diam., bears N. 14 1/4° W., 82 1/2 lks. dist., with scribe marks S 1/16 S20 BT visible on open blaze.</p> <p>S. 89°21'50" W., on the E. and W. center line of the SE 1/4 of sec. 20.</p>
19.887	The SE 1/16 sec. cor. of sec. 20.
39.774	The C-S 1/16 sec. cor. of sec. 20.
	<hr/> <p style="text-align: center;">SUBDIVISION OF SECTION 28, T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>From the 1/4 sec. cor. of secs. 28 and 33, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the original bearing trees</p> <p>A ponderosa pine, 34 ins. diam., bears N. 42° E., 114 lks. dist., with healed blaze.</p> <p>A ponderosa pine, 26 ins. diam., bears S. 40° E., 99 1/2 lks. dist., with healed blaze.</p> <p>Cor. is located on timbered N. slope, 95 lks. S. of ravine, drains E.</p> <p>N. 0°02'40" E., on the N. and S. center line of sec. 28.</p> <p>20.029 Point for the C-S 1/16 sec. cor. of sec. 28.</p>

SUBDIVISION OF SECTION 28,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone, 2 ft. diam., to top, with brass cap mkd.</p> <p style="text-align: center;"> <math display="block">\begin{array}{c} C \\ S\ 1/16 \left  S28 \\ C \end{array}</math> </p> <p style="text-align: center;">1995</p> <p>from which</p> <p style="padding-left: 40px;">A jeffrey pine, 26 ins. diam., bears N. 72<sup>1</sup>/<sub>2</sub>° E., 25 lks. dist., mkd. CS <sup>1</sup>/<sub>16</sub> S28 BT.</p> <p style="padding-left: 40px;">A jeffrey pine, 27 ins. diam., bears S. 51<sup>1</sup>/<sub>2</sub>° E., 76 lks. dist., mkd. CS <sup>1</sup>/<sub>16</sub> S28 BT.</p> <p style="padding-left: 40px;">A jeffrey pine, 20 ins. diam., bears N. 68° W., 19 lks. dist., mkd. CS <sup>1</sup>/<sub>16</sub> S28 BT.</p> <p>Cor. is located on NE. slope.</p>
40.058	<p>Point for the center <sup>1</sup>/<sub>4</sub> sec. cor. of sec. 28, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 20 ins. in the ground, over a plastic-encased magnet at base, and in a collar of stone, 1<sup>1</sup>/<sub>2</sub> ft. diam., to top, with brass cap mkd.</p> <p style="text-align: center;">           T13N R19E            C 1/4 S28         </p> <p style="text-align: center;">1995</p> <p>from which</p> <p style="padding-left: 40px;">A jeffrey pine, 16 ins. diam., bears N. 13° E., 7 lks. dist., mkd. C <sup>1</sup>/<sub>4</sub> S28 BT.</p> <p style="padding-left: 40px;">A jeffrey pine, 12 ins. diam., bears S. 53° E., 11<sup>1</sup>/<sub>2</sub> lks. dist., mkd. C <sup>1</sup>/<sub>4</sub> S28 BT.</p> <p>Cor. is located on gradual N. slope.</p>
80.536	<p>The <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 21 and 28, monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A decayed pine stump, 16 ins. diam., bears S. 34° W., 15 lks. dist., no marks visible.</p> <p style="padding-left: 40px;">A decayed pine stump, 24 ins. diam., bears N. 17° W., 31 lks. dist., no marks visible.</p> <p>and the 1985-86 bearing trees</p>

SUBDIVISION OF SECTION 28,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A pine, 11 ins. diam., bears N. 72° E., 68 lks. dist., with scribe marks <math>\frac{1}{4}</math> S21 BT visible on open blaze.</p> <p>A pine, 11 ins. diam., bears S. 44<math>\frac{1}{2}</math>° W., 56 lks. dist., with scribe marks <math>\frac{1}{4}</math> S28 BT visible on open blaze.</p> <p>Cor. is located on brushy SW. slope, 2.85 chs. N. of Old Kingsbury Grade Road, 18 lks. wide, bears S. 65° E. and N. 65° W.</p>
	<p>From the <math>\frac{1}{4}</math> sec. cor. of secs. 27 and 28, monumented with a stainless steel post, 2<math>\frac{1}{2}</math> ins. diam., firmly set, projecting 6 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620.</p> <p>Cor. is located on SE. slope, 17 lks. N. of fence, bears N. 86° E. and S. 86° W.</p> <p>N. 89°55'10" W., on the E. and W. center line of sec. 28.</p>
39.903	The center $\frac{1}{4}$ sec. cor. of sec. 28.
79.423	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 29, monumented with an aluminum pipe, 2<math>\frac{3}{8}</math> ins. diam., firmly set, projecting 12 ins. above ground, and in a collar of stone, 2 ft. diam., to top, with aluminum cap mkd. <math>\frac{1}{4}</math> T13N S29 R19E S28 1984 RLS 3519, as recorded in Douglas County, Map Book 885, Page 1599, Document No. 121585, sheet 5 of 7 sheets, from which the remains of the original bearing trees</p> <p>A pine stump, 24 ins. diam., bears S. 86<math>\frac{1}{2}</math>° E., 91 lks. dist., with fallen snag alongside, mkd. <math>\frac{1}{4}</math> S BT and a chaining notch on open blaze.</p> <p>A pine, 25 ins. diam., bears S. 12° W., 30 lks. dist., with healed blaze, partially chopped open.</p> <p>and the 1985-86 bearing tree</p> <p>A pine, 15 ins. diam., bears S. 48<math>\frac{1}{2}</math>° E., 49 lks. dist., with scribe marks <math>\frac{1}{4}</math> S28 BT visible on open blaze.</p> <p>Cor. is located on steep timbered N. slope.</p>
39.464	<p>From the C-S <math>\frac{1}{16}</math> sec. cor. of sec. 28.</p> <p>S. 89°59'00" W., on the E. and W. center line of the SW<math>\frac{1}{4}</math> of sec. 28.</p> <p>The S <math>\frac{1}{16}</math> sec. cor. of secs. 28 and 29, monumented with a stainless steel post, 2<math>\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the 1985-86 bearing trees</p> <p>A curlleaf mountain mahogany, 5 ins. diam., bears N. 80° E., 2<math>\frac{1}{2}</math> lks. dist., with scribe marks X BT visible on open blazes.</p>

057

SUBDIVISION OF SECTION 28,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

A yellow pine, 17 ins. diam., bears N. 85° W., 18<sup>1</sup>/<sub>2</sub> lks. dist., with scribe marks S <sup>1</sup>/<sub>16</sub> S29 BT visible on open blaze.

Cor. is located on timbered N. slope.

SUBDIVISION OF SECTION 32,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

From the <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 32 and 33, monumented with a stainless steel post, 2<sup>1</sup>/<sub>2</sub> ins. diam., firmly set, projecting 5 ins. above ground, and in a mound of stone, 3 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing tree

A stump hole, bears N. 33° E., 57 lks. dist., with remains of pine snag, 27 ins. diam., alongside, with scribe marks BT and a chaining notch visible on open blaze.

and the 1985-86 bearing trees

A ponderosa pine, 15 ins. diam., bears N. 40<sup>3</sup>/<sub>4</sub>° E., 74 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S33 BT visible on open blaze.

A ponderosa pine, 34 ins. diam., bears S. 84<sup>1</sup>/<sub>2</sub>° W., 56 lks. dist., with scribe marks <sup>1</sup>/<sub>4</sub> S32 BT visible on open blaze.

Cor. is located on timbered E. slope.

N. 89°52'40" W., on the E. and W. center line of sec. 32.

32.205 Point selected for a witness point on the E. and W. center line of sec. 32.

Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 21 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

WP  
T13N R19E  
C ——— C  
S32

1997

Point is located on timbered SE. slope with granite boulders.

67.48 Jeep trail, 14 lks. wide, bears N. 25° W. and S. 15° E. in curve.

68.056 Point selected for a witness point on E. and W. center line of sec. 32.

Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 22 ins. in the ground, over a plastic-encased magnet at base, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

058

SUBDIVISION OF SECTION 32,  
T. 13 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
78.934	<p style="text-align: center;">WP T13N R19E C ——— C S32  1997</p> <p>Point is located on timbered E. slope.</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 31 and 32, monumented with a stainless steel post, <math>2\frac{1}{2}</math> ins. diam., firmly set, projecting 8 ins. above ground, and in a mound of stone, 4 ft. diam., to top, with brass cap mkd. as described in the dependent resurvey of T. 13 N., R. 19 E., executed under Group No. 620, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A fir, 44 ins. diam., bears S. <math>54^{\circ}</math> E., 52 lks. dist., with healed blaze.</p> <p style="padding-left: 40px;">A fir snag, 30 ins. diam., bears N. <math>47^{\circ}</math> W., 36 lks. dist., with chopped open blaze, no marks visible.</p> <p>and the 1985-86 bearing tree</p> <p style="padding-left: 40px;">A fir, 24 ins. diam., bears S. <math>72\frac{1}{2}^{\circ}</math> W., <math>63\frac{1}{2}</math> lks. dist., with healed blaze.</p> <p>From this corner, U.S.C. &amp; G.S. triangulation station "LEDGE", monumented with a drill hole, <math>\frac{3}{4}</math> in. diam., in a granite rock outcrop, bears N. <math>48^{\circ}48'30"</math> E., 32.351 chs. dist.</p> <p>Cor. is located on gradual NW. slope, 80 lks. E. of E. edge of Heavenly Valley ski run "Perimeter", bears N. and S.</p> <hr/>

## TOWNSHIP 13 NORTH, RANGE 19 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

## GENERAL DESCRIPTION

Township 13 North, Range 19 East is located in Douglas County, Nevada, one mile west of Minden and 3 air miles east of Lake Tahoe. The Carson Mountain Range comprises the entire west half of the Tp., with the main ridge trending northerly along the west tier of sections. The divide reaches 9,000 feet above sea level and separates the drainages of the Lake Tahoe Basin to the west from the Carson Valley drainage to the east.

The Carson Valley makes up most of the west half of the Tp. The West Fork and the East Fork of the Carson River drain northwesterly into the Tp., near Minden at an elevation of 4,700 feet above sea level. The rivers bend northerly at their junction in section 14 and cross the northern boundary of the Tp. at the 4,600 ft. elevation. Extensive flooding occurred at the junction of the two forks of the Carson River within months following the original government surveys in 1861. Subsequent major floods have occurred, contributing to the obliteration of the wooden post survey monuments in this portion of the Carson Valley.

U.S. Route 395, parallels the east boundary and is located about one-half mile to the east of the east boundary of the Tp. State Route No. 206, Foothill Road, trends northerly along the base of the mountains. Access over the Carson Range is by State Highway No. 207, Kingsbury Grade, over Daggett Pass. Secondary roads and streets lead into the Ridge Tahoe housing development and Heavenly Valley Ski area in sections 18, 19 and 30. Muller Lane and Genoa Lane cross the Carson Valley between Highway 395 and Foothill Road. The small community of Genoa, and Mormon Station State Monument are located in sections 9 and 10. Walley's Hot Springs lies near the center of the Tp. in section 22.

The mountainous portion is almost exclusively granite rock with coarse granite soil, and some meta-volcanic rock above Genoa. There is currently no mining within the Tp., other than a large gravel pit near Walley's Hot Springs. The east half of the Tp. is extensively irrigated with grazing of dairy and beef cattle the primary agricultural use. A few large ranches comprise the greater portion of the eastern half of the Tp., with smaller farms along Foothill Road and Jacks Valley Road.

060  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

Joan H. Honda . . . . . Cadastral Surveyor  
John S. Hancock . . . . . Surveying Technician  
Susan G. Sarentopolos . . . . . Surveying Technician

061

## CERTIFICATE OF SURVEY

I, David L. Dukleth, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 11th day of July, 1994, and Supplemental Special Instructions bearing date of the 11th day of June, 1996, I have subdivided sections 4, 5, 6, 7, 9, 18, 19, 20, 28, and 32, Township 13 North, Range 19 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

7 December 2000  
(Date)

David L. Dukleth  
(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Reno, Nevada

The foregoing field notes of the subdivision of sections 4, 5, 6, 7, 9, 18, 19, 20, 28, and 32, Township 13 North, Range 19 East, Mount Diablo Meridian, Nevada, executed by David L. Dukleth, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

December 20, 2000  
(Date)

Robert H. Thompson  
(Acting Chief Cadastral Surveyor, Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 13 N., R. 19 E., M.D.M., Nevada, is a true copy of the original field notes.~~

~~\_\_\_\_\_~~  
~~(Date)~~

~~\_\_\_\_\_~~  
~~(Acting Chief Cadastral Surveyor, Nevada)~~