

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Original

FIELD NOTES

OF THE

DEPENDENT RESURVEY

OF

A PORTION OF THE SOUTH BOUNDARY,

A PORTION OF THE SUBDIVISIONAL LINES,

A PORTION OF THE NORTHERN LINE OF THE SUTRO TUNNEL GRANT

AND

PORTIONS OF CERTAIN MINERAL SURVEYS,

AND THE SUBDIVISION

OF

SECTIONS 20, 27 AND 28,

TOWNSHIP 17 NORTH, RANGE 21 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA

EXECUTED BY

David D. Morlan, Cadastral Surveyor

Ronald E. Williams, Cadastral Surveyor

Under Special Instructions dated May 17, 1993,

and approved May 17, 1993,

which provided for the surveys included under Group No. 736,

and Assignment Instructions dated May 20, 1993 and December 5, 2001.

Survey commenced May 21, 1993

Survey completed October 19, 2004

INDEX DIAGRAM

TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

6	5	4	3	2	1
7	8	9	10	11	12
18	17 30	16 22	15 14	14	13
19 27	28 20 26	20 21 19	13 22 12	8 23	24
30 22	25 29	17 28 16	10 27 9	6 26	25
31	32	15 33 4	9 34	35	36

Dependent Resurvey of a Portion of the Northern Line  
of the Sutro Tunnel Grant ..... pp. 30- 31

Dependent Resurvey of Certain Mineral Surveys ..... pp. 31-122  
(Detailed Mineral Survey Index on next page)

Subdivision of Section 20 ..... pp. 122-124

Subdivision of Section 27 ..... pp. 124-126

Subdivision of Section 28 ..... pp. 126-129

## MINERAL SURVEY INDEX

M.S. No. 37, Office No. 1 .....	pp.	31- 33
M.S. No. 40, Office No. 4 .....	pp.	34- 37
M.S. No. 67, Office No. 31 .....	pp.	37- 38
M.S. No. 75, Office No. 39 .....	pp.	38- 40
M.S. No. 76, Office No. 40 .....	pp.	40- 45
M.S. No. 89 and 71 A, Office No. 53 .....	pp.	45- 46
M.S. No. 97, Office No. 61 .....	pp.	46- 48
M.S. No. 107, Office No. 68 .....	pp.	48- 51
M.S. No. 108, Office No. 69 .....	pp.	52- 56
M.S. No. 119, Office No. 77 .....	pp.	56- 57
M.S. No. 124 and 105, Office No. 81 .....	pp.	57- 59
M.S. No. 125, Office No. 82 .....	pp.	59- 61
M.S. No. 128, Office No. 85 .....	pp.	61- 62
M.S. No. 129, Office No. 86 .....	pp.	63- 65
M.S. No. 135, Office No. 92 .....	pp.	65- 67
M.S. No. 136, Office No. 93 .....	pp.	67- 68
M.S. No. 149, Office No. 106 .....	pp.	68- 70
M.S. No. 150, Office No. 107 .....	pp.	70- 71
M.S. No. 151, Office No. 108 .....	pp.	71- 72
M.S. No. 152, Office No. 109 .....	pp.	72- 75
M.S. No. 155 and 200, Office No. 158 .....	pp.	76- 77
M.S. No. 166, Office No. 123 .....	pp.	77- 79
M.S. No. 168, Office No. 125 .....	pp.	79- 81
M.S. No. 171 B, Office No. 128 .....	pp.	81- 82
M.S. No. 175, Office No. 132 .....	pp.	82- 84
M.S. No. 188, Office No. 146 .....	pp.	84- 85
M.S. No. 189, Office No. 147 .....	pp.	86- 87
M.S. No. 201, Office No. 159 .....	p.	87
M.S. No. 202, Office No. 160 .....	p.	88
M.S. No. 203, Office No. 161 .....	pp.	88- 89
M.S. No. 205, Office No. 163 .....	pp.	89- 91
M.S. No. 1970 .....	pp.	92- 93
M.S. No. 1971 .....	pp.	93- 94
M.S. No. 2581 .....	pp.	94- 95
M.S. No. 3648 .....	p.	95
M.S. No. 3757 .....	pp.	96-101
M.S. No. 3797 .....	pp.	101-103
M.S. No. 4023 .....	pp.	103-105
M.S. No. 4135 .....	pp.	105-107
M.S. No. 4136 .....	pp.	107-113
M.S. No. 4137 .....	pp.	113-116
M.S. No. 4138 .....	pp.	116-117
M.S. No. 4277 .....	pp.	117-119
M.S. No. 4594 .....	pp.	119-122

## TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

## CHAINS

The following field notes are those of the dependent resurvey of a portion of the south boundary, a portion of the subdivisional lines, a portion of the Northern Line of the Sutro Tunnel Grant and portions of certain mineral surveys, and the subdivision of sections 20, 27 and 28, Township 17 North, Range 21 East, Mount Diablo Meridian, Nevada.

The west boundary (Carson River Guide Meridian) was surveyed by U.S. Deputy Surveyor B. Ives in 1861 under Contract A.

The south boundary was surveyed by U.S. Deputy Surveyor B. Ives in 1865 under Contract F.

"Official Map of Gold Hill Storey Co. Nev." in two sections was filed with the Storey County Recorder's Office on June 19, 1865.

"Official Map of Virginia Storey Co. Nev." was filed with the Storey County Recorder's Office on August 17, 1865.

The east and north boundaries and the subdivisional lines were surveyed by U.S. Deputy Surveyor R.R.W. Norris in 1867 under Contract No. 2.

The Townsite of Virginia City, Nevada was surveyed by T.D. Parkinson of the U.S. Surveyor General's Office of Nevada in 1867.

The Northerly and Southerly Lines of the Sutro Tunnel Grant were surveyed by U.S. Deputy Surveyor C.F. Hoffmann in 1876.

The northeast township corner was reset by U.S. Transitman W.A. Pray in 1911 under Group No. 2.

Portions of the north boundary and a portion of the subdivisional lines were dependently resurveyed by Cadastral Engineer C.S. Swanholm in 1941 under Group No. 313.

The west boundary (Carson River Guide Meridian) was dependently resurveyed by Cadastral Engineers J.W. Hardison and Q. Campbell in 1947 under Group No. 343.

## HISTORY OF MINERAL SURVEYS PERTAINING TO RESURVEY

<u>Mineral Survey</u> (Office No.)	<u>Date</u>	<u>U.S. Mineral</u> <u>Surveyors</u>	<u>Cancellation Date</u> (If applicable)
M.S. 37(1)	1867	J.F. Kidder	
M.S. 40(4)	1868& 1876	J.F. Kidder & R.E. Browne	
M.S. 48(12)	1868	J.F. Kidder	November 3, 2004
M.S. 67(31)	1871& 1873	I.E. James & H. Hochholzer	
M.S. 75(39)	1872	A.J. Hatch	
M.S. 76 A&B(40)	1872	H. Hochholzer	
M.S. 77(41)	1872	H. Hochholzer	Withdrawn
M.S. 82(46)	1873	J.H. Eaton	November 5, 2004
M.S. 89, 71A & 71B(53) (AM)	1873& 1879	H. Hochholzer & L.F.J. Wrinkle	October 2, 1884
Note: Brunswick Millsite cancelled			
M.S. 91(55)	1873& (AM)1874	G.W. Garside & I.E. James	
M.S. 95(59)	1878	A. Craven	

## TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Mineral Survey (Office No.)	Date	U.S. Mineral Surveyors	Cancellation Date (If applicable)
	M.S. 96(60)	1874	I.E. James	
	M.S. 97(61)	1874	I.E. James	
	M.S. 98(62)	1874	R.E. Browne	March 2, 1891
	M.S. 99(63)	1874	R.E. Browne	March 2, 1891
	M.S. 101(64)	1874	R.E. Browne	July 8, 1993
	M.S. 103(66)	1874	R.E. Browne	July 8, 1993
	M.S. 106(67)	1875	I.E. James	July 7, 1993
	M.S. 107(68)	1874	R.E. Browne	
	M.S. 108(69)	1875	R.E. Browne	
	M.S. 110(71)	1875	R.E. Browne	July 8, 1993
	M.S. 112(72)	1875	R.E. Browne	
	M.S. 115(75)	1875	R.E. Browne	
	M.S. 119(77)	1875	R.E. Browne	
	M.S. 122(79)	1875	R.E. Browne	July 8, 1993
	M.S. 123(80)	1875	R.E. Browne	July 8, 1993
	M.S. 124&105 (81)	1875	R.E. Browne	
	M.S. 125(82)	1875	R.E. Browne	
	M.S. 127(84)	1875	R.E. Browne	July 8, 1993
	M.S. 128(85)	1875	I.E. James	
	M.S. 129(86)	1875	R.E. Browne	
	M.S. 133A& B(90)	1876	R.E. Browne	
	M.S. 134(91)	1876	R.E. Browne	
	M.S. 135(92)	1876&	R.E. Browne	
		(AM) 1879	C.F. Hoffmann	
	M.S. 136(93)	1876	C.F. Hoffmann	
	M.S. 137(94)	1876	R.E. Browne	July 8, 1993
	M.S. 141(98)	1876	C.F. Hoffmann	July 8, 1993
	M.S. 144(101)	1877	C.F. Hoffmann	January 8, 1891
	M.S. 148(105)	1877	C.F. Hoffmann	August 10, 1999
	M.S. 149(106)	1877	C.F. Hoffmann	
	M.S. 150(107)	1877	A. Craven	
		1881	L.F.J. Wrinkle	
	M.S. 151(108)	1877	A. Craven	August 10, 1999
	M.S. 152(109)	1877	A. Craven	
	M.S. 155&200(158)	1891	G. Haist	
	M.S. 157(114)	1878	A. Craven	July 7, 1993
	M.S. 158(115)	1878	A. Craven	July 8, 1993
	M.S. 160(117)	1877	A. Craven	August 10, 1999
	M.S. 162(119)	1878	A. Craven	July 8, 1993
	M.S. 163(120)	1878	A. Craven	
	M.S. 164A&B (121)	1878	A. Craven	
	M.S. 165(122)	1878	I.E. James	June 25, 1891
	M.S. 166(123)	1878&	G. Haist	
		(AM) 1880	G. Haist	
	M.S. 167(124)	1878	G. Haist	July 8, 1993
	M.S. 168(125)	1878	G. Haist	
	M.S. 169(126)	1879	I.E. James	July 8, 1993
	M.S. 170(127)	1879	G. Haist	July 8, 1993
	M.S. 171A&B(128)	1879	L.F.J. Wrinkle	
	M.S. 173(130)	1879	A. Craven	July 8, 1993
	M.S. 174(131)	1879	A. Craven	
	M.S. 175(132)	1879	L.F.J. Wrinkle	
	M.S. 176(133)	1879	L.F.J. Wrinkle	
	M.S. 177(134)	1879	L.F.J. Wrinkle	
	M.S. 183(141)	1880	A. Craven	July 8, 1993
	M.S. 184(142)	1880	A. Craven	June 30, 1999
	M.S. 186(144)	1881	A. Craven	July 8, 1993
	M.S. 187(145)	1881	A. Craven	July 8, 1993
	M.S. 188(146)	1881	A. Craven	

## TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<u>Mineral Survey</u> (Office No.)	<u>Date</u>	<u>U.S. Mineral</u> <u>Surveyors</u>	<u>Cancellation Date</u> (If applicable)
	M.S. 189(147)	1881	A. Craven	
	M.S. 196(154)	1883	G. Haist	July 8, 1993
	M.S. 201(159)	1891	G. Haist	
	M.S. 202(160)	1891	G. Haist	
	M.S. 203(161)	1891	G. Haist	
	M.S. 204(162)	1891	G. Haist	July 8, 1993
	M.S. 205(163)	1891	G. Haist	
	M.S. 1823	1898	G. Haist	
	M.S. 1824	1898	G. Haist	
	M.S. 1970 & 1971 (AM)	1901& 1904	L.F.J. Wrinkle & W.T. Moran	
	M.S. 2581	1906& 1911	W.T. Moran & E.D. Boyle	
	M.S. 3648	1909	E.D. Boyle	
	M.S. 3757	1909	E.D. Boyle	August 10, 1999
	Note: Mountain Brow, Bunker Hill & Rosebud Lodes cancelled			
	M.S. 3797	1909	E.D. Boyle	
	M.S. 4020	1911	E.D. Boyle	
	M.S. 4023	1911& 1912	E.D. Boyle	
	M.S. 4135	1912	E.D. Boyle	
	M.S. 4136	1912	W.J. Moran	
	M.S. 4137	1912	W.J. Moran	
	M.S. 4138	1912	W.J. Moran	
	M.S. 4277	1915	G.D. Smith, Jr. C.B. Lode	July 8, 1993
	(Note: The portion of Stone lode in the SW1/4 of Sec. 27 is shown as cancelled on of the Mineral Survey plat.)			
	M.S. 4308	1916& 1917	G.D. Smith, Jr.	
	M.S. 4594	1924	E.D. Boyle	
	Before restoring the corners, the lines of the prior surveys were retraced and diligent search made for any evidence of the all corners and other calls of the field note records.			
	The rules of proportionate measurement, grant boundary adjustment, record bearings and distance and record angles and distances were applied in order to ascertain the position of lost corners, after completing the necessary retracements to connect with identified corner locations. In order to simplify the record, the true line notes only are supplied herewith, which refer to the completed survey.			
	The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, the Special Instructions dated May 17, 1993 and the Amended Special Instructions dated xxxxx, xx, 200x.			
	The direction and distances of the lines of this survey were obtained by Trimble 4400 and 4700 Global Positioning System (GPS) receivers using the real-time-Kinematic method, supplemented by use of a Wild Model T-2 theodolite, Topcon electronic distance meter, and by chaining methods. The direction of all lines refer to the true meridian, based on geodetic methods or carried forward by sustained angulation.			

TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>The mean bearings of the lines and horizontal equivalents of the ground distances only are entered in the field notes. The NAD 83 (1994) geographic position for the southeast corner of section 33, as determined by survey grade GPS receivers, in 1999, from NGS station "Flowery", located in sec. 22, is as follows:</p> <p>Latitude 39°17'17.427" N.,                      Longitude 119°37'17.070" W.</p> <p>The mean magnetic declination is 15 1/2° E., as shown on U.S.G.S. 7 1/2 minute quadrangle maps "FLOWERY PEAK, NV" and "VIRGINIA CITY, NV", dated 1994.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor B. Ives in 1865</p> <hr/> <p>Beginning at the cor. of secs. 3, 4, 33 and 34, monumented with a basalt stone, 31x8x8 ins., mkd. with 3 notches on the E. and W. edges, firmly set in a mound of stone, with a rebar set by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, 5/8 in. diam., 18 ins. long, firmly set alongside the basalt stone, with plastic cap, 1 in. diam., mkd. RLS 2617.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2">T17N R21E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S33</td> <td style="padding: 0 5px;">S34</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 4</td> <td style="padding: 0 5px;">S 3</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">T16N</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">1994</td> </tr> </table> </div> <p>Insert the rebar inside the stainless steel post and deposit the mkd. corner stone alongside the stainless steel post.</p> <p>S. 89°58'20" W., bet. secs. 4 and 33.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buck brush and various grasses.</p> <p>8.50            Ravine, drains N.</p> <p>36.444        Intersect line 3-4, Mineral Survey Nos. 155 and 200, Edward claim, at a point from which Cor. No. 3, Mineral Survey Nos. 155 and 200, Edward claim, hereinafter described, bears N. 7°27'00" W., 1.472 chs. dist.</p>	T17N R21E		S33	S34	S 4	S 3	T16N		1994	
T17N R21E											
S33	S34										
S 4	S 3										
T16N											
1994											

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
40.498	<p>The 1/4 sec. cor. of secs. 4 and 33, determined by persons(s) unknown, monumented with a rebar, 5/8 in. diam., 21 ins. long, inserted in an iron pipe, 2 ins. diam., 14 ins. long, firmly set in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. T17N R21E 33 4 T16N R21E. This position correlates well with existing original corners and the record topography, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S33 1/4 <u>      </u> S 4 T16N 1994</p> </div> <p>Insert the rebar and iron pipe inside the stainless steel post.</p> <p>From this corner, Emma Peak bears N. 69° E. (Record: N. 68° E.)</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°41'40" W., beginning new measurement.</p>
0.40	Trail road on curve, bears SE. from W.
3.40	Same trail road, on curve, bears ESE. from NW.
7.813	Intersect line 2-3, Amended Mineral Survey Nos. 89 and 71A, Occidental claim, at a point from which Cor. No. 3, Amended Mineral Survey Nos. 89 and 71A, Occidental claim, hereinafter described, bears N. 6°31'10" W., 5.406 chs. dist.
8.30	Ridge, bears N. and S.
16.00	Ravine, drains SW.
18.808	Intersect line 2-3, Mineral Survey Nos. 124 and 105, Prospect claim, at a point from which Cor. No. 2, Mineral Survey Nos. 124 and 105, Prospect claim, hereinafter described, bears N. 21°36'40" E., 4.003 chs. dist.
25.316	Intersect line 4-5, Mineral Survey Nos. 124 and 105, Prospect claim, at a point from which Cor. No. 5, Mineral Survey Nos. 124 and 105, Prospect claim, hereinafter described, bears N. 21°55'30" E., 6.466 chs. dist.
30.00	Top of ascent, slopes S.
39.748	<p>The cor. of secs. 4, 5, 32 and 33, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 21 ins. long, firmly set in a mound of stone, with plastic cap, 1 1/2 ins. diam., marks unreadable and recorded in Storey County, Nevada, File No. 69628, Record of Survey Map. This position correlates well with the record topography, and is accepted as the best available evidence of the position of the original corner.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>T17N</td><td>R21E</td></tr> <tr><td>S32</td><td>S33</td></tr> <tr><td>S 5</td><td>S 4</td></tr> <tr><td colspan="2">T16N</td></tr> </table> <p style="text-align: center;">1994</p> <p>Insert the rebar inside the stainless steel post.</p> <p>The corner is located 0.80 chs. E. of Nevada State Route 341 (approximate location of a toll road in 1861), on curve bears N. 14 1/2° W. from S. 42 1/2° E.</p> <p>From this corner, a concrete block, 6 ins. square, firmly set, projecting 5 ins. above the ground, mkd. N on the east face, with steel pin in center of concrete block, bears S. 61°50' W., 1.401 chs. dist.</p> <p>From this same corner, a concrete block, 6 ins. square, firmly set, projecting 5 ins. above the ground, mkd. N on the west face, with steel pin in center of concrete block, bears N. 18°23' W., 0.386 chs. dist.</p> <p>From this same corner, the 1/4 sec. cor. of secs. 5 and 32, hereinafter described, bears S. 89°34'00" W., 40.170 chs. dist.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor R.R.W. Norris in 1867</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>T17N</td><td>R21E</td></tr> <tr><td>S27</td><td>S26</td></tr> <tr><td>S34</td><td>S35</td></tr> </table> <p style="text-align: center;">1994</p>	T17N	R21E	S32	S33	S 5	S 4	T16N		T17N	R21E	S27	S26	S34	S35
T17N	R21E														
S32	S33														
S 5	S 4														
T16N															
T17N	R21E														
S27	S26														
S34	S35														

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	N. 1°05'10" W., bet. secs. 26 and 27.
	Over mountainous land, covered with medium pinon pine, juniper, scattered sagebrush and various grasses.
19.948	Point for the S 1/16 sec. cor. of secs. 26 and 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	S 1/16 S27 S26
	1994
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
33.90	Sixmile Canyon creek, 5 lks. wide, 4 ins. deep, courses irregularly NE.
37.50	Sixmile Canyon road, paved, bears NE. and SW., leave medium pinon pine and juniper, enter scattered pinon pine and juniper.
38.40	Spur, slopes SE.
39.896	Point for the 1/4 sec. cor. of secs. 26 and 27, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T17N R21E 1/4 S27 S26
	1994
53.50	Ravine, drains SE.
72.90	Double wood-pole powerline, bears N. 81 1/2° E. and S. 81 1/2° W.
79.792	The cor. of secs. 22, 23, 26 and 27, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T17N R21E S22 S23 S27 S26
	1994

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this corner, the cor. of secs. 23, 24, 25 and 26, bears N. 89°48'30" E., 80.692 chs. dist., monumented with a trapstone, 28x12x8 ins., mkd. with 2 notches on S. edge and 1 notch on E. edge, firmly set in a mound of stone, with a rebar, 1/2 in. diam., firmly set alongside the trapstone.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T17N</td> <td>R21E</td> </tr> <tr> <td>S23</td> <td>S24</td> </tr> <tr> <td>S26</td> <td>S25</td> </tr> </table> <p style="text-align: center;">1993</p> <p>Deposit the mkd. corner stone and reset the rebar alongside the stainless steel post.</p> <hr/> <p>N. 1°10'20" W., bet. secs. 22 and 23.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper and various grasses.</p> <p>35.50 Ravine, drains E.</p> <p>38.714 Point for the 1/4 sec. cor. of secs. 22 and 23, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T17N</td> <td>R21E</td> </tr> <tr> <td>1/4</td> <td></td> </tr> <tr> <td>S22</td> <td>S23</td> </tr> </table> <p style="text-align: center;">1994</p> <p>54.50 Ravine, drains SE.</p> <p>77.428 The cor. of secs. 14, 15, 22 and 23, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T17N</td> <td>R21E</td> </tr> <tr> <td>S15</td> <td>S14</td> </tr> <tr> <td>S22</td> <td>S23</td> </tr> </table> <p style="text-align: center;">1994</p>	T17N	R21E	S23	S24	S26	S25	T17N	R21E	1/4		S22	S23	T17N	R21E	S15	S14	S22	S23
T17N	R21E																		
S23	S24																		
S26	S25																		
T17N	R21E																		
1/4																			
S22	S23																		
T17N	R21E																		
S15	S14																		
S22	S23																		

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this corner, a rebar, 5/8 in. diam., firmly set, projecting 10 ins. above ground, with yellow plastic cap, 1 1/2 ins. diam., mkd. RLS 3090, bears N. 78°13' E., 4.055 chs. dist. This rebar was not utilized during the course of this survey.</p>
	<hr/> <p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., hereinbefore described.</p>
	<p>N. 2°35'40" E., bet. secs. 33 and 34.</p>
	<p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.</p>
16.00	<p>Ravine, drains NE.</p>
25.00	<p>Ravine, drains SE.</p>
32.20	<p>Sutro Tunnel, bears N. 64° W. and S. 64° E.</p>
38.850	<p>Point for the 1/4 sec. cor. of secs. 33 and 34, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p style="text-align: center;">T17N R21E 1/4 S33   S34  1994</p>
	<p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>
77.700	<p>The cor. of secs. 27, 28, 33 and 34, monumented with a trapstone, 30x11x5 ins., dimly mkd. with notches on one edge, firmly set in a mound of stone, with an iron pipe, 3 ins. diam., 4 ft. long, firmly set alongside the trapstone.</p>
	<p>At the corner point</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T17N R21E S28   S27 S33   S34  1994</p>
	<p>Deposit the mkd. corner stone and reset the iron pipe alongside the stainless steel post.</p>
	<hr/>
	<p>From the cor. of secs. 26, 27, 34 and 35.</p>
	<p>S. 88°48'40" W., bet. secs. 27 and 34.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.
19.946	Point for the E 1/16 sec. cor. of secs. 27 and 34.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.  $\text{E } 1/16 \frac{S27}{S34}$ <p style="text-align: center;">1994</p>
39.892	Point for the 1/4 sec. cor. of secs. 27 and 34, at proportionate distance; there is no remaining evidence of the original corner.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.  $\begin{array}{c} \text{T17N R21E} \\ 1/4 \frac{S27}{S34} \end{array}$ <p style="text-align: center;">1994</p>
46.50	Ravine, drains N.
79.784	The cor. of secs. 27, 28, 33 and 34. <hr/>
	N. 1°03'30" E., bet. secs. 27 and 28.  Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buck brush and various grasses.
30.129	Intersect line 4-1, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 1, Mineral Survey No. 4277, Stone lode, hereinafter described, bears S. 74°32'20" W., 4.376 chs. dist.
32.40	Sixmile Canyon road, paved, bears irregularly NW. and SE.
33.30	Sixmile Canyon creek, 5 lks. wide, 12 ins. deep, courses irregularly ESE.
35.00	Sevenmile Canyon wash, 20 lks. wide, 1 ft. deep, drains irregularly SSE.
38.684	The 1/4 sec. cor. of secs. 27 and 28, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 16 ins. long, firmly set in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. W M Donovan PLS 2617, unrecorded. This position is in agreement with the tie as described in the field notes of the 1872 survey of Mineral Survey No. 76 A, Monte Christo claim, and is accepted as the best available evidence of the position of the original corner.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E 1/4 S28 S27 1994</p> <p>Insert the rebar inside the stainless steel post and raise a mound of stone, 3 ft. base, 1 1/2 ft. high, W. of cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 4°17'40" W., beginning new measurement.</p> <p>1.695 Intersect line 1-2, cancelled Mineral Survey No. 3757, Rosebud lode, at a point from which Cor. No. 2, cancelled Mineral Survey No. 3757, Rosebud lode, hereinafter described, bears S. 49°56'30" E., 4.440 chs. dist.</p> <p>10.796 Intersect line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode, at a point from which Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, hereinafter described, bears N. 27°05'50" E., 1.363 chs. dist.</p> <p>12.471 Intersect line 1-2, Mineral Survey No. 3757, Virginia Standard lode, at a point from which Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, hereinafter described, bears S. 58°31'10" E., 0.875 chs. dist.</p> <p>14.462 Intersect line 2-3, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 3, Mineral Survey No. 4277, Stone lode, hereinafter described, bears N. 74°31'50" E., 3.508 chs. dist.</p> <p>20.663 Point for the N 1/16 sec. cor. of secs. 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">N 1/16 S28 S27 1994</p> <p>27.560 Intersect line 4-1, Mineral Survey No. 3757, Virginia Standard lode, identical in part with a portion of line 4-1, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 4, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 27°10'40" E., 5.654 chs. dist.</p> <p>32.855 Intersect line 2-3, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 2, Mineral Survey No. 205, United States lode, hereinafter described, bears N. 85°48'50" E., 0.162 chs. dist.</p>
--------	--

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS									
38.784	Intersect line 3-4, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 29°03'00" W., 3.894 chs. dist.								
41.326	<p>Point for the cor. of secs. 21, 22, 27 and 28, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T17N R21E</td></tr> <tr><td>S21</td><td>S22</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S28</td><td>S27</td></tr> </table> <p>1994</p> </div> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <hr/>	T17N R21E		S21	S22	<hr/>		S28	S27
T17N R21E									
S21	S22								
<hr/>									
S28	S27								
40.318	<p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>S. 88°54'10" W., bet. secs. 22 and 27.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, shadscale and various grasses.</p> <p>Point for the 1/4 sec. cor. of secs. 22 and 27, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T17N R21E</td></tr> <tr><td></td><td>S22</td></tr> <tr><td>1/4</td><td><hr/></td></tr> <tr><td></td><td>S27</td></tr> </table> <p>1994</p> </div>	T17N R21E			S22	1/4	<hr/>		S27
T17N R21E									
	S22								
1/4	<hr/>								
	S27								
60.477	<p>Point for the W 1/16 sec. cor. of secs. 22 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td></td><td>S22</td></tr> <tr><td>W 1/16</td><td><hr/></td></tr> <tr><td></td><td>S27</td></tr> </table> <p>1994</p> </div>		S22	W 1/16	<hr/>		S27		
	S22								
W 1/16	<hr/>								
	S27								
56.00	Double wood-pole powerline, bears N. 80° W. and S. 80° E.								

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
63.00	Ridge, bears N. and S.
80.458	Intersect line 1-2, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 2, Mineral Survey No. 205, United States lode, hereinafter described, bears S. 4°11'10" E., 8.462 chs. dist.
80.636	The cor. of secs. 21, 22, 27 and 28.
	N. 2°07'40" E., bet. secs. 21 and 22.
	Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, shadscale and various grasses.
1.618	Intersect line 1-2, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 2, Mineral Survey No. 205, United States lode, hereinafter described, bears S. 4°11'10" E., 10.080 chs. dist.
4.50	Double wood-pole powerline, bears N. 80° W. and S. 80° E.
11.805	Intersect line 3-4, Mineral Survey No. 4594, Verdi lode, at a point from which Cor. No. 4, Mineral Survey No. 4594, Verdi lode, hereinafter described, bears S. 83°25'20" E., 10.209 chs. dist.
30.045	Intersect line 1-2, Mineral Survey No. 4594, Kohinoor lode, at a point from which Cor. No. 2, Mineral Survey No. 4594, Kohinoor lode, hereinafter described, bears N. 83°25'50" W., 11.171 chs. dist.
41.239	Point for the 1/4 sec. cor. of secs. 21 and 22, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T17N R21E 1/4 S21 S22  1994
	From this corner, a mine shaft bears S. 44° W., 1.30 chs. dist.
60.249	Intersect line 4-1, Mineral Survey No. 97, Marsano claim, at a point from which Cor. No. 1, Mineral Survey No. 97, Marsano claim, hereinafter described, bears N. 58°40'10" E., 11.397 chs. dist.
71.097	Intersect line 2-3, Mineral Survey No. 97, Marsano claim, at a point from which Cor. No. 2, Mineral Survey No. 97, Marsano claim, hereinafter described, bears N. 58°43'10" E., 5.461 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS							
82.478	<p>The cor. of secs. 15, 16, 21 and 22, monumented with a trapstone, 26x12x5 ins., mkd. with 3 notches on S. edge and no other visible marks, firmly set in a mound of stone, with a rebar, 5/8 in. diam., 16 ins. long, and a steel fence post, 5 ft. long, firmly set alongside the trapstone.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr><td>T17N</td><td>R21E</td></tr> <tr><td>S16</td><td>S15</td></tr> <tr><td>S21</td><td>S22</td></tr> </table> <p>1994</p> </div> <p>Insert the rebar inside the stainless steel post, deposit the mkd. corner stone and reset the steel fence post alongside the stainless steel post.</p> <p>From this corner, U.S.G.S. triangulation station "FLOWERY" bears S. 16°43'40" E., 67.125 chs. dist., monumented with a standard disk mkd. FLOWERY 1935, firmly cemented in drill hole in boulder.</p>	T17N	R21E	S16	S15	S21	S22
T17N	R21E						
S16	S15						
S21	S22						
	<hr/>						
	From the cor. of secs. 14, 15, 22 and 23.						
	N. 89°50'40" W., bet. secs. 15 and 22.						
	Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, shadscale and various grasses.						
24.00	Ravine, drains SE.						
37.812	<p>The 1/4 sec. cor. of secs. 15 and 22, monumented with a mound of stone, with a steel fence post, 5 ft. long, set alongside. This mound of stone appears to agree with what Daniel A. Jones, Valuation Engineer (Mining), found in 1956 and on file with the Bureau of Land Management, Nevada State office, under found reports of found corners, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr><td>T17N</td><td>R21E</td></tr> <tr><td>1/4</td><td>S15</td></tr> <tr><td></td><td>S22</td></tr> </table> <p>1994</p> </div> <p>Reset the steel fence post alongside the stainless steel post.</p>	T17N	R21E	1/4	S15		S22
T17N	R21E						
1/4	S15						
	S22						

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this corner, a rebar, 5/8 in. diam., firmly set, projecting 6 ins. above ground, with yellow plastic cap, 1 1/2 ins. diam., mkd. RLS 3090, bears N. 41°43' E., 2.745 chs. dist. This rebar was not utilized during the course of this survey.</p>
	<hr/> <p>N. 84°57'20" W., beginning new measurement.</p>
11.00	Ravine, drains NE.
38.298	The cor. of secs. 15, 16, 21 and 22.
	<hr/> <p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., hereinbefore described.</p>
	N. 0°44'50" E., bet. secs. 32 and 33.
	Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, Brigham Tea, shadscale and various grasses.
36.00	Top of peak.
40.102	Point for the 1/4 sec. cor. of secs. 32 and 33, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	<p style="text-align: center;">T17N R21E 1/4 S32 S33 1994</p>
	from which
	<p style="padding-left: 40px;">A branch, 8 ins. diam., on a pinon pine, 28 ins. diam., bears S. 55 1/2° E., 92 lks. dist., mkd. 1/4 S33 BT.</p>
	<p style="padding-left: 40px;">A pinon pine, 9 ins. diam., bears S. 59° W., 22 lks. dist., mkd. XBT.</p>
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
71.70	Sutro Tunnel, bears N. 64° W. and S. 64° E.
72.70	Trail road, bears NW. and SE.
75.00	Trail road, bears NE. and SW.
80.204	<p>The cor. of secs. 28, 29, 32 and 33, monumented with a trapstone, 20x10x6 ins., mkd. with 1 groove on S. face and 4 grooves on E. face, firmly set in a mound of stone, with a rebar, 1/2 in. diam., 20 ins. long, with copper tag mkd. LS 235, wired to rebar, firmly set alongside the trapstone.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T17N</td> <td>R21E</td> </tr> <tr> <td>S29</td> <td>S28</td> </tr> <tr> <td>S32</td> <td>S33</td> </tr> </table> <p style="text-align: center;">1993</p> <p>Deposit the mkd. corner stone and reset the rebar alongside the stainless steel post.</p> <p>From this corner, a U.S.G.S. Bench Mark monumented with a standard disk mkd. 6083 FT 13B 1935, firmly cemented in boulder, bears S. 69°13' E., 38.70 chs. dist.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>N. 89°06'40" W., bet. secs. 28 and 33.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.</p> <p>17.352 Intersect line 8-1, Mineral Survey No. 4137, Cosmopolitan lode, identical with line 6-7, cancelled Mineral Survey No. 82, Cosmopolitan claim, at a point from which Cor. No. 1, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 6, cancelled Mineral Survey No. 82, Cosmopolitan claim, hereinafter described, bears S. 0°13'10" W., 1.227 chs. dist.</p> <p>20.058 Intersect line 1-2, Mineral Survey No. 4137, Cosmopolitan lode, identical with line 5-6, cancelled Mineral Survey No. 82, Cosmopolitan claim, at a point from which Cor. No. 1, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 6, cancelled Mineral Survey No. 82, Cosmopolitan claim, hereinafter described, bears S. 64°50'10" E., 2.985 chs. dist.</p> <p>22.574 Intersect line 4-7, Mineral Survey No. 40, Bailey claim, at a point from which the point for Cor. No. 7, Mineral Survey No. 40, Bailey claim, hereinafter described, bears S. 0°29'50" W., 2.009 chs. dist.</p> <p>26.858 Intersect the Northern Line of the Sutro Tunnel Grant, from which Mon. No. 13, hereinafter described bears N. 64°03'40" W., 1.908 chs. dist.</p> <p>28.661 Intersect line 2-6, Mineral Survey No. 40, Bailey claim, at a point from which the point for Cor. No. 6, Mineral Survey No. 40, Bailey claim, hereinafter described, bears N. 0°31'50" E., 0.845 chs. dist.</p> <p>43.428 The 1/4 sec. cor. of secs. 28 and 33, monumented with an unmkd. volcanic stone, 17x11x4 ins., firmly set in a mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>	T17N	R21E	S29	S28	S32	S33
T17N	R21E						
S29	S28						
S32	S33						

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E S28 1/4 <math>\frac{\quad}{\quad}</math> S33</p> <p style="text-align: center;">1994</p> <p>Deposit the unmkd. stone alongside the stainless steel post.</p> <hr/> <p>N. 87°33'00" W., beginning new measurement.</p>
19.664	<p>Point for the W 1/16 sec. cor. of secs. 28 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">W 1/16 <math>\frac{S28}{S33}</math></p> <p style="text-align: center;">1994</p>
34.00	Ravine, drains NE.
37.20	Trail road, bears N. and S.
39.328	The cor. of secs. 28, 29, 32 and 33.
	<hr/> <p>N. 0°09'10" W., bet. secs. 28 and 29.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.</p>
6.50	Trail road, bears E. and W.
13.50	Ravine, drains E.
19.994	<p>Point for the S 1/16 sec. cor. of secs. 28 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">S 1/16 S29   S28</p> <p style="text-align: center;">1994</p> <p>Set a wood post, 46 ins. long, 3 ins. diam., alongside the stainless steel post.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
29.606	Intersect line 1-2, Mineral Survey No. 119, Andrews claim, at a point from which Cor. No. 1, Mineral Survey No. 119, Andrews claim, hereinafter described, bears S. 89°38'10" W., 4.389 chs. dist.
38.690	Intersect line 3-4, Mineral Survey No. 119, Andrews claim, at a point from which the point for Cor. No. 4, Mineral Survey No. 119, Andrews claim, identical with the point for Cor. No. 1, cancelled Mineral Survey No. 127, Reno claim, hereinafter described, bears S. 89°38'10" W., 4.421 chs. dist.
39.988	The 1/4 sec. cor. of secs. 28 and 29, determined by Walter G. Reid, Nevada Registered Engineer No. 235, monumented with a rebar, 5/8 in. diam., 20 ins. long, firmly set flush in ground, with aluminum cap, 1 1/2 ins. diam., mkd. 1/4 COR 29 28 RE 235, unrecorded. This position has been adopted and recorded by various other professional land surveyors, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	<p>T17N R21E 1/4 S29 S28 1994</p>
	Insert the rebar inside the stainless steel post and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
	N. 0°08'40" W., beginning new measurement.
1.362	Intersect line 3-4, Amended Mineral Survey No. 2581, Ohio Relocation lode, at a point from which Cor. No. 4, Amended Mineral Survey No. 2581, Ohio Relocation lode, hereinafter described, bears N. 62°46'30" W., 3.047 chs. dist.
3.40	Sixmile Canyon road, paved, bears irregularly NW. and SE.
36.859	Intersect line 5-6, Amended Mineral Survey No. 135, Agassiz claim, at a point from which Cor. No. 5, Amended Mineral Survey No. 135, Agassiz claim, on line 2-3, Mineral Survey No. 108, Scorpion claim, hereinafter described, bears N. 53°01'00" W., 0.803 chs. dist.
37.684	Intersect line 2-3, Mineral Survey No. 108, Scorpion claim, at a point from which Cor. No. 5, Amended Mineral Survey No. 135, Agassiz claim, on line 2-3, Mineral Survey No. 108, Scorpion claim, hereinafter described, bears S. 61°53'00" W., 0.725 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
39.952	<p>The cor. of secs. 20, 21, 28 and 29, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 18 ins. above the ground, with threaded iron cap mkd. with a †. This position has been adopted and recorded by various other professional land surveyors, and is accepted as the best available evidence of the position of the original corner. Add the marks T17N R21E S20 S21 S28 S29 1994 to the threaded iron cap.</p> <p>From this corner, the most easterly cor. of fences, Hebrew Cemetery, bears N. 0°07' W., 28.85 chs. dist.; thence around cemetery fence, S. 78° W., 1.53 chs.; thence N. 16° W., 1.42 chs.; thence N. 72 1/2° E., 1.37 chs.; thence S. 21 3/4° E., 1.57 chs.</p>
	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>N. 88°17'30" W., bet. secs. 21 and 28.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, shadscale, Brigham tea and various grasses.</p>
1.239	Intersect line 3-4, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 29°03'00" W., 0.952 chs. dist.
2.116	Intersect line 2-3, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 27°10'40" E., 0.906 chs. dist.
8.961	Intersect line 3-4, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 3, Mineral Survey No. 205, United States lode, hereinafter described, bears S. 4°11'10" E., 9.392 chs. dist.
26.380	Intersect line 2-3, Amended Mineral Survey No. 166, Morning Star No. 2 claim, at a point from which Cor. No. 3, Amended Mineral Survey No. 166, Morning Star No. 2 claim, hereinafter described, bears S. 80°54'40" W., 11.022 chs. dist.
26.50	Sevenmile Canyon wash, drains SE.
30.00	Sevenmile Canyon road, bears NW. and SE.
37.588	Intersect line 3-4, Amended Mineral Survey No. 166, Morning Star No. 2 claim, at a point from which Cor. No. 3, Amended Mineral Survey No. 166, Morning Star No. 2 claim, hereinafter described, bears S. 8°43'50" E., 2.099 chs. dist.
37.884	Intersect line 3-4, Mineral Survey No. 3797, Roy lode, at a point from which Cor. No. 4, Mineral Survey No. 3797, Roy lode, hereinafter described, bears N. 13°34'50" W., 1.219 chs. dist.
40.281	Point for the 1/4 sec. cor. of secs. 21 and 28, at proportionate distance; there is no remaining evidence of the original corner.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E S21 1/4 <u>      </u> S28</p> <p style="text-align: center;">1994</p> <p>Set a steel fence post, 7 ft. long, alongside the stainless steel post.</p> <p>During the execution of these surveys, an examination of the records revealed irreconcilable discrepancies with certain mineral survey ties to the rectangular system. Therefore, mineral survey tie(s) was not utilized to restore the 1/4 sec. cor. of secs. 21 and 28.</p> <p>76.537 Intersect line 2-3, Mineral Survey No. 108, Scorpion claim, identical in part with line 6-1, Mineral Survey No. 136, J.B. Treadwell claim, at a point from which the point for Cor. No. 1, Mineral Survey No. 136, J.B. Treadwell claim, hereinafter described, bears S. 61°51'20" W., 3.803 chs. dist.</p> <p>80.562 The cor. of secs. 20, 21, 28 and 29.</p> <hr/> <p>N. 0°08'20" W., bet. secs. 20 and 21.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.</p> <p>8.010 Intersect line 4-5, Mineral Survey No. 108, Scorpion claim, at a point from which the point for Cor. No. 8, Mineral Survey No. 125, Mexican claim, on line 4-5, Mineral Survey No. 108, Scorpion claim, hereinafter described, bears N. 62°01'10" E., 3.154 chs. dist.</p> <p>8.50 Ravine, drains E.</p> <p>37.406 Intersect line 5-1, Mineral Survey No. 107, North Comstock claim, at a point from which Cor. No. 5, Mineral Survey No. 107, North Comstock claim, hereinafter described, bears N. 58°53'00" W., 0.576 chs. dist.</p> <p>38.519 Intersect line 4-5, Mineral Survey No. 107, North Comstock claim, at a point from which Cor. No. 5, Mineral Survey No. 107, North Comstock claim, hereinafter described, bears S. 31°03'30" W., 0.952 chs. dist.</p> <p>39.90 Double wood-pole powerline, bears N. 23° W. and S. 23° E.</p> <p>40.324 Point for the 1/4 sec. cor. of secs. 20 and 21, determined at record angle and distance from Cor. No. 1, Mineral Survey No. 107, North Comstock claim; there is no remaining evidence of the original corner.</p>
--------	--

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E 1/4 S20 S21</p> <p style="text-align: center;">1999</p> <p>From this corner, Cor. No. 1, Mineral Survey No. 107, North Comstock claim, hereinafter described, bears S. 34°23'00" E., 6.015 chs. dist.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>N. 1°42'50" E., beginning new measurement.</p> <p>3.50 Sevenmile Canyon road, bears NW. and SE.</p> <p>7.50 Sevenmile Canyon wash, drains SE.</p> <p>22.516 Point for the N 1/16 sec. cor. of secs. 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">N 1/16 S20 S21</p> <p style="text-align: center;">1999</p> <p>From this point, a U.S.G.S. Bench Mark, monumented with a standard disk mkd. 6233 FT 8B 1935, firmly cemented in standing rock outcropping, bears N. 64°04' W., 25.06 chs. dist.</p> <p>39.00 Ravine, drains SSW.</p> <p>45.032 The cor. of secs. 16, 17, 20 and 21, monumented with a trapstone, 18x11x6 ins., mkd. with 4 notches on E. edge and no other visible marks, firmly set in a mound of stone, with a rebar, 5/8 in. diam., 40 ins. long, with metal tag mkd. RLS 2617 wired to rebar, firmly set alongside the trapstone.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E S17 S16 S20 S21</p> <p style="text-align: center;">1994</p> <p>Deposit the mkd. corner stone and reset the rebar alongside the stainless steel post.</p> <hr style="width: 30%; margin: 10px auto;"/>
--------	---

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


CHAINS	From the cor. of secs. 15, 16, 21 and 22.				
	N. 89°14'30" W., bet. secs. 16 and 21.				
	Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.				
41.758	<p>The 1/4 sec. cor. of secs. 16 and 21, monumented with an unmkd. volcanic stone, 35x10x6 ins. (Record: 30x8x6), firmly set in a mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E</p> <p>S16</p> <p>1/4 <math>\frac{\quad}{\quad}</math></p> <p>S21</p> <p>1994</p> </div> <p>Deposit the unmkd. stone alongside the stainless steel post.</p> <p>From this corner, a rebar, 5/8 in. diam., firmly set, projecting 8 ins. above the ground, with plastic cap, 1 1/2 ins. diam., mkd. RLS 3090, bears N. 15°45' E., 2.189 chs. dist. This rebar was not utilized during the course of this survey.</p>				
	N. 83°18'00" W., beginning new measurement.				
39.30	Ravine, drains SSW.				
40.844	The cor. of secs. 16, 17, 20 and 21.				
	<p>From the point for the cor. of secs. 29, 30, 31 and 32, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, cemented in drill hole in rock outcropping, with top mkd.</p> <div style="text-align: center;"> <p>T17N R21E</p> <table border="1" style="margin: auto;"> <tr> <td>S30</td> <td>S29</td> </tr> <tr> <td>S31</td> <td>S32</td> </tr> </table> <p>1999</p> </div> <p>From this point, a mound of stone bears N. 48°50' E., 3.78 chs. dist. This position was identified as a mkd. stone and utilized by the Nevada State Highway Dept. as the cor. of secs. 29, 30, 31 and 32, as noted in field tablet Transit Book No. 2, labeled Storey 17A "B" Line, dated June-Sept., 1936. No mkd. stone was found. This is not utilized as a corner of the rectangular system.</p>	S30	S29	S31	S32
S30	S29				
S31	S32				

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this same point, the cor. of secs. 28, 29, 32 and 33, hereinbefore described, bears S. 89°34'50" E., 80.790 chs. dist. The control line was fully retraced, and no evidence of the intervening cor. was found.</p> <p>From this same point, the point for the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., bears S. 0°25'40" W., 81.186 chs. dist., at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td colspan="2">T17N R21E</td></tr> <tr><td style="border-right: 1px solid black;">S31</td><td>S32</td></tr> <tr><td style="border-right: 1px solid black;">S 6</td><td>S 5</td></tr> <tr><td colspan="2">T16N</td></tr> </table> <p>1994</p> </div> <p>from which</p> <p style="padding-left: 40px;">Davidson Peak, bears N. 9 3/4° W.</p> <p style="padding-left: 40px;">A conical hill, bears N. 23° E.</p> <p style="padding-left: 40px;">Triangulation station "WHEELER MONUMENT RESET" bears N. 23°10'10" E., 44.088 chs. dist., monumented with a standard disk mkd. WHEELER MONUMENT 1897 1951, firmly set in the top of a concrete pier projecting 4 1/2 ft. above the ground.</p> <p>The control line was fully retraced, and no evidence of the intervening cor. was found.</p> <p>From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., the 1/4 sec. cor. of secs. 5 and 32 bears N. 89°51'30" E., 40.201 chs. dist., monumented with an embedded mound of stone, no wood post found. This position correlates well with the record topography, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td colspan="2">T17N R21E</td></tr> <tr><td colspan="2">S32</td></tr> <tr><td style="border-right: 1px solid black;">1/4</td><td>—</td></tr> <tr><td colspan="2">S 5</td></tr> <tr><td colspan="2">T16N</td></tr> </table> <p>1994</p> </div> <p>The corner is located 5.50 chs. W. of a spur, slopes S. and 2.00 chs. E. of a ravine, drains S.</p>	T17N R21E		S31	S32	S 6	S 5	T16N		T17N R21E		S32		1/4	—	S 5		T16N	
T17N R21E																			
S31	S32																		
S 6	S 5																		
T16N																			
T17N R21E																			
S32																			
1/4	—																		
S 5																			
T16N																			



DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	At the corner point
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T17N R21E S30</p>  <p>1999</p> </div>
59.00	<p>Rebuild the mound of stone, 3 ft. base, 2 ft. high, S. of cor. Ridge, bears N. and S.</p>
80.804	<p>The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 17 N., R. 20 E., executed under Group No. 343.</p>
	<p>From this corner, Cor. No. 2, Mineral Survey No. 4308, West Comstock lode, hereinbefore described, bears N. 53°14'00" E., 66.546 chs. dist.</p>
12.00	<p>From the cor. of secs. 29, 30, 31 and 32. N. 0°13'00" E., bet. secs. 29 and 30. Over mountainous land, covered with scattered sagebrush, buckbrush and various grasses.</p>
40.592	<p>Top of ascent, slopes S.</p>
	<p>Point for the 1/4 sec. cor. of secs. 29 and 30, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p>
54.138	<div style="text-align: center;"> <p>T17N R21E 1/4 S30 S29</p> <p>1999</p> </div>
55.50	<p>Intersect line 7-9, Mineral Survey No. 67, McKibben claim, at a point from which Cor. No. 7, Mineral Survey No. 67, McKibben claim, hereinafter described, bears S. 71°37'10" W., 0.754 chs. dist.</p>
	<p>Spanish Ravine, drains E.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
57.333	Intersect line 4-8, Mineral Survey No. 67, McKibben claim, at a point from which Cor. No. 4, Mineral Survey No. 67, McKibben claim, hereinafter described, bears S. 71°37'10" W., 1.880 chs. dist.
70.774	Intersect line 7-8, Amended Mineral Survey No. 1971, Summit lode, at a point from which Cor. No. 7, Amended Mineral Survey No. 1971, Summit lode, hereinafter described, bears S. 26°30'00" E., 0.952 chs. dist.
81.184	<p>The cor. of secs. 19, 20, 29 and 30, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, cemented in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 19 20 29 30, unrecorded. This position correlates well with the record topography, and is accepted as the best available evidence of the position of the original corner.</p> <p>The corner is located in a ravine, drains E.</p> <p>From this corner, Monument No. 17, on the Northern Line of the Sutro Tunnel Grant, bears S. 38°09'30" E., 35.982 chs. dist., monumented with an iron pipe, 2 ins. diam., firmly set, projecting 18 ins. above the ground.</p> <hr/> <p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. 88°41'30" W., bet. secs. 20 and 29.</p> <p>Over mountainous land, covered with scattered sagebrush, buckbrush, Brigham tea and various grasses.</p>
2.713	Intersect line 1-2, Mineral Survey No. 108, Scorpion claim, at a point from which the point for Cor. No. 1, Mineral Survey No. 108, Scorpion claim, hereinafter described, bears N. 28°30'00" W., 1.211 chs. dist.
4.249	Intersect line 2-3, Amended Mineral Survey No. 135, Agassiz claim, at a point from which Cor. No. 2, Amended Mineral Survey No. 135, Agassiz claim, hereinafter described, bears N. 53°13'00" W., 1.337 chs. dist.
5.891	Intersect line 1-2, Amended Mineral Survey No. 135, Agassiz claim, at a point from which Cor. No. 2, Amended Mineral Survey No. 135, Agassiz claim, hereinafter described, bears N. 36°47'00" E., 0.953 chs. dist.
13.021	Intersect line 4-1, Mineral Survey No. 129, Union Consol. claim, at a point from which Cor. No. 1, Mineral Survey No. 129, Union Consol. claim, hereinafter described, bears S. 64°35'30" W., 6.195 chs. dist.
33.10	Nevada State Route 341, bears NW. and SE.
33.655	Intersect line 2-3, Mineral Survey No. 129, Union Consol. claim, identical in part with line 4-1, Mineral Survey No. 4135, West Union lode, at a point from which Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, identical with Cor. No. 4, Mineral Survey No. 4135, West Union lode, hereinafter described, bears S. 39°01'00" W., 0.138 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
34.360	Intersect line 7-8, Mineral Survey No. 171 B, Ophir claim, identical in part with line 3-4, Mineral Survey No. 4135, West Union lode, at a point from which Cor. No. 4, Mineral Survey No. 4135, West Union lode, identical with Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, hereinafter described, bears S. 78°42'30" E., 0.630 chs. dist.
40.140	<p>Point for the 1/4 sec. cor. of secs. 20 and 29, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E S20 1/4 <math>\frac{\quad}{\quad}</math> S29</p> <p style="text-align: center;">1994</p> <p>Set a wood post, 2x4 ins. square by 52 ins. long, alongside the stainless steel post.</p>
50.884	Intersect line 8-9, Mineral Survey No. 171 B, Ophir claim, at a point from which Cor. No. 8, Mineral Survey No. 171 B, Ophir claim, hereinafter described, bears N. 11°17'00" E., 2.858 chs. dist.
52.085	Intersect line 2-3, Mineral Survey No. 75, Alban claim, at a point from which Cor. No. 2, Mineral Survey No. 75, Alban claim, hereinafter described, bears S. 1°00'00" W., 1.055 chs. dist.
55.115	Intersect line 4-1, Mineral Survey No. 75, Alban claim, at a point from which Cor. No. 1, Mineral Survey No. 75, Alban claim, hereinafter described, bears S. 1°00'00" W., 1.071 chs. dist.
61.00	Ophir Ravine, drains SE.
68.549	Intersect line 3-4, Mineral Survey No. 188, H.M. Clemons claim, at a point from which Cor. No. 3, Mineral Survey No. 188, H.M. Clemons claim, hereinafter described, bears S. 26°31'00" E., 4.766 chs. dist.
80.280	The cor. of secs. 19, 20, 29 and 30.
	<hr/> <p>S. 87°54'10" W., bet. secs. 19 and 30.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, Brigham tea and various grasses.</p>
5.144	Intersect line 2-3, Amended Mineral Survey No. 1970, Last Chance lode, at a point from which Cor. No. 2, Amended Mineral Survey No. 1970, Last Chance lode, identical with Cor. No. 8, Amended Mineral Survey No. 1971, Summit lode, hereinafter described, bears S. 26°41'50" E., 1.155 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
40.126	<p>The 1/4 sec. cor. of secs. 19 and 30, monumented with an embedded mound of stone, with an iron pipe, 1 1/2 ins. diam., 48 ins. long, lying on top of the mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> $\begin{array}{r} \text{T17N R21E} \\ \text{S19} \\ 1/4 \frac{\text{---}}{\text{---}} \\ \text{S30} \\ \text{1994} \end{array}$ <p>Deposit the iron pipe alongside the stainless steel post.</p> <p>From this corner, a drill hole, in rock outcropping on Davidson Peak, bears S. 21°10'10" E., 53.437 chs. dist.</p> <p>From this same corner, a copper nail, with washer mkd. USGS BM (Ophir), cemented in rock, 14x9x7 ins., loosely set in ground, bears S. 85°19'00" W., 28.822 chs. dist.</p> <hr/> <p>S. 88°37'20" W., beginning new measurement.</p>
16.50	Summit, bears NE. and SW.
40.968	<p>The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of T. 17 N., R. 20 E., executed under Group No. 343.</p> <hr/> <p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°14'20" E., bet. secs. 19 and 20.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush, Brigham tea and various grasses.</p>
4.779	Intersect line 4-5, Mineral Survey No. 188, H.M. Clemons claim, at a point from which Cor. No. 5, Mineral Survey No. 188, H.M. Clemons claim, hereinafter described, bears S. 64°21'40" W., 0.830 chs. dist.
7.972	Intersect line 3-4, Mineral Survey No. 189, J.B. Overton claim, at a point from which Cor. No. 4, Mineral Survey No. 189, J.B. Overton claim, hereinafter described, bears S. 26°27'50" E., 8.372 chs. dist.
12.50	Ophir Ravine, drains E.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
39.330	<p>Point for the 1/4 sec. cor. of secs. 19 and 20, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E 1/4 S19 S20</p> <p style="text-align: center;">1994</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>From this point, a brass tablet, loosely cemented in rock outcropping, mkd. CEDAR HILL 2 1951, bears S. 79°55' E., 33.60 chs. dist.</p>
60.50	Cedar Hill Canyon, drains E.
78.660	<p>Point for the cor. of secs. 17, 18, 19 and 20, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E S18 S17 S19 S20</p> <p style="text-align: center;">1994</p> <p>Set a fiberglass T-post, 3 ft. long, alongside the stainless steel post.</p> <p>From this point, the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., bears S. 89°11'50" W., 81.330 chs. dist., monumented with an iron post, 2 ins. diam., firmly set, in a mound of stone, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 17 N., R. 20 E., executed under Group No. 343.</p> <p>The control line was fully retraced, and no evidence of the intervening cor. was found.</p> <p>From this same point, the cor. of secs. 7, 8, 17 and 18, bears N. 0°58'00" W., 78.670 chs. dist., monumented with an iron post, 2 ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 17 N., R. 21 E., executed under Group No. 313.</p> <p>The control line was fully retraced, and no evidence of the intervening cor. was found.</p>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this same point, a basalt stone, 16x8x5 ins., no marks visible, set in a mound of stone, bears N. 0°06' W., 39.85 chs. dist. This position was addressed to the Bureau of Land Management by Wm. Michael Donovan, Jr., Nevada Land Surveyor No. 2617. Mr. Donovan purported said stone was mkd. and in a mound of stone. An examination revealed no visible marks and the mound of stone appeared to be recently constructed. This position was not utilized during the course of this survey.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>S. 86°35'00" W., bet. secs. 17 and 20.</p> <p>Over mountainous land, covered with scattered sagebrush, pinon pine, juniper, buckbrush and various grasses.</p> <p>7.50 Nevada State Route 341, bears NE. and SW.</p> <p>20.00 Double wood-pole powerline, bears N. 23° W. and S. 23° E.</p> <p>40.658 Point for the 1/4 sec. cor. of secs. 17 and 20, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, cemented in drill hole in rock outcropping, with top mkd.</p> <div style="text-align: center;"> <p>T17N R21E S17 1/4 <math>\frac{\quad}{\quad}</math> S20 1994</p> </div> <p>from which</p> <p style="padding-left: 40px;">A branch, 8 ins. diam., on a pinon pine, 18 ins. diam., bears N. 55 1/2° E., 38 lks. dist., mkd. 1/4 S17 BT.</p> <p style="padding-left: 40px;">A rock ledge bears S. 25 1/2° W., 34 lks. dist., mkd. X BO.</p> <p>70.00 Ravine, drains S.</p> <p>81.316 The cor. of secs. 17, 18, 19 and 20.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE NORTHERN LINE OF THE SUTRO TUNNEL GRANT, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor C.F. Hoffman in 1876</p> <hr/> <p>From the point for Cor. 7, Mineral Survey No. 40, Bailey claim, hereinafter described.</p>
--------	---

DEPENDENT RESURVEY OF A PORTION OF THE  
NORTHERN LINE OF THE SUTRO TUNNEL GRANT,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point, Monument No. 12, on the Northern Line of the Sutro Tunnel Grant, bears S. 64°03'40" E., 13.498 chs. dist., monumented with an iron pipe, 2 ins. diam., firmly set in a mound of stone.</p> <p>N. 64°03'40" W., on a portion of the Northern Line of the Sutro Tunnel Grant, identical with line 7-6, Mineral Survey No. 40, Bailey claim.</p> <p>4.743 Intersect the line bet. secs. 28 and 33, from which the 1/4 sec. cor. of secs. 28 and 33, bears N. 89°06'40" W., 16.570 chs. dist., hereinbefore described.</p> <p>6.651 Monument No. 13, monumented with an iron pipe, 2 ins. diam., firmly set in a mound of stone.</p> <hr/> <p>N. 64°05'40" W., beginning new measurement, continuing on a portion of the Northern Line of the Sutro Tunnel Grant, identical with line 7-6, Mineral Survey No. 40, Bailey claim.</p> <p>0.089 The point for Cor. 6, Mineral Survey No. 40, Bailey claim, hereinafter described.</p> <p>From this point, Monument No. 17, on the Northern Line of the Sutro Tunnel Grant, bears N. 64°05'40" W., 127.849 chs. dist., hereinbefore described.</p> <hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 37 (1), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor J.F. Kidder in 1867</p> <hr/> <p>Utah claim on the Comstock lode</p> <p>From Cor. No. 5, Mineral Survey No. 37, Utah claim, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 16 ins. long, with plastic cap, 1 1/2 ins. diam., mkd. RLS 2617, firmly set in an embedded mound of stone, as shown on an unrecorded Record of Survey of patented and unpatented Lode Claims for Touchstone Resources Company, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S20</p> <p>MS 37 U COR-5</p> <p>1999</p> </div>
--------	---

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 37 (1),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Insert the rebar inside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, SW. of cor.</p>
	<p>Thence N. 63°28'30" W., on line 5-1, Mineral Survey No. 37, Utah claim.</p>
1.515	<p>Record distance, Cor. No. 2, Mineral Survey No. 91 (55), Ward claim, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.</p>
	<p>Continue measurement on line 5-1, Mineral Survey No. 37, Utah claim, identical with line 2-1, Mineral Survey No. 91, Ward claim.</p>
1.620	<p>A rebar, 5/8 in. diam., firmly set flush with the ground, with aluminum cap, 1 1/2 ins. diam., mkd. POST 2 WARD US PAT NO 91, bears N. 26°32' E., 0.880 chs. dist.</p>
4.545	<p>Record distance, Cor. No. 1, Mineral Survey No. 91, Ward claim, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.</p>
	<p>From this point, Shaft No. 2, Ward claim, bears N. 37° E., 8.06 chs. dist. (Record: N. 34° E., 528 ft. (8.00 chs.))</p>
	<p>From Shaft No. 2, Ward claim</p>
	<p style="padding-left: 40px;">Shaft No. 3, Ward claim, bears N. 35 1/2° E., 1.70 chs. dist. (Record: N. 33° E.)</p>
	<p>Continue measurement on line 5-1, Mineral Survey No. 37, Utah claim, identical with line 1-6, Mineral Survey No. 91, Ward claim.</p>
5.958	<p>Point for Cor. No. 1, Mineral Survey No. 37, Utah claim, identical with Cor. No. 6, Mineral Survey No. 91, Ward claim, at proportionate distance between Cor. No. 5 and Cor. No. 2, both of Mineral Survey 37, Utah claim; there is no remaining evidence of the original corner.</p>
	<p>POINT NOT MONUMENTED</p>
	<p>From this point, the 1/4 sec. cor. of secs. 20 and 21, bears S. 22°11' E., 30.09 chs. dist. (Record: S. 22°15' E., 1974 ft. (29.91 chs.))</p>
	<p>From this same point, top of hill bears S. 71° E., about 15 chs. dist. (Record: S. 71°45' E.)</p>
	<hr style="width: 20%; margin: 0 auto;"/> <p>Thence N. 63°28'30" W., on line 1-2, Mineral Survey No. 37, Utah claim, identical with line 6-5, Mineral Survey No. 91, Ward claim.</p>
1.576	<p>Record distance, Cor. No. 5, Mineral Survey No. 91, Ward claim, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 37 (1),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
1.854	A galvanized iron pipe, 1/2 in. diam., firmly set, projecting 7 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. POST 6 WARD US PAT NO 91, bears N. 26°32' E., 0.941 chs. dist.
	Continue measurement on line 1-2, Mineral Survey No. 37, Utah claim.
11.916	Point for Cor. No. 2, Mineral Survey No. 37, Utah claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.  POINT NOT MONUMENTED
	This point is located at foot of granite boulder, below Nevada State Route 341. (Geiger Road)
	Thence S. 26°31'30" W., on line 2-3, Mineral Survey No. 37, Utah claim.
2.379	Record distance, Cor. No. 2, Mineral Survey No. 175, Sutro claim, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.  Continue measurement on line 2-3, Mineral Survey No. 37, Utah claim, identical with line 2-3, Mineral Survey No. 175, Sutro claim.
	Seven Mile Canyon, drains SE.
12.736	Intersect the E-W center line of the NE1/4 of sec. 20, from which the C-N 1/16 sec. cor. of sec. 20, hereinafter described, bears S. 88°33'50" W., 11.724 chs. dist.
15.046	Point for Cor. No. 3, Mineral Survey No. 37, Utah claim, identical with Cor. No. 3, Mineral Survey No. 175, Sutro claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.  POINT NOT MONUMENTED
	Thence S. 63°28'30" E., on a portion of line 3-4, Mineral Survey No. 37, Utah claim, identical with line 3-4, Mineral Survey No. 175, Sutro claim.
3.160	Cor. No. 4, Mineral Survey No. 175, Sutro claim, hereinafter described.  Continue measurement on a portion of line 3-4, Mineral Survey No. 37, Utah claim.
6.951	Cor. No. 2, Mineral Survey No. 150, Allen claim, hereinafter described.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 40 (4),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor J.F. Kidder in 1868 and Portions of the Additional Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1876 (as noted on the plat), Field Notes Signed by U.S. Deputy Mineral Surveyor C.F. Hoffmann in 1876</p> <hr/> <p style="text-align: center;">Bailey claim on the Bailey lode</p> <p>From the point for Cor. No. 1, Mineral Survey No. 40, Bailey claim, at proportionate distance between Cor. No. 5 and Cor. No. 2, both of Mineral Survey No. 40, Bailey claim; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Point is located on summit of ridge, bears NW. and SE.</p> <p>From this point, the cor. of secs. 28, 29, 32 and 33, hereinbefore described, bears N. 75°01' W., 58.99 chs. dist. (Record: N. 75°45' W., 3864 ft. (58.55 chs.))</p> <p>From this same point, Davidson Peak, bears N. 74°00' W. (Record: N. 74°30' W.)</p> <p>Thence N. 89°29'10" W., on line 1-2, Mineral Survey No. 40, Bailey claim.</p> <p>3.047 Point for Cor. No. 2, Mineral Survey No. 40, Bailey claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">MS 40</td> </tr> <tr> <td style="padding: 2px;">B</td> </tr> <tr> <td style="padding: 2px;">2</td> </tr> </table> <p>S33</p> <p>T17N R21E</p> <p>2001</p> </div> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <hr/> <p>Thence N. 0°31'50" E., on line 2-6, Mineral Survey No. 40, Bailey claim.</p> <p>13.310 Intersect the line bet. secs. 28 and 33, at a point from which the 1/4 sec. cor. of secs. 28 and 33, hereinbefore described, bears N. 89°06'40" W., 14.767 chs. dist.</p> <p>14.155 Point for Cor. No. 6, Mineral Survey No. 40, Bailey claim, at intersection with the Northern Line of the Sutro Tunnel Grant; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p>	MS 40	B	2
MS 40				
B				
2				

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 40 (4),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point, Monument No. 13, on the Northern Line of the Sutro Tunnel Grant, bears S. 64°05'40" E., 0.089 chs. dist., hereinbefore described.</p> <hr/> <p>Thence N. 0°31'50" E., on line 6-3, Mineral Survey No. 40, Bailey claim.</p> <p>2.310 Cor. No. 1, Mineral Survey No. 4136, Twentieth Century lode, hereinafter described.</p> <hr/> <p>Thence N. 0°11'30" E., continue measurement on line 6-3, Mineral Survey No. 40, Bailey claim.</p> <p>16.986 Point for Cor. No. 3, Mineral Survey No. 40, Bailey claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, cemented in drill hole in rock outcropping, with brass cap mkd.</p> <p style="text-align: center;">MS 4136</p> <p style="text-align: center;">M S</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">MS 40</td> </tr> <tr> <td style="padding: 2px;">B</td> </tr> <tr> <td style="padding: 2px;">COR 3</td> </tr> </table> <p style="text-align: center;">2002</p> <hr/> <p>Thence S. 89°49'30" E., on line 3-4, Mineral Survey No. 40, Bailey claim.</p> <p>2.764 Intersect line 4-1, Mineral Survey No. 4136, Morning Star lode, at a point from which Cor. No. 1, Mineral Survey No. 4136, Morning Star lode, hereinafter described, bears S. 12°12'00" W., 8.444 chs. dist.</p> <p>3.348 Record distance, Cor. No. 6, cancelled Mineral Survey No. 151, Rattler claim, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.</p> <p>Continue measurement on line 3-4, Mineral Survey No. 40, Bailey claim, identical with line 6-5, cancelled Mineral Survey No. 151, Rattler claim.</p> <p>5.879 Intersect line 2-3, Mineral Survey No. 4137, Great American No. 2 lode, at a point from which Cor. No. 2, Mineral Survey No. 4137, Great American No. 2 lode, hereinafter described, bears S. 20°01'20" W., 5.763 chs. dist.</p> <p>6.070 Cor. No. 4, Mineral Survey No. 40, Bailey claim, identical with Cor. No. 5, cancelled Mineral Survey No. 151, Rattler claim, monumented with an iron pipe, 2 ins. diam., firmly set, projecting 15 ins. above the ground, and is accepted as the best available evidence of the position of the original corner.</p> <hr/>	MS 40	B	COR 3
MS 40				
B				
COR 3				

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 40 (4),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From Cor. No. 2, Mineral Survey No. 4137, Cosmopolitan No. 2 lode, on line 4-7, Mineral Survey No. 40, Bailey claim, monumented with an embedded mound of stone, with scattered remains of a wood post and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">MS 40</td> <td style="padding: 0 5px;">MS 4137</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">B</td> <td style="padding: 0 5px;">C NO 2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"></td> <td style="padding: 0 5px;">2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"></td> <td style="border-top: 1px solid black; padding: 0 5px;">MS 4137</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"></td> <td style="padding: 0 5px;">C</td> </tr> </table> <p>2002</p> </div> <p>Deposit the remains of the wood post alongside the stainless steel post.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence S. 0°29'50" W., on a portion of line 4-5, Mineral Survey No. 40, Bailey claim.</p> <p>4.814 Intersect line 1-2, Mineral Survey No. 4137, Cosmopolitan lode, identical with line 5-6, cancelled Mineral Survey No. 82, Cosmopolitan claim, at a point from which Cor. No. 2, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 5, cancelled Mineral Survey No. 82, Cosmopolitan claim, hereinafter described, bears N. 64°50'10" W., 0.309 chs. dist.</p> <p>5.952 Intersect the line bet. secs. 28 and 33, at a point from which the 1/4 sec. cor. of secs. 28 and 33, hereinbefore described, bears N. 89°06'40" W., 20.854 chs. dist.</p> <p>7.961 Point for Cor. No. 7, Mineral Survey No. 40, Bailey claim, at intersection with the Northern Line of the Sutro Tunnel Grant; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>From this point, Monument No. 12, on the Northern Line of the Sutro Tunnel Grant, bears S. 64°03'40" E., 13.498 chs. dist., monumented with an iron pipe, 2 ins. diam., firmly set in a mound of stone.</p> <p>19.222 Point for Cor. No. 5, Mineral Survey No. 40, Bailey claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>	MS 40	MS 4137	B	C NO 2		2		MS 4137		C
MS 40	MS 4137										
B	C NO 2										
	2										
	MS 4137										
	C										

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 40 (4),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<div style="text-align: center;"> <table border="1" style="margin: auto;"> <tr><td>MS 40</td></tr> <tr><td>B</td></tr> <tr><td>5</td></tr> </table> <p>S33 T17N R21E</p> <p>2001</p> <hr/> <p>Thence N. 89°29'10" W., on line 5-1, Mineral Survey No. 40, Bailey claim.</p> <p>3.047 The point for Cor. No. 1, Mineral Survey No. 40, Bailey claim, hereinbefore described.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 67 (31), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor I.E. James in 1871 and Portions of the Resurvey Executed by U.S. Deputy Mineral Surveyor H. Hochholzer in 1873</p> <hr/> <p style="text-align: center;">McKibben claim on the McKibben lode</p> <p>From the point for Cor. No. 3, Mineral Survey No. 67, McKibben claim, at proportionate distance between Cor. No. 4 and Cor. No. 7, both of Mineral Survey No. 67, McKibben claim; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Thence N. 20°24'00" W., on line 3-4, Mineral Survey No. 67, McKibben claim.</p> <p>1.515 Cor. No. 4, Mineral Survey No. 67, McKibben claim, monumented with a rebar, 5/8 in. diam., firmly set flush in the ground, in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. MCKIBBEN 67-4, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/> <p>Thence N. 71°37'10" E., on a portion of line 4-5, Mineral Survey No. 67, McKibben claim.</p> <p>1.880 Intersect the line bet. secs. 29 and 30, at a point from which the 1/4 sec. cor. of secs. 29 and 30, hereinbefore described, bears S. 0°13'00" W., 16.741 chs. dist.</p> <p>8.707 Cor. No. 8, Mineral Survey No. 67, McKibben claim, monumented with a rebar, 5/8 in. diam., firmly set in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. MCKIBBEN 67-8, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/> </div>	MS 40	B	5
MS 40				
B				
5				

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 67 (31),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From Cor. No. 6, Mineral Survey No. 67, McKibben claim, monumented with a rebar, 5/8 in. diam., firmly set, projecting 12 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. MCKIBBEN 67-6, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence S. 71°37'10" W., on line 6-7, Mineral Survey No. 67, McKibben claim.</p> <p>3.928 Point for point B, Mineral Survey No. 67, McKibben claim, at proportionate distance, occupied by a rebar, 5/8 in. diam., firmly set, projecting 2 ins. above the ground in the center of a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. MCKIBBEN 67-B.</p> <p>8.811 Point for Cor. No. 9, Mineral Survey No. 67, McKibben claim, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>From this point, a mound of stone, with the remains of a wood post lying alongside, bears N. 7°53' W., 0.545 chs. dist.</p> <p>20.477 Intersect the line bet. secs. 29 and 30, at a point from which the 1/4 sec. cor. of secs. 29 and 30, hereinbefore described, bears S. 0°13'00" W., 13.546 chs. dist.</p> <p>21.231 Cor. No. 7, Mineral Survey No. 67, McKibben claim, monumented with a rebar, 5/8 in. diam., firmly set in a mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. MCKIBBEN 67-7, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>From this corner, a shaft bears N. 73°00' E., 3.70 chs. dist.</p> <p>From this same corner, the flagstaff on Mt. Davidson, bears S. 38°57' W.</p> <hr/> <p>Thence N. 20°24'00" W., on line 7-3, Mineral Survey No. 67, McKibben claim.</p> <p>1.515 The point for Cor. No. 3, Mineral Survey No. 67, McKibben claim, hereinbefore described.</p> <hr/> <p>DEPENDENT RESURVEY OF MINERAL SURVEY NO. 75 (39), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor A.J. Hatch in 1872</p> <hr/> <p>Alban claim on the Alban lode</p> <p>From the point for Cor. No. 1, Mineral Survey No. 75, Alban claim, determined at record bearing and distance from the 1/4 sec. cor. of secs. 29 and 30; there is no remaining evidence of the original corner.</p>
--------	---



DEPENDENT RESURVEY OF MINERAL SURVEY NO. 75 (39),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>T17N R21E</p> <p>S20</p> <hr style="width: 10%; margin: auto;"/> <p>MS 75  </p> <p>A  </p> <p>3  </p> <p>2001</p> <hr style="width: 10%; margin: auto;"/>
	<p>Thence N. 89°00'00" W., on line 3-4, Mineral Survey No. 75, Alban claim.</p>
1.50	Cedar Ravine, drains irregularly SE.
3.030	<p>Point for Cor. No. 4, Mineral Survey No. 75, Alban claim, determined at record bearing and distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p>T17N R21E</p> <p>S20</p> <hr style="width: 10%; margin: auto;"/> <p>MS 75  </p> <p>A  </p> <p>4  </p> <p>2001</p> <hr style="width: 10%; margin: auto;"/>
	<p>Thence S. 1°00'00" W., on line 4-1, Mineral Survey No. 75, Alban claim.</p>
17.111	Intersect the line bet. secs. 20 and 29, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 88°41'30" E., 14.975 chs. dist.
18.182	Cor. No. 1, Mineral Survey No. 75, Alban claim, and point of beginning.
<hr/> <p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor H. Hochholzer in 1872</p> <hr/>	
<p>Monte Christo claim on the Monte Christo lode (M.S. No. 76 A)</p>	
<p>From the point for Cor. No. 1, Mineral Survey No. 76 A, Monte Christo claim, at proportionate distance between Cor. No. 2 and Cor. No. 3, both of Mineral Survey No. 76 A, Monte Christo claim; there is no remaining evidence of the original corner. This point falls in the pavement of Sixmile Canyon road.</p>	
<p>POINT NOT MONUMENTED</p>	

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point, the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears N. 45°16' E., 12.95 chs. dist. (Computed record: N. 44°06' E., 855.5 ft. (12.96 chs.))</p> <p>Thence N. 62°51'30" E., on line 1-2, Mineral Survey No. 76 A, Monte Christo claim.</p> <p>0.984 Point for Cor. No. 8, Mineral Survey No. 128, Sadie Claim, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Continue measurement on line 1-2, Mineral Survey No. 76 A, Monte Cristo claim, identical with line 8-7, Mineral Survey No. 128, Sadie claim.</p> <p>2.271 Point for Cor. No. 2, Mineral Survey No. 76 A, Monte Christo claim, identical with Cor. No. 7, Mineral Survey No. 128, Sadie claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner. This point falls in the pavement of Sixmile Canyon road.</p> <p>POINT NOT MONUMENTED</p> <hr/> <p>Thence N. 15°38'30" W., on line 2-6, Mineral Survey No. 76 A, Monte Christo claim, identical in part with line 7-6, Mineral Survey No. 128, Sadie claim.</p> <p>8.824 Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°29'10" E., 9.570 chs. dist.</p> <p>14.384 The SW. cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 6, Mineral Survey No. 128, Sadie claim, hereinafter described.</p> <hr/> <p>Thence N. 15°29'20" W., continue measurement on line 2-6, Mineral Survey No. 76 A, Monte Christo claim, identical in part with line 2-3, cancelled Mineral Survey No. 4277, C.B. lode, and on westerly bdy. of Mineral Survey No. 76 B, Monte Christo claim.</p> <p>5.285 Point for Cor. No. 2, cancelled Mineral Survey No. 4277, C.B. lode, at record distance from Cor. No. 3, cancelled Mineral Survey No. 4277, C.B. lode; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Continue measurement on line 2-6, Mineral Survey No. 76 A, Monte Christo claim, identical with line 2-3, cancelled Mineral Survey No. 4277, C.B. lode, and on a portion of westerly bdy. of Mineral Survey No. 76 B, Monte Christo claim.</p> <p>7.571 The NW. cor. of Mineral Survey No. 76 B, Monte Christo claim, hereinafter described.</p>
--------	---

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Continue measurement on line 2-6, Mineral Survey No. 76 A, Monte Christo claim, identical with a portion of line 2-3, cancelled Mineral Survey No. 4277, C.B. lode.
15.921	Intersect the E-W center line of the NE1/4 of sec. 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°52'20" E., 13.774 chs. dist.
28.012	Cor. No. 6, Mineral Survey No. 76 A, Monte Christo claim, identical with Cor. No. 3, cancelled Mineral Survey No. 4277, C.B. lode, monumented with an iron pipe, 4 ins. diam., loosely set in a mound of stone, with no threaded iron cap, mkd. on the side of the iron pipe, MONTE CHRISTO 76-A-6 C.B. 4277-3, and is accepted as the best available evidence of the position of the original corner.  REINFORCE THE IRON PIPE, POINT NOT REMONUMENTED
	From Cor. No. 7, Mineral Survey No. 76 A, Monte Christo claim, monumented with an iron pipe, 4 ins. diam., firmly set in a mound of stone, with threaded iron cap mkd. U.S.S. M.C. 7 76, and is accepted as the best available evidence of the position of the original corner.  POINT NOT REMONUMENTED
	Thence S. 15°31'40" E., on line 7-3, Mineral Survey No. 76 A, Monte Christo claim.
9.792	Intersect the E-W center line of the NE1/4 of sec. 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°52'20" E., 18.423 chs. dist.
10.428	Intersect line 1-2, Mineral Survey No. 152, Concordia claim, at a point from which Cor. No. 2, Mineral Survey No. 152, Concordia claim, hereinafter described, bears N. 81°22'00" E., 0.239 chs. dist.
12.387	Intersect line 2-3, Mineral Survey No. 152, Concordia claim, at a point from which Cor. No. 2, Mineral Survey No. 152, Concordia claim, hereinafter described, bears N. 8°31'20" W., 1.944 chs. dist.
29.848	A witness corner of no known record, Mineral Survey No. 76 A, Monte Christo claim, determined by person(s) unknown, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 20 ins. above the ground, with threaded iron cap mkd. U.S.S. M.C. LINE 829.9', and is accepted as a witness corner on line 7-3, Mineral Survey No. 76 A, Monte Christo claim.
31.240	Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°29'10" E., 14.231 chs. dist.
33.531	Intersect line 3-4, Mineral Survey No. 4137, Great American No. 2 lode, at a point from which Cor. No. 4, Mineral Survey No. 4137, Great American No. 2 lode, hereinafter described, bears N. 82°29'20" E., 1.145 chs. dist.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 42.422</p>	<p>Point for Cor. No. 3, Mineral Survey No. 76 A, Monte Christo claim, determined at a distance noted on a witness corner monument, hereinbefore described, and on a bearing from Cor. No. 7, Mineral Survey No. 76 A, Monte Christo claim, extended through said witness corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="901 567 1047 808" style="text-align: center;"> <p>MS 76A M C 3 MS 4138 T P 2002</p> </div> <p>Corner is located on the northerly shoulder of Six Mile Canyon road.</p> <hr/> <p>Thence N. 62°51'30" E., on line 3-1, Mineral Survey No. 76 A, Monte Christo claim.</p>
<p>2.271</p>	<p>The point for Cor. No. 1, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described.</p> <hr/> <p>Monte Christo claim on the Monte Christo lode (M.S. No. 76B)</p> <p>From the point for the NW. Cor. of Mineral Survey No. 76 B, Monte Christo claim, on line 2-6, Mineral Survey No. 76 A, Monte Christo claim and on line 2-3, cancelled Mineral Survey No. 4277, C.B. lode, at proportionate distance between the SW. cor. of Mineral Survey No. 76 B and Cor. No. 6, Mineral Survey No. 76 A; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="828 1501 1096 1732" style="text-align: center;"> <p>T17N R21E S28 MS 76A M C NW MS 76B M C 2002</p> </div> <p>Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, NE. of cor.</p> <p>From this corner, Cor. No. 6, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears N. 15°29'20" W., 20.441 chs. dist.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>Thence N. 74°28'20" E., on the northerly bdy. of Mineral Survey No. 76 B, Monte Christo claim.</p>
<p>2.492</p>	<p>Intersect line 1-2, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears S. 29°03'00" E., 1.668 chs. dist.</p>
<p>3.040</p>	<p>Point for the NE. Cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 4, Mineral Survey No. 128, Sadie claim, determined at the intersection of the lines ran parallel to the side line and the end line; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p>Thence S. 15°29'20" E., on the easterly bdy. of Mineral Survey No. 76 B, Monte Christo claim, identical with line 4-5, Mineral Survey No. 128, Sadie claim.</p>
<p>1.451</p>	<p>Intersect line 4-1, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears S. 27°10'40" W., 0.232 chs. dist.</p>
<p>7.571</p>	<p>Point for the SE. Cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 5, Mineral Survey No. 128, Sadie claim, determined at a distance noted on a witness corner monument, hereinafter described, and on a bearing from the SW. Cor. of Mineral Survey No. 76 B, Monte Christo claim, extended through said witness corner.</p> <p>POINT NOT MONUMENTED</p>
<p>0.152</p>	<p>Thence S. 74°28'20" W., on the southerly bdy. of Mineral Survey No. 76 B, Monte Christo claim, identical with line 5-6, Mineral Survey No. 128, Sadie claim.</p> <p>A witness corner of no known record, Mineral Survey No. 76 B, Monte Christo claim, determined by person(s) unknown, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 20 ins. above the ground, with threaded iron cap mkd. U.S.S. 76 W.C. M. C. LOT B. S.E. COR. S74 1/2W 10', and is accepted as a witness corner on the southerly bdy. of Mineral Survey No. 76 B, Monte Christo claim.</p> <p>POINT NOT REMONUMENTED</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 76 (40),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

3.040

The SW. Cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 6, Mineral Survey No. 128, Sadie claim, on line 2-6, Mineral Survey No. 76 A, Monte Christo claim, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 2 ft. above the ground with threaded iron cap mkd. U.S.S. M.C. LOT B S.W. COR. 76, and is accepted as the best available evidence of the position of the original corner.

POINT NOT REMONUMENTED

---

DEPENDENT RESURVEY OF A PORTION OF  
AMENDED MINERAL SURVEY NOS. 89 and 71 A (53),  
TPS. 16 and 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

---

Reestablishment of a Portion of the Survey Executed by  
U.S. Deputy Mineral Surveyor H. Hochholzer in 1873  
and a Portion of the (Amended) Resurvey Executed by  
U.S. Deputy Surveyor L.F.J. Wrinkle in 1879

---

Occidental claim on the Brunswick lode

From Cor. No. 2, Amended Mineral Survey Nos. 89 and 71 A, Occidental claim, on line 4-1, Mineral Survey No. 154, South Occidental lode, monumented with the remains of a burnt wood post, 4 ins. square, 8 ins. long, no visible marks, firmly set 8 ins. in the ground, in an embedded collar of stones, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T16N	MS 71A
R21E	O
S 4	2
MS 154	
S O	

2001

Reset the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 1 ft. high, NW. of cor.



From this corner, the approximate entrance to the tunnel of Occidental mine (portion of tunnel excavated), bears N. 16°00' E., 7.20 chs. dist. (Computed record: N. 17°00' E.)

Thence N. 6°31'10" W., on line 2-3, Amended Mineral Survey Nos. 89 and 71 A, Occidental claim.

DEPENDENT RESURVEY OF A PORTION OF  
 AMENDED MINERAL SURVEY NOS. 89 and 71 A (53),  
 TPS. 16 and 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS													
20.429	Intersect the line bet. secs. 4 and 33, Tps. 16 and 17 N., Rs. 21 E., at a point from which the 1/4 sec. cor. of secs. 4 and 33, hereinbefore described, bears N. 89°41'40" E., 7.813 chs. dist.												
25.835	<p>Cor. No. 3, Amended Mineral Survey Nos. 89 and 71 A, Occidental claim, on line 1-2, Mineral Survey No. 112 (72), North Occidental claim, monumented with the remains of a burnt wood post, 4 ins. square, 4 ins. long, no marks visible, firmly set in an embedded mound of stone, with an iron pipe, 2 ins. diam., 5 ft. long, lying nearby, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td colspan="2">N O</td> </tr> <tr> <td colspan="2">MS 112</td> </tr> <tr> <td colspan="2">-----</td> </tr> <tr> <td>T17N</td> <td>MS 89</td> </tr> <tr> <td>R21E</td> <td>0</td> </tr> <tr> <td>S33</td> <td>3</td> </tr> </table> <p>2001</p> </div> <p>Reset the remains of the wood post alongside the stainless steel post.</p> <p>From this corner, the North Occidental Mining Co's. Incline, Mineral Survey No. 112, North Occidental claim, bears N. 25°15' E., 3.36 chs. dist. (Computed record: about N. 27° E., 236 ft. (3.58 chs. dist.))</p>	N O		MS 112		-----		T17N	MS 89	R21E	0	S33	3
N O													
MS 112													
-----													
T17N	MS 89												
R21E	0												
S33	3												
<hr/> <p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 97 (61),            T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>													
<p>Reestablishment of Portions of the Survey Executed by            U.S. Deputy Mineral Surveyor I.E. James in 1874</p> <hr/>													
<p>Marsano claim on the Marsano lode</p>													
<p>From Cor. No. 1, Mineral Survey No. 97, Marsano claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>													
<p>At the corner point</p>													
<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p>													



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 97 (61),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div style="text-align: center;">  <p>T17N R21E S22</p> <p>COR 1 MA MS 97</p> <p>2002</p> </div> <p>Thence N. 31°03'00" W., on line 1-2, Mineral Survey No. 97, Marsano claim.</p>
9.046	<p>Cor. No. 2, Mineral Survey No. 97, Marsano claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;">  <p>T17N R21E S22</p> <p>COR 2 MA MS 97</p> <p>1994</p> </div> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence S. 58°43'10" W., on line 2-3, Mineral Survey No. 97, Marsano claim.</p>
5.461	<p>Intersect the line bet. secs. 21 and 22, at a point from which the cor. of secs. 15, 16, 21 and 22, hereinbefore described, bears N. 2°07'40" E., 11.381 chs. dist.</p>
7.558	<p>Point for Cor. No. 1, Mineral Survey No. 97, Francisco Marsano claim, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Continue measurement on line 2-3, Mineral Survey No. 97, Marsano claim, identical with line 1-4, Mineral Survey No. 96, Francisco Marsano claim.</p>
30.233	<p>Cor. No. 3, Mineral Survey No. 97, Marsano claim, identical with Cor. No. 4, Mineral Survey No. 96, Francisco Marsano claim, Cor. No. 1, cancelled Mineral Survey No. 167, Columbia claim and Cor. No. 1, Mineral Survey No. 168, Margarita claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 97 (61),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<div data-bbox="841 275 1084 541" data-label="Diagram"> </div> <div data-bbox="912 569 984 596" data-label="Text"> <p>2001</p> </div> <div data-bbox="444 621 1463 651" data-label="Text"> <p>Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, NW. of cor.</p> </div> <hr/> <div data-bbox="444 703 1451 812" data-label="Text"> <p>From Cor. No. 4, Mineral Survey No. 97, Marsano claim, at proportionate distance between Cor. No. 1 and Cor. No. 2, both of Mineral Survey No. 168, Margarita claim; there is no remaining evidence of the original corner.</p> </div> <div data-bbox="444 835 1484 917" data-label="Text"> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> </div> <div data-bbox="834 942 1045 1129" data-label="Diagram"> </div> <div data-bbox="912 1157 984 1184" data-label="Text"> <p>2001</p> </div> <div data-bbox="444 1209 1463 1239" data-label="Text"> <p>Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, SE. of cor.</p> </div> <div data-bbox="444 1262 1391 1314" data-label="Text"> <p>Thence N. 58°40'10" E., on line 4-1, Mineral Survey No. 97, Marsano claim.</p> </div> <div data-bbox="300 1339 1455 1421" data-label="Text"> <p>18.735 Intersect the line bet. secs. 21 and 22, at a point from which the 1/4 sec. cor. of secs. 21 and 22, hereinbefore described, bears S. 2°07'40" W., 19.010 chs. dist.</p> </div> <div data-bbox="300 1444 1455 1499" data-label="Text"> <p>30.132 Cor. No. 1, Mineral Survey No. 97, Marsano claim, hereinbefore described.</p> </div> <hr/> <div data-bbox="557 1556 1362 1610" data-label="Section-Header"> <p>DEPENDENT RESURVEY OF MINERAL SURVEY NO. 107 (68), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> </div> <hr/> <div data-bbox="573 1665 1351 1719" data-label="Text"> <p>Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1874</p> </div> <hr/> <div data-bbox="628 1774 1294 1801" data-label="Text"> <p>North Comstock claim on the Comstock lode</p> </div> <div data-bbox="444 1827 1489 1934" data-label="Text"> <p>From the point for Cor. No. 1, Mineral Survey No. 107, North Comstock claim, at proportionate distance between Cor. No. 2 and Cor. No. 5, both of Mineral Survey No. 107, North Comstock claim; there is no remaining evidence of the original corner.</p> </div>
--------	--



DEPENDENT RESURVEY OF MINERAL SURVEY NO. 107 (68),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p> <p>4.536</p>	<p>The call in the field notes to a tunnel is indeterminable due to human activity in the area.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>MS 107 N C COR 1</p>  <p>S21 T17N R21E</p> <p>1999</p> </div> <p>Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, NE. of cor.</p> <p>Thence S. 58°53'00" E., on line 1-2, Mineral Survey No. 107, North Comstock claim.</p> <p>Cor. No. 2, Mineral Survey No. 107, North Comstock claim, identical with Cor. No. 2, Mineral Survey No. 115, Colorado claim, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 18 ins. long, firmly set, projecting 4 ins. above the ground, with plastic cap, 1 1/2 ins. diam., mkd. RLS2617, as shown on an unrecorded Claim Map of FWM 1-9 unpatented lode claims for Fischer-Watt Mining Company, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>MS 107 N C COR 2</p>  <p>MS 115 C COR 2</p> <p>S21 T17N R21E</p> <p>1999</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <p>From this corner, a rebar, 5/8 in. diam., firmly set, projecting 4 ins. above the ground, bears N. 53°57' E., 1.918 chs. dist. This rebar was not utilized during the course of this survey.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Thence N. 31°03'30" E., on line 2-3, Mineral Survey No. 107, North Comstock claim, identical with line 2-1, Mineral Survey No. 115, Colorado claim.</p>
----------------------------	--

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 107 (68),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 22.691</p>	<p>Cor. No. 3, Mineral Survey No. 107, North Comstock claim, identical with Cor. No. 1, Mineral Survey No. 115, Colorado claim and Cor. No. 4, Mineral Survey No. 177, Troy Consol. claim, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 18 ins. long, firmly set, projecting 6 ins. above the ground, with plastic cap, 1 1/2 ins. diam., mkd. RLS2617, as shown on an unrecorded Claim Map of FWM 1-9 unpatented lode claims for Fischer-Watt Mining Company, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div data-bbox="812 777 1071 1050" style="text-align: center;"> </div> <p>1999</p> <p>Insert the rebar inside the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Thence N. 58°53'00" W., on line 3-4, Mineral Survey No. 107, North Comstock claim.</p>
<p>9.072</p>	<p>Cor. No. 4, Mineral Survey No. 107, North Comstock claim, determined by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, monumented with a rebar, 5/8 in. diam., 18 ins. long, firmly set in an embedded mound of stone, projecting 4 ins. above the ground, with plastic cap, 1 1/2 ins. diam., mkd. RLS2617, as shown on an unrecorded Claim Map of FWM 1-9 unpatented lode claims for Fischer-Watt Mining Company, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 107 (68),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div style="text-align: center;">  <p>1999</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <hr/> <p>Thence S. 31°03'30" W., on line 4-5, Mineral Survey No. 107, North Comstock claim.</p>
21.739	<p>Intersect the line bet. secs. 20 and 21, at a point from which the 1/4 sec. cor. of secs. 20 and 21, hereinbefore described, bears N. 0°08'20" W., 1.805 chs. dist.</p>
22.691	<p>Point for Cor. No. 5, Mineral Survey No. 107, North Comstock claim, determined at the intersection of the lines ran parallel to the side line and the end line; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;">  <p>1999</p> </div> <p>From this corner, a rebar, 1/2 in. diam., firmly set, projecting 6 ins. above the ground, bears N. 55°22' E., 1.890 chs. dist.</p> <hr/> <p>Thence S. 58°53'00" E., on line 5-1, Mineral Survey No. 107, North Comstock claim.</p>
0.576	<p>Intersect the line bet. secs. 20 and 21, at a point from which the 1/4 sec. cor. of secs. 20 and 21, hereinbefore described, bears N. 0°08'20" W., 2.918 chs. dist.</p>
4.536	<p>Cor. No. 1, Mineral Survey No. 107, North Comstock claim, and point of beginning.</p> <hr/>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 108 (69),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">Reestablishment of Portions of the Survey Executed by U.S. Mineral Surveyor R.E. Browne in 1875</p> <hr/> <p style="text-align: center;">Scorpion claim on the Progress Quartz lode</p>
	<p>From the point for Cor. No. 1, Mineral Survey No. 108, Scorpion claim, at proportionate distance between Cor. No. 2 and Cor. No. 5, both of Mineral Survey No. 108, Scorpion claim, and on line from Cor. No. 5, Mineral Survey No. 108, Scorpion claim to Cor. No. 3, Amended Mineral Survey No. 135, Agassiz claim; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>Thence S. 28°30'00" E., on line 1-2, Mineral Survey No. 108, Scorpion claim.</p>
1.211	Intersect the line bet. secs. 20 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 88°41'30" E., 2.713 chs. dist.
3.342	Cor. No. 3, Amended Mineral Survey No. 135, Agassiz claim, hereinafter described.
	<hr/> <p>Thence S. 28°01'00" E., continue measurement on line 1-2, Mineral Survey No. 108, Scorpion claim, identical with line 3-4, Amended Mineral Survey No. 135, Agassiz claim.</p>
1.204	The point for Cor. No. 2, Mineral Survey No. 108, Scorpion claim, identical with Cor. No. 4, Amended Mineral Survey No. 135, Agassiz claim, hereinafter described.
	<hr/> <p>Thence N. 61°59'00" E., on a portion of line 2-3, Mineral Survey No. 108, Scorpion claim, identical with line 4-5, Mineral Survey No. 135, Agassiz claim.</p>
0.561	Cor. No. 5, Amended Mineral Survey No. 135, Agassiz claim, hereinafter described.
	<hr/> <p>Thence N. 61°53'00" E., continue measurement on a portion of line 2-3, Mineral Survey No. 108, Scorpion claim.</p>
0.725	Intersect the line bet. secs. 28 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears N. 0°08'40" W., 2.268 chs. dist.
1.478	The point for Cor. No. 1, Mineral Survey No. 136, J.B. Treadwell claim, hereinafter described.
	<hr/> <p>Thence N. 61°51'20" E., continue measurement on a portion of line 2-3, Mineral Survey No. 108, Scorpion claim, identical with a portion of line 1-6, Mineral Survey No. 136, J.B. Treadwell claim.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 108 (69),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
3.803	Intersect the line bet. secs. 21 and 28, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears N. 88°17'30" W., 4.025 chs. dist.
21.507	<p>Cor. No. 1, Mineral Survey No. 3797, Lauren lode, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, 36 ins. long, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="844 724 1088 966" style="text-align: center;"> </div> <p>Deposit the remains of the wood post alongside the stainless steel post.</p>
	<p>From the point for Cor. No. 3, Mineral Survey No. 108, Scorpion claim, identical with Cor. No. 1, cancelled Mineral Survey No. 157, Garber claim, determined by record bearings and distances from Cor. No. 2, Mineral Survey No. 202, Victoria lode; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div data-bbox="812 1365 1055 1533" style="text-align: center;"> </div> <p>From this corner, Cor. No. 2, Mineral Survey No. 202, Victoria lode, hereinafter described, bears N. 17°55'50" W., 2.229 chs. dist.</p> <p>Thence N. 28°30'00" W., on line 3-4, Mineral Survey No. 108, Scorpion claim.</p>
2.180	Intersect line 2-3, Mineral Survey No. 202, Victoria lode, at a point from which Cor. No. 2, Mineral Survey No. 202, Victoria lode, hereinafter described, bears N. 59°55'00" E., 0.409 chs. dist.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 108 (69),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p> <p>8.636</p>	<p>Point for Cor. No. 4, Mineral Survey No. 108, Scorpion claim, determined at the intersection of the record bearing of line 3-4, Mineral Survey No. 108, Scorpion claim with the projection of line 5-4, Mineral Survey No. 163, Mountain View claim, falls in Catholic cemetery; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="889 598 1031 808" style="text-align: center;"> </div> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence S. 62°20'00" W., on line 4-5, Mineral Survey No. 108, Scorpion claim.</p>
<p>10.624</p>	<p>Cor. No. 4, Mineral Survey No. 163, Mountain View claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div data-bbox="831 1264 1112 1528" style="text-align: center;"> </div> <hr style="width: 30%; margin: 10px auto;"/> <p>From this corner, an iron pin, 3/4 in. diam., firmly set in a mound of stone, bears S. 86°00' W., 0.510 chs. dist. This iron pin was not utilized during the course of this survey.</p> <p>Thence S. 62°20'00" W., continue measurement on line 4-5, Mineral Survey No. 108, Scorpion claim, identical with line 4-5, Mineral Survey No. 163, Mountain View claim.</p>
<p>14.010</p>	<p>Cor. No. 5, Mineral Survey No. 163, Mountain View claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 108 (69),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div data-bbox="764 436 1057 646" style="text-align: center;"> </div> <p>From this corner, an iron pin, 3/4 in. diam., firmly set in a mound of stone, with a metal washer, 1 1/2 ins. diam., wired to the iron pin, mkd. RLS 3921 163-5, bears S. 60°55' W., 0.421 chs. dist. This iron pin was not utilized during the course of this survey.</p> <hr/> <p>Thence S. 62°01'10" W., continue measurement on line 4-5, Mineral Survey No. 108, Scorpion claim.</p> <p>10.163 The point for Cor. No. 7, Mineral Survey No. 125, Mexican claim, hereinafter described.</p> <p>Thence continue measurement on line 4-5, Mineral Survey No. 108, Scorpion claim, identical with line 7-8, Mineral Survey No. 125, Mexican claim.</p> <p>26.160 The point for Cor. No. 8, Mineral Survey No. 125, Mexican claim, on line 4-5, Mineral Survey No. 108, Scorpion claim, hereinafter described.</p> <p>Thence continue measurement on line 4-5, Mineral Survey No. 108, Scorpion claim.</p> <p>29.314 Intersect the line bet. secs. 20 and 21, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 0°08'20" E., 8.010 chs. dist.</p> <p>35.473 Point for Cor. No. 5, Mineral Survey No. 108, Scorpion claim, determined at record distance from Cor. No. 2, Mineral Survey No. 108, Scorpion claim, identical with Cor. No. 4, Amended Mineral Survey No. 135, Agassiz claim and record bearing from Cor. No. 3, Amended Mineral Survey No. 135, Agassiz claim; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="878 1713 1089 1923" style="text-align: center;"> </div>
--------	--



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 108 (69),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p> <p>1.086</p> <p>1.115</p> <p>4.545</p>	<p>From this point, a wood post, 4 ins. square, firmly set, projecting 2 ft. above the ground, bears NE., 0.04 chs. dist. The preponderance of evidence developed during examinations and retracements is insufficient to support the assertion that this monument is the corner point referred to in any known official record and is not used during the course of this survey.</p> <hr/> <p>Thence S. 28°30'00" E., on line 5-1, Mineral Survey No. 108, Scorpion claim.</p> <p>Intersect line 3-4, Mineral Survey No. 129, Union Consol. claim, at a point from which Cor. No. 4, Mineral Survey No. 129, Union Consol. claim, hereinafter described, bears S. 78°42'40" E., 0.048 chs. dist.</p> <p>Intersect line 4-1, Mineral Survey No. 129, Union Consol. claim, at a point from which Cor. No. 4, Mineral Survey No. 129, Union Consol. claim, hereinafter described, bears N. 64°35'30" E., 0.037 chs. dist.</p> <p>The point for Cor. No. 1, Mineral Survey No. 108, Scorpion claim, hereinbefore described.</p>
<hr/> <p>DEPENDENT RESURVEY OF MINERAL SURVEY NO. 119 (77), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1875</p> <hr/>	
<p>Andrews claim on the Piety Hill lode</p> <p>From Cor. No. 1, Mineral Survey No. 119, Andrews claim, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set flush with the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS3921 119-1, as recorded in Storey County, Nevada, File No. 48667, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence N. 89°38'10" E., on line 1-2, Mineral Survey No. 119, Andrews claim.</p> <p>4.389 Intersect the line bet. secs. 28 and 29, at a point from which the S 1/16 sec. cor. of secs. 28 and 29, hereinbefore described, bears S. 0°09'10" E., 9.612 chs. dist.</p> <p>9.065 Cor. No. 2, Mineral Survey No. 119, Andrews claim, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 10 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS3921 119-2, as recorded in Storey County, Nevada, File No. 48667, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/>	



DEPENDENT RESURVEY OF MINERAL SURVEY NO. 119 (77),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence N. 0°21'20" W., on line 2-3, Mineral Survey No. 119, Andrews claim.
9.084	<p>Cor. No. 3, Mineral Survey No. 119, Andrews claim, identical with Cor. No. 2, cancelled Mineral Survey No. 127, Reno claim, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 5 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS3921 119-3, as recorded in Storey County, Nevada, File No. 48667, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/>
4.644	<p>Thence S. 89°38'10" W., on line 3-4, Mineral Survey No. 119, Andrews claim, identical with line 2-1, cancelled Mineral Survey No. 127, Reno claim.</p> <p>Intersect the line bet. secs. 28 and 29, at a point from which the 1/4 sec. cor. of secs. 28 and 29, hereinbefore described, bears N. 0°09'10" W., 1.298 chs. dist.</p>
9.065	<p>Point for Cor. No. 4, Mineral Survey No. 119, Andrews claim, identical with Cor. No. 1, cancelled Mineral Survey No. 127, Reno claim, determined at the intersection of the lines run parallel to the side line and the end line; there is no remaining evidence of the original corner. This point falls inside a metal building.</p> <p>POINT NOT MONUMENTED</p> <hr/>
9.084	<p>Thence S. 0°21'20" E., on line 4-1, Mineral Survey No. 119, Andrews claim.</p> <p>Cor. No. 1, Mineral Survey No. 119, Andrews claim, and point of beginning.</p>
<p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NOS. 124 AND 105 (81), TPS. 16 AND 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1875</p> <hr/>	
<p>Prospect claim on the Lee lode</p> <p>From Cor. No. 2, Mineral Survey Nos. 124 and 105, Prospect claim, identical with Cor. No. 1, cancelled Mineral Survey No. 148, North Prospect claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>	



DEPENDENT RESURVEY OF PORTIONS  
OF MINERAL SURVEY NOS. 124 AND 105 (81),  
TPS. 16 AND 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>2001</p> <p>Rebuild the mound of stone, 3 ft. base, 2 ft. high, NE. of cor.</p> <p>Thence S. 21°36'40" W., on line 2-3, Mineral Survey Nos. 124 and 105, Prospect claim.</p> <p>4.003 Intersect the line bet. secs. 4 and 33, Tps. 16 and 17 N., Rs. 21 E., at a point from which the 1/4 sec. cor. of secs. 4 and 33, hereinbefore described, bears N. 89°41'40" E., 18.808 chs. dist.</p> <p>15.115 Cor. No. 3, Mineral Survey Nos. 124 and 105, Prospect claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>2001</p> <p>Rebuild the mound of stone, 3 ft. base, 2 ft. high, S. of cor.</p> <hr/> <p>From Cor. No. 4, Mineral Survey Nos. 124 and 105, Prospect claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
--------	--

DEPENDENT RESURVEY OF PORTIONS  
OF MINERAL SURVEY NOS. 124 AND 105 (81),  
TPS. 16 AND 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	 <p>MS 105 P 4 S 3 T16N R21E 2001</p>
8.668	<p>Thence N. 21°55'30" E., on line 4-5, Mineral Survey Nos. 124 and 105, Prospect claim.</p> <p>Intersect the line bet. secs. 4 and 33, Tps. 16 and 17 N., R. 21 E., at a point from which the cor. of secs. 4, 5, 32 and 33, hereinbefore described, bears S. 89°41'40" W., 14.432 chs. dist.</p>
15.134	<p>Cor. No. 5, Mineral Survey Nos. 124 and 105, Prospect claim, on line 4-1, cancelled Mineral Survey No. 148, North Prospect claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>  <p>T17N R21E S33 MS 124 P 5 2001</p> <p>Rebuild the mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p>
	<hr/> <p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 125 (82), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1875</p> <hr/> <p>Mexican claim on the Mexican lode</p> <p>From Cor. No. 2, Mineral Survey No. 125, Mexican claim, monumented with a wood post, 4 ins. square, 3 1/2 ft. long, mkd. 2 125, loosely set in a small embedded mound of earth and stone, and is accepted as the best available evidence of the position of the original corner.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 125 (82),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a mound of earth and stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T17N R21E S21 MS 125 M 2 2004</p> </div> <p>Bury the wood post in the mound of earth and stone.</p> <p>Thence S. 62°03'00" E., on line 2-3, Mineral Survey No. 125, Mexican claim.</p> <p>4.520 Point for Cor. No. 2, Mineral Survey No. 95, Pioneer claim, at record distance from Cor. No. 3, Mineral Survey No. 125, Mexican claim, identical with Cor. No. 1, Mineral Survey No. 95, Pioneer claim, based on approved survey records. No attempt was made to restore this corner during the course of this survey.</p> <p>9.065 Cor. No. 3, Mineral Survey No. 125, Mexican claim, identical with Cor. No. 1, Mineral Survey No. 95, Pioneer claim, monumented with a mound of stone, with a wood post, 4 ins. square, 4 1/2 ft. long, mkd. 1 M 125, lying nearby. This mound of stone correlates well with Cor. No. 2, Mineral Survey No. 125, Mexican claim, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 95 P 1 MS 125 M 3 S21 T17N R21E 2004</p> </div> <p>Bury the wood post in the mound of stone.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence S. 27°30'00" W., on line 3-7, Mineral Survey No. 125, Mexican claim.</p>
--------	---

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 125 (82),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p> <p>8.342</p>	<p>Point for Cor. No. 7, Mineral Survey No. 125, Mexican claim, determined at the intersection of the record bearing from Cor. No. 3, Mineral Survey No. 125, Mexican claim with the line between Cor. No. 5, Mineral Survey No. 163, Mountain View claim and Cor. No. 5, Mineral Survey No. 108, Scorpion claim; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <hr/> <p>From the point for Cor. No. 8, Mineral Survey No. 125, Mexican claim, determined at the intersection of the record bearing from Cor. No. 2, Mineral Survey No. 125, Mexican claim, with the line between Cor. No. 5, Mineral Survey No. 163, Mountain View claim and Cor. No. 5, Mineral Survey No. 108, Scorpion claim; there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p> <p>From this point, Cor. No. 5, Mineral Survey No. 108, Scorpion claim, hereinbefore described, bears S. 62°01'10" W., 9.313 chs. dist.</p> <p>Thence N. 27°30'00" E., on line 8-2, Mineral Survey No. 125, Mexican claim.</p>
<p>21.592</p>	<p>Cor. No. 2, Mineral Survey No. 125, Mexican claim, hereinbefore described.</p>
<p>0.902</p>	<p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 128 (85), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor I.E. James in 1875</p> <hr/> <p>Sadie claim on the Monte Christo lode</p> <p>From Cor. No. 1, Mineral Survey No. 128, Sadie claim, monumented with an iron pipe, 3 ins. diam., firmly set, projecting 30 ins. above the ground, in a mound of stone, mkd. SADIE 128-1, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence N. 0°18'20" E., on line 1-2, Mineral Survey No. 128, Sadie claim.</p> <p>Intersect line 4-1, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 1, Mineral Survey No. 4277, Stone lode, hereinafter described, bears S. 74°32'20" W., 0.189 chs. dist.</p>



DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 128 (85),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
10.754	Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°29'10" E., 4.145 chs. dist.
22.658	<p>Point for Cor. No. 2, Mineral Survey No. 128, Sadie claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div data-bbox="812 609 1023 808" style="text-align: center;"> <p>MS 4277 MS 128 S 2 S 2002</p> </div>
2.238	<p>Thence N. 65°01'40" W., on line 2-3, Mineral Survey No. 128, Sadie claim.</p> <p>Intersect line 2-3, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 2, Mineral Survey No. 4277, Stone lode, hereinafter described, bears S. 74°31'50" W., 0.409 chs. dist.</p>
5.246	Intersect line 4-1, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears S. 27°10'40" W., 2.273 chs. dist.
5.710	<p>Point for Cor. No. 3, Mineral Survey No. 128, Sadie claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div data-bbox="893 1407 1023 1627" style="text-align: center;"> <p>MS 3757 S E MS 128 S 3 2002</p> </div>
1.088	<p>Thence S. 55°43'20" W., on line 3-4, Mineral Survey No. 128, Sadie claim.</p> <p>Cor. No. 4, Mineral Survey No. 128, Sadie claim, identical with the NE. Cor. of Mineral Survey No. 76 B, Monte Christo claim, hereinbefore described.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 129 (86),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1875</p> <hr/> <p>Union Consol. claim on the Comstock lode</p> <p>From Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, identical with Cor. No. 4, Mineral Survey No. 4135, West Union lode, and on line 7-8, Mineral Survey No. 171 B, Ophir claim, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 10 ins. above the ground, with threaded iron cap mkd. USS 129 COR 2, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence N. 39°01'00" E., on line 2-3, Mineral Survey No. 129, Union Consol. claim, identical in part with line 4-1, Mineral Survey No. 4135, West Union lode.</p>
0.138	Intersect the line bet. secs. 20 and 29, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears N. 88°41'30" W., 6.485 chs. dist.
3.908	Intersect line 4-1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears S. 73°12'20" E., 9.099 chs. dist.
5.976	The point for Cor. No. 1, Mineral Survey No. 4135, West Union lode, hereinafter described.
10.250	Cor. No. 3, Mineral Survey No. 129, Union Consol. claim, monumented with a rebar, 5/8 in. diam., firmly set, projecting 10 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 129-3, and is accepted as the best available evidence of the position of the original corner.
	<p>POINT NOT REMONUMENTED</p> <hr/> <p>Thence S. 78°42'40" E., on line 3-4, Mineral Survey No. 129, Union Consol. claim.</p>
6.745	Intersect line 1-2, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears S. 16°54'40" W., 6.518 chs. dist.
22.781	Intersect line 5-1, Mineral Survey No. 108, Scorpion claim, at a point from which Cor. No. 5, Mineral Survey No. 108, Scorpion claim, hereinbefore described, bears N. 28°30'00" W., 1.086 chs. dist.
22.829	Cor. No. 4, Mineral Survey No. 129, Union Consol. claim, monumented with a rebar, 5/8 in. diam., loosely set, projecting 12 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 129-4, and is accepted as the best available evidence of the position of the original corner.


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 129 (86),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 108 MS 129 U C 4      S 2001</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <hr/> <p>Thence S. 64°35'30" W., on line 4-1, Mineral Survey No. 129, Union Consol. claim.</p>
0.037	<p>Intersect line 5-1, Mineral Survey No. 108, Scorpion claim, at a point from which Cor. No. 5, Mineral Survey No. 108, Scorpion claim, hereinbefore described, bears N. 28°30'00" W., 1.115 chs. dist.</p>
8.995	<p>Intersect the line bet. secs. 20 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 88°41'30" W., 13.021 chs. dist.</p>
15.190	<p>Point for Cor. No. 1, Mineral Survey No. 129, Union Consol. claim, on line 1-2, Mineral Survey No. 4065, Hardy lode, determined by the method of grant boundary adjustment and on the extension of the line from Cor. No. 4, Mineral Survey No. 4135, West Union lode to Cor. No. 7, Mineral Survey No. 171 B, Ophir claim; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>M S 129 U C 1      S29 MS 4065 H 2001</p> </div> <p>From this point, the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears N. 82°46'20" E., 18.763 chs. dist. (Record: N. 80°29'E., 1228.60 ft. (18.615 chs. dist.))</p> <hr/> <p>Thence N. 78°42'00" W., on a portion of line 1-2, Mineral Survey No. 129, Union Consol. claim, identical with a portion of line 1-2, Mineral Survey No. 4065, Hardy lode.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 129 (86),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


CHAINS	<p>Cor. No. 7, Mineral Survey No. 171 B, Ophir claim, identical with Cor. No. 2, Mineral Survey No. 4065, Hardy lode, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 14 ins. above the ground, with iron thread cap mkd. 171B 71PH 2HAR 4065, and is accepted as the best available evidence of the position of the original corner.</p>
7.627	<p>POINT NOT REMONUMENTED</p> <p>From this corner, Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, identical with Cor. No. 4, Mineral Survey No. 4135, West Union lode, hereinbefore described, bears N. 78°42'00" W., 7.794 chs. dist.</p>
<p>DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 135 (92), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor R.E. Browne in 1876, and a Portion of the Amended Resurvey Executed by U.S. Mineral Surveyor C.F. Hoffmann in 1879</p>	
<p>Agassiz claim on the Agassiz lode</p>	
<p>From Cor. No. 1, Amended Mineral Survey No. 135, Agassiz claim, identical with Cor. No. 2, cancelled Mineral Survey No. 162, North Ophir claim, monumented with a rebar, 5/8 in. diam., firmly set, projecting 5 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. COR1 AGASSIZ RLS235, and is accepted as the best available evidence of the position of the original corner.</p>	
<p>POINT NOT REMONUMENTED</p>	
<p>Thence N. 36°47'00" E., on line 1-2, Amended Mineral Survey No. 135, Agassiz claim, identical with a portion of line 2-3, cancelled Mineral Survey No. 162, North Ophir claim.</p>	
4.839	<p>Intersect the line bet. secs. 20 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 88°41'30" E., 5.891 chs. dist.</p>
5.792	<p>Point for Cor. No. 2, Amended Mineral Survey No. 135, Agassiz claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF A PORTION OF  
 AMENDED MINERAL SURVEY NO. 135 (92),  
 T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">T17N R21E S20</p>  <p style="text-align: center;">2001</p>
	<p>Point is located on cut bank on southerly side of trail road, bears ENE. and SW.</p>
	<hr/> <p>Thence S. 53°13'00" E., on line 2-3, Amended Mineral Survey No. 135, Agassiz claim.</p>
1.337	<p>Intersect the line bet. secs. 20 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 88°41'30" E., 4.249 chs. dist.</p>
4.524	<p>Cor. No. 3, Amended Mineral Survey No. 135, Agassiz claim, on line 1-2, Mineral Survey No. 108, Scorpion claim, monumented with a rebar, 5/8 in. diam., firmly set, projecting 6 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. COR3 AGASSIZ RLS235, and is accepted as the best available evidence of the position of the original corner.</p>
	<p>POINT NOT REMONUMENTED</p> <hr/>
	<p>Thence S. 28°01'00" E., on line 3-4, Amended Mineral Survey No. 135, Agassiz claim, identical with a portion of line 1-2, Mineral Survey No. 108, Scorpion claim.</p>
1.204	<p>Point for Cor. No. 4, Amended Mineral Survey No. 135, Agassiz claim, identical with Cor. No. 2, Mineral Survey No. 108, Scorpion claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p>
	<p>POINT NOT MONUMENTED</p> <hr/>
	<p>Thence N. 61°59'00" E., on line 4-5, Amended Mineral Survey No. 135, Agassiz claim, identical with a portion of line 2-3, Mineral Survey No. 108, Scorpion claim.</p>
0.561	<p>Point for Cor. No. 5, Amended Mineral Survey No. 135, Agassiz claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF A PORTION OF  
AMENDED MINERAL SURVEY NO. 135 (92),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS




Thence S. 53°01'00" E., on line 5-6, Amended Mineral Survey No. 135, Agassiz claim.

0.803 Intersect the line bet. secs. 28 and 29, at a point from which the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears N. 0°08'40" W., 3.093 chs. dist.

3.131 Cor. No. 6, Amended Mineral Survey No. 135, Agassiz claim, on line 2-3, Mineral Survey No. 136, J.B. Treadwell claim, monumented with a rebar, 5/8 in. diam., 20 ins. long, firmly set, projecting 3 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. COR6 AGASSIZ RLS235, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.



Insert the rebar inside the stainless steel post.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 136 (93),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of a Portion of the Survey Executed by  
U.S. Deputy Mineral Surveyor C.F. Hoffmann in 1876

J.B. Treadwell claim on the Venis M. Co. lode



From the point for Cor. No. 1, Mineral Survey No. 136, J.B. Treadwell claim, on line 2-3, Mineral Survey No. 108, Scorpion claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.

POINT NOT MONUMENTED

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 136 (93),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	From this point, Cor. No. 5, Mineral Survey No. 135, Agassiz claim, on line 2-3, Mineral Survey No. 108, Scorpion claim, hereinbefore described, bears S. 61°53'00" W., 1.478 chs. dist.
	Thence S. 42°52'00" E., on line 1-2, Mineral Survey No. 136, J.B. Treadwell claim.
2.547	Point for Cor. No. 2, Mineral Survey No. 136, J.B. Treadwell claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.
	POINT NOT MONUMENTED
	Thence S. 36°53'00" W., on a portion of line 2-3, Mineral Survey No. 136, J.B. Treadwell claim.
0.892	Cor. No. 6, Mineral Survey No. 135, Agassiz claim, hereinbefore described.
<hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 149 (106), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor C.F. Hoffmann in 1877</p> <hr/>	
<p>Jacob Little claim on the Lamson lode</p>	
<p><u>Memorandum</u></p>	
<p>The location of Mineral Survey No. 149, Jacob Little claim, was determined by establishing the position of Cor. No. 4, Mineral Survey No. 149, Jacob Little claim, at record bearing and distance from Cor. No. 4, Mineral Surveyor 4023, Miller or Sierra lode, and using record bearings and distances on the remaining courses.</p> <hr/>	
<p>From the point for Cor. No. 1, Mineral Survey No. 149, Jacob Little claim, determined at record bearing and distance; there is no remaining evidence of the original corner.</p>	
<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>	
<p>MS 4023 S N</p> <hr style="width: 50%; margin: auto;"/>	
<p>MS 149 J L 1</p>	
<p>2003</p>	
<p>Thence S. 80°52'00" W., on line 1-2, Mineral Survey No. 149, Jacob Little claim.</p>	

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 149 (106),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
1.927	Intersect line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears N. 16°56'00" E., 22.665 chs. dist.
2.497	Intersect the N-S center line of sec. 20, at a point from which the center 1/4 sec. cor. of sec. 20, hereinafter described, bears N. 0°33'30" E., 6.038 chs. dist.
4.318	<p>Point selected for the witness cor. to Cor. No. 2, Mineral Survey No. 149, Jacob Little claim.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>W C T17N R21E S20</p>  <p>MS 149 J L 2</p> <p>2003</p> </div>
4.545	<p>Point for Cor. No. 2, Mineral Survey No. 149, Jacob Little claim, determined at record bearing and distance, falls on steep slope where it is impracticable to establish a permanent monument; there is no remaining evidence of the original corner.</p> <hr/> <p>Thence S. 26°57'00" W., on line 2-3, Mineral Survey No. 149, Jacob Little claim.</p>
6.833	<p>Point for Cor. No. 3, Mineral Survey No. 149, Jacob Little claim, determined at record bearing and distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S 20</p>  <p>MS 149 J L 3</p> <p>2003</p> </div> <hr/> <p>Thence S. 9°08'00" E., on line 3-4, Mineral Survey No. 149, Jacob Little claim.</p>
8.077	Intersect line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 4, Miller or Sierra Nevada lode, hereinafter described, bears S. 16°53'10" W., 12.333 chs. dist.


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 149 (106),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

17.879

Point for Cor. No. 4, Mineral Survey No. 149, Jacob Little claim, determined at record bearing and distance from Cor. No. 4, Mineral Survey No. 4023, Miller or Sierra Nevada lode; there is no remaining evidence of the original corner.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.



MS 4023  
S N

2003

From this corner, Cor. No. 4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears S. 67°32'50" W., 5.560 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 150 (107),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


Reestablishment of a Portion of the Resurvey Executed by  
U.S. Deputy Mineral Surveyor L.F.J. Wrinkle in 1881

Allen claim of the Sierra Nevada Silver Mining Co. on the  
Comstock lode

From Cor. No. 2, Mineral Survey No. 150, Allen claim, on line 3-4, Mineral Survey No. 37, Utah claim, monumented with the remains of a wood post lying in a small ring of stones, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.




2003

Deposit the remains of the wood post alongside the stainless steel post.


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 150 (107),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence S. 22°35'00" W., on line 2-3, Mineral Survey No. 150, Allen claim.
3.361	Intersect line 2-3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears N. 73°12'20" W., 9.108 chs. dist.
9.943	<p>Point for Cor. No. 3, Mineral Survey No. 150, Allen claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
4.535	<p>Thence S. 62°45'00" E., on a portion of line 3-4, Mineral Survey No. 150, Allen claim.</p> <p>A point on line being an iron bolt, 1 in. diam., as described in the approved survey records, driven in solid rock, projecting 12 ins. above a rock outcropping.</p> <p>POINT NOT REMONUMENTED</p>
	<p>DEPENDENT RESURVEY OF A PORTION OF CANCELLED MINERAL SURVEY NO. 151 (108), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>
	<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor A. Craven in 1877</p>
	<p>cancelled Rattler claim on the Frank lode</p>
	<p>From Cor. No. 3, Mineral Survey No. 152, Concordia claim, on line 1-2, cancelled Mineral Survey No. 151, Rattler claim, hereinafter described.</p>
	<p>Thence N. 80°30'00" E., on a portion of line 1-2, cancelled Mineral Survey No. 151, Rattler claim.</p>
1.515	<p>Point for Cor. No. 2, cancelled Mineral Survey No. 151, Rattler claim, determined at record distance from Cor. No. 3, Mineral Survey No. 152, Concordia claim, and on the extension of line 4-3 of said Concordia claim, falls on steep E. slope of loose rock slide, where it is impracticable to establish a permanent monument; there is no remaining evidence of the original corner.</p>



DEPENDENT RESURVEY OF A PORTION OF  
 CANCELLED MINERAL SURVEY NO. 151 (108),  
 T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence S. 9°09'00" W., on line 2-3, cancelled Mineral Survey No. 151, Rattler claim.
0.279	Intersect line 3-4, Mineral Survey No. 4137, Great American No. 2 lode, at a point from which Cor. No. 4, Mineral Survey No. 4137, Great American No. 2 lode, hereinafter described, bears N. 82°29'20" E., 2.294 chs. dist.
17.747	Cor. No. 3, cancelled Mineral Survey No. 151, Rattler claim, monumented with a mound of stone, with the remains of a wood post, 4 ins. square, 2 ft. long, no visible marks, lying alongside. This mound of stone and post correlates well with Cor. No. 5, cancelled Mineral Survey No. 151, Rattler claim, and is accepted as the best available evidence of the position of the original corner.
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	
	2004
	Deposit the remains of the wood post alongside the stainless steel post.
	From this corner, Cor. No. 4, Mineral Survey No. 40, Bailey claim, identical with Cor. No. 5, cancelled Mineral Survey No. 151, Rattler claim, hereinbefore described, bears N. 81°21'30" W., 5.762 chs. dist. (Computed record: N. 81°10' W., 385 ft. (5.83 chs.))
<p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 152 (109),        T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of Portions of the Survey Executed by        U.S. Deputy Mineral Surveyor A. Craven in 1877</p>	
<p>Concordia claim on the Frank lode</p>	
	From Cor. No. 1, Mineral Survey No. 152, Concordia claim, monumented with the remains of a wood post, 4 ins. square, no visible marks, lying loosely in an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 152 (109),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S28</p> <hr style="width: 100px; margin: 0 auto;"/> <p>MS 152 C COR 1</p> <p>2002</p> </div>
	<p>Deposit the remains of the wood post alongside the collar of stone.</p>
	<p>Thence N. 81°22'00" E., on line 1-2, Mineral Survey No. 152, Concordia claim.</p>
2.764	<p>Intersect line 7-3, Mineral Survey No. 76 A, Monte Christo claim, at a point from which Cor. No. 7, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears N. 15°31'40" W., 10.428 chs. dist.</p>
3.003	<p>Cor. No. 2, Mineral Survey No. 152, Concordia claim, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p>
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>MS 76A</p>  <p>MS 152 C COR 2</p> <p>1999</p> </div>
	<p>Deposit the remains of the wood post alongside the stainless steel post.</p>
	<p>Thence S. 8°31'20" E., on line 2-3, Mineral Survey No. 152, Concordia claim.</p>
1.944	<p>Intersect line 7-3, Mineral Survey No. 76 A, Monte Christo claim, at a point from which Cor. No. 7, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears N. 15°31'40" W., 12.387 chs. dist.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 152 (109),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
20.207	Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°29'10" E., 16.574 chs. dist.
22.670	Cor. No. 3, Mineral Survey No. 152, Concordia claim, on line 1-2, cancelled Mineral Survey No. 151, Rattler claim, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	 <p>MS 152 C COR 3 S28 T17N R21E 1999</p>
	Deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, NW. of cor.
	<hr/> <p>Thence S. 80°30'00" W., on line 3-4, Mineral Survey No. 152, Concordia claim, identical with a portion of line 2-1, cancelled Mineral Survey No. 151, Rattler claim.</p>
3.022	Cor. No. 4, Mineral Survey No. 152, Concordia claim, identical with Cor. No. 1, cancelled Mineral Survey No. 151, Rattler claim, monumented with an embedded mound of stone, with the remains of a burnt wood post, 4 ins. square, 2 ft. long, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	 <p>MS 152 C COR 4 S28 T17N R21E 2004</p>
	Deposit the remains of the wood post alongside the stainless steel post.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 152 (109),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>From Cor. No. 5, Mineral Survey No. 152, Concordia claim, identical with Cor. No. 7, cancelled Mineral Survey No. 151, Rattler claim, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 152 C COR 5</p> <p>S28 T17N R21E</p> </div> <p>1999</p> <p>Deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, NE. of cor.</p> <p>Thence N. 8°28'40" W., on line 5-6, Mineral Survey No. 152, Concordia claim.</p> <p>3.950 Intersect the E-W center line of sec. 28, at a point from which the center 1/4 sec. cor. of sec. 28, hereinafter described, bears N. 87°29'10" W., 19.572 chs. dist.</p> <p>22.708 Cor. No. 6, Mineral Survey No. 152, Concordia claim, monumented with an iron pipe, 3 ins. diam., 3 ft. long, firmly set in an embedded mound of stone, with the remains of a wood post, 4 ins. square, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>T17N R21E S28</p> <p>MS 152 C COR 6</p> </div> <p>1999</p> <p>Deposit the remains of the wood post and reset the iron pipe alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, SE. of cor.</p>
---------------	---

DEPENDENT RESURVEY OF A PORTION OF  
MINERAL SURVEY NOS. 155 AND 200 (158),  
TPS. 16 AND 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Reestablishment of a Portion of the Survey Executed by  
U.S. Deputy Mineral Surveyor G. Haist in 1891

Edward Claim


From Cor. No. 2, Mineral Survey Nos. 155 and 200, Edward Claim, on line 3-4, Mineral Survey No. 201, East North-Occidental lode, monumented with an iron pipe, 3 ins. diam., 5 ft. long, firmly set, projecting 3 ft. above the ground in a mound of stone, and is accepted as the best available evidence of the position of the original corner.

S. 63°54'10" E., on line 2-3, Mineral Survey Nos. 155 and 200, Edward Claim, identical with a portion of line 3-4, Mineral Survey No. 201, East North-Occidental lode.

5.174 Cor. No. 3, Mineral Survey Nos. 155 and 200, Edward Claim, on line 3-4, Mineral Survey No. 201, East North-Occidental lode, monumented with an embedded mound of stone. This mound of stone correlates well with other existing corners, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.



2001

Rebuild the mound of stone, 3 ft. base, 2 ft. high, SE. of cor.

Thence S. 7°27'00" E., on line 3-4, Mineral Survey Nos. 155 and 200, Edward Claim.

1.472 Intersect the line bet. secs. 4 and 33, Tps. 16 and 17 N., R. 21 E., at a point from which the 1/4 sec. cor. of secs. 4 and 33, hereinbefore described, bears S. 89°58'20" W., 4.054 chs. dist.

17.689 Cor. No. 4, Mineral Survey Nos. 155 and 200, Edward Claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.

DEPENDENT RESURVEY OF A PORTION OF  
MINERAL SURVEY NOS. 155 AND 200 (158),  
TPS. 16 AND 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

MS 155 | T16N R21E  
E  
4 | S 4

2001

DEPENDENT RESURVEY OF AMENDED MINERAL SURVEY NO. 166 (123),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by U.S. Deputy  
Mineral Surveyor G. Haist in 1878 and Amended in 1880

Morning Star No. 2 claim on the Morning Star No. 2 lode

From Cor. No. 1, Amended Mineral Survey No. 166, Morning  
Star No. 2 claim, monumented with two wooden boards,  
2x4 ins. x 3 1/2 ft. long, nailed together, loosely set in an  
embedded mound of stone, and is accepted as the best available  
evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
24 ins. in the ground, over a plastic-encased magnet, with brass  
cap mkd.

T17N R21E  
S21  
MS 166  
M S 2  
COR 1

1999

Reset the wooden boards alongside the stainless steel post.

Thence S. 8°43'50" E., on line 1-2, Amended Mineral Survey  
No. 166, Morning Star No. 2 claim.

7.597

Cor. No. 2, Amended Mineral Survey No. 166, Morning Star No. 2  
claim, monumented with the remains of a wood post, 4 ins.  
square, with illegible marks, lying in an embedded mound of  
stone, and is accepted as the best available evidence of the  
position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
24 ins. in the ground, over a plastic-encased magnet, with brass  
cap mkd.

DEPENDENT RESURVEY OF AMENDED MINERAL SURVEY NO. 166 (123),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">MS 166 M S 2 COR 2</p> <p style="text-align: center;">S21 T17N R21E</p> <p style="text-align: center;">1999</p>
	<p>Deposit the remains of the wood post alongside the stainless steel post.</p> <hr/> <p>Thence S. 80°54'40" W., on line 2-3, Amended Mineral Survey No. 166, Morning Star No. 2 claim.</p>
11.058	<p>Intersect the line bet. secs. 21 and 28, at a point from which the 1/4 sec. cor. of secs. 21 and 28, hereinbefore described, bears N. 88°17'30" W., 13.901 chs. dist.</p>
22.080	<p>Cor. No. 3, Amended Mineral Survey No. 166, Morning Star No. 2 claim, monumented with a rebar, 5/8 in. diam., 14 ins. long, firmly set flush with the ground, alongside an iron pipe, 4 1/2 ins. diam., 4 1/2 ft. long, in a mound of stone, with plastic cap, 1 1/2 ins. diam., mkd. RLS 2617, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p style="text-align: center;">MS 166 M S 2 COR 3</p> <p style="text-align: center;">S28 T17N R21E</p> <p style="text-align: center;">1999</p> <p>Insert the rebar inside and bury the iron pipe alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <hr/> <p>Thence N. 8°43'50" W., on line 3-4, Amended Mineral Survey No. 166, Morning Star No. 2 claim.</p>
2.099	<p>Intersect the line bet. secs. 21 and 28, at a point from which the 1/4 sec. cor. of secs. 21 and 28, hereinbefore described, bears N. 88°17'30" W., 2.693 chs. dist.</p>
7.597	<p>Point for Cor. No. 4, Amended Mineral Survey No. 166, Morning Star No. 2 claim, determined at the intersection of the lines run parallel to the side line and the end line; there is no remaining evidence of the original corner.</p>


DEPENDENT RESURVEY OF AMENDED MINERAL SURVEY NO. 166 (123),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T17N R21E S21</p>  </div> <p style="text-align: center;">1999</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence N. 80°54'40" E., on line 4-1, Amended Mineral Survey No. 166, Morning Star No. 2 claim.</p> <p>13.920 Cor. No. 2, Mineral Survey No. 203, Sunrise lode, hereinafter described, bears North, 0.345 chs. dist.</p> <p>22.080 Cor. No. 1, Mineral Survey No. 166, Morning Star No. 2 claim, and point of beginning.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF MINERAL SURVEY NO. 168 (125), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor G. Haist in 1878</p> <hr/> <p style="text-align: center;">Margarita claim on the Francisco Marsano and Marsano lodes</p> <p>From Cor. No. 1, Mineral Survey No. 168, Margarita claim, identical with Cor. No. 4, Mineral Survey No. 96, Francisco Marsano claim, Cor. No. 3, Mineral Survey No. 97, Marsano claim and Cor. No. 1, cancelled Mineral Survey No. 167, Columbia claim, hereinbefore described.</p> <p>Thence S. 31°41'40" E., on line 1-2, Mineral Survey No. 168, Margarita claim, identical in part with line 3-4, Mineral Survey No. 97, Marsano claim.</p> <p>9.072 Cor. No. 4, Mineral Survey No. 97, Marsano claim, hereinbefore described.</p> <p>Continue measurement on line 1-2, Mineral Survey No. 168, Margarita claim.</p> <p>10.221 Cor. No. 2, Mineral Survey No. 168, Margarita claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
--------	---

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 168 (125),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div data-bbox="828 304 1031 483" data-label="Diagram"> </div> <p data-bbox="917 514 982 546">2001</p> <p data-bbox="446 567 1323 619">Rebuild the mound of stone, 2 ft. base, 1 1/2 ft. high, E. of cor.</p> <hr data-bbox="698 640 1226 651"/> <p data-bbox="446 682 1404 735">Thence S. 30°49'00" W., on line 2-3, Mineral Survey No. 168, Margarita claim.</p>
26.980	<p data-bbox="446 756 1461 892">Cor. No. 3, Mineral Survey No. 168, Margarita claim, monumented with an embedded mound of stone, with a wood post, 4 ins. square, 4 1/2 ft. long, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p data-bbox="446 913 755 945">At the corner point</p> <p data-bbox="446 966 1429 1050">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="868 1081 1039 1239" data-label="Diagram"> </div> <p data-bbox="917 1260 982 1291">2004</p> <p data-bbox="446 1312 1104 1344">Bury the wood post in the mound of stone.</p> <p data-bbox="446 1365 1445 1449">From this corner, Cor. No. 2, Mineral Survey No. 202, Victoria lode, hereinafter described, bears N. 32°18'00" W., 4.517 chs. dist.</p> <hr data-bbox="698 1470 1226 1480"/> <p data-bbox="446 1501 1404 1564">Thence N. 31°41'40" W., on line 3-4, Mineral Survey No. 168, Margarita claim.</p>
10.221	<p data-bbox="446 1585 1461 1690">Point for Cor. No. 4, Mineral Survey No. 168, Margarita claim, determined at the intersection of the lines run parallel to the side line and the end line; there is no remaining evidence of the original corner.</p> <p data-bbox="446 1711 1477 1795">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 168 (125),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div style="text-align: center;">  <p>T17N R21E S21</p> <p>MS 168 M 4</p> <p>2004</p> </div>
	<p>Thence N. 30°49'00" E., on line 4-1, Mineral Survey No. 168, Margarita claim.</p>
4.545	<p>Record distance, Cor. No. 4, cancelled Mineral Survey No. 167, Carmelita lode, based on the approved survey records. No attempt was made to restore this corner during the course of this survey.</p>
	<p>Continue measurement on line 4-1, Mineral Survey No. 168, Margarita lode, identical with line 4-1, cancelled Mineral Survey No. 167, Carmelita lode.</p>
26.980	<p>Cor. No. 1, Mineral Survey No. 168, Margarita claim, identical with Cor. 4, Mineral Survey No. 96, Francisco Marsano claim, Cor. No. 3, Mineral Survey No. 97, Marsano claim and Cor. No. 1, cancelled Mineral Survey No. 167, Columbia claim, and point of beginning.</p>
<p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 171 B (128), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor L.F.J. Wrinkle in 1879</p>	
<p>Ophir claim on the Comstock lode</p>	
	<p>From Cor. No. 8, Mineral Survey No. 171 B, Ophir Silver claim, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 10 ins. above the ground, with threaded iron cap mkd. 8 OPH 171, and is accepted as the best available evidence of the position of the original corner.</p>
<p>POINT NOT REMONUMENTED</p>	
	<p>Thence S. 11°17'00" W., on line 8-9, Mineral Survey No. 171 B, Ophir claim.</p>
2.858	<p>Intersect the line bet. secs. 20 and 29, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 88°41'30" E., 10.744 chs. dist.</p>
9.091	<p>Point for Cor. No. 9, Mineral Survey No. 171 B, Ophir claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p>
<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>	

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 171 B (128),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

T17N / MS 171 B  
R21E / O S  
S29 / 9

2001

Corner is located on steep cut bank.

Thence S. 78°43'00" E., on line 9-10, Mineral Survey No. 171 B, Ophir claim.

- 0.915 Point for Cor. No. 10, Mineral Survey No. 171 B, Ophir claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.

POINT NOT MONUMENTED

Thence S. 17°02'00" W., on line 10-5, Mineral Survey No. 171 B, Ophir claim.

- 9.137 Cor. No. 5, Mineral Survey No. 171 B, Ophir claim, identical with Cor. No. 4, Mineral Survey No. 4028, Spanish or Mexican Mine lode, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 18 ins. above the ground, with threaded iron cap mkd. 5 OPH 171 4 SPN 4028, and is accepted as the best available evidence of the position of the original corner.

POINT NOT REMONUMENTED

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 175 (132),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment a Portion of the Survey Executed by  
U.S. Deputy Mineral Surveyor L.F.J. Wrinkle in 1879

Sutro claim on the Silver lode

From the point for Cor. No. 4, Mineral Survey No. 175, Sutro claim, on line 3-4, Mineral Survey No. 37, Utah claim, at proportionate distance between Cor. No. 2, Mineral Survey No. 150, Allen claim and Cor. No. 3, Mineral Survey No. 37, Utah claim, identical with Cor. No. 3, Mineral Survey No. 175, Sutro claim; there is no remaining evidence of the original corner.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.


MS 37  
U  
MS 175  
S  
4  
T17N  
R21E  
S20

2003


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 175 (132),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point, Cor. No. 3, Mineral Survey No. 37, Utah claim, identical with Cor. No. 3, Mineral Survey No. 175, Sutro claim, hereinbefore described, bears N. 63°28'30" W., 3.160 chs. dist.</p>
	<p>Thence S. 11°46'00" W., on line 4-5, Mineral Survey No. 175, Sutro claim.</p>
4.000	<p>Intersect line 2-3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears N. 73°12'20" W., 6.061 chs. dist.</p>
13.162	<p>Point for Cor. No. 5, Mineral Survey No. 175, Sutro claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p>
	<p style="text-align: center;">MS 175 S 5 MS 4023 S N 2003</p>
	<p>Thence N. 78°14'00" W., on line 5-6, Mineral Survey No. 175, Sutro claim.</p>
6.914	<p>Intersect line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinafter described, bears N. 16°56'00" E., 9.733 chs. dist.</p>
8.997	<p>Point for Cor. No. 6, Mineral Survey No. 175, Sutro claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p style="text-align: center;">MS 175 S 6 T17N R21E S20 2001</p>
	<p>Thence N. 11°46'00" E., on line 6-7, Mineral Survey No. 175, Sutro claim.</p>


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 175 (132),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
14.669	Intersect the E-W center line of the NE1/4 of sec. 20, at a point from which the C-N 1/16 sec. cor. of sec. 20, hereinafter described, bears S. 88°33'50" W., 5.017 chs. dist.
28.474	Cor. No. 7, Mineral Survey No. 175, Sutro claim, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.  At the corner point  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.  <div style="text-align: center;"> <p>T17N R21E S20</p>  <p>2001</p> </div> <p>From this corner, an open cut bears S. 30° E., 7.15 chs. dist. (Computed record: S. 28° E., 461 ft. (6.98 chs.))</p>
<hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 188 (146), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor A. Craven in 1881</p> <hr/>	
<p>H.M. Clemons claim on the Santa Rita lode</p>	
	From Cor. No. 3, Mineral Survey No. 188, H.M. Clemons claim, monumented with a rebar, 5/8 in. diam., firmly set, projecting 8 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 188-3, and is accepted as the best available evidence of the position of the original corner.
	POINT NOT REMONUMENTED
	Thence N. 26°31'00" W., on line 3-4, Mineral Survey No. 188, H.M. Clemons claim.
4.766	Intersect the line bet. secs. 20 and 29, at a point from which the cor. of secs. 19, 20, 29 and 30, hereinbefore described, bears N. 88°41'30" W., 11.731 chs. dist.
14.381	Cor. No. 4, Mineral Survey No. 188, H.M. Clemons claim, monumented with an iron pipe, 2 ins. diam., 4 ft. long, firmly set, projecting 2 1/2 ft. above the ground, in a mound of stone, and is accepted as the best available evidence of the position of the original corner.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 188 (146),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S20</p>  <p>2001</p> </div> <p>Reset the iron pipe alongside the stainless steel post.</p> <p>From this corner, a position determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 4 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 188-4, as recorded in Storey County, Nevada, File No. 48666, Record of Survey Map, bears N. 9°02' W., 0.125 chs. dist. This rebar was not utilized during the course of this survey. As shown on Hess's map, certain corners found prior to his survey were rejected. The above 2 in. diam. iron pipe predates Hess's survey and is in agreement with other corners of this Mineral Survey.</p> <hr/> <p>Thence S. 64°21'40" W., on line 4-5, Mineral Survey No. 188, H.M. Clemons claim.</p> <p>6.789 Intersect line 3-4, Mineral Survey No. 189, J.B. Overton claim, at a point from which Cor. No. 4, Mineral Survey No. 189, J.B. Overton claim, hereinafter described, bears S. 26°27'50" E., 5.499 chs. dist.</p> <p>8.224 Intersect the line bet. secs. 19 and 20, at a point from which the cor. of secs. 19, 20, 29 and 30, hereinbefore described, bears S. 0°14'20" W., 4.779 chs. dist.</p> <p>9.054 Cor. No. 5, Mineral Survey No. 188, H.M. Clemons claim, on line 1-2, Mineral Survey No. 189, J.B. Overton claim, and on line 4-1, Amended Mineral Survey No. 1970, Last Chance lode, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 12 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 188-5, as recorded in Storey County, Nevada, File No. 48666, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/>
--------	--

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 189 (147),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Reestablishment of a Portion the Survey Executed by U.S. Deputy Mineral Surveyor A. Craven in 1881</p> <hr/> <p>J.B. Overton claim on the Santa Rita lode</p> <p>From Cor. No. 3, Mineral Survey No. 189, J.B. Overton claim, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., 21 ins. long, firmly set in an embedded mound of stone, with aluminum cap, 1 1/2 ins. diam., mkd. LS 3921 189-3, as recorded in Storey County, Nevada, File No. 48666, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="885 846 1047 1081" style="text-align: center;"> <p>T17N R21E S19</p>  <p>1999</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <p>Thence S. 26°27'50" E., on line 3-4, Mineral Survey No. 189, J.B. Overton claim.</p>
14.216	<p>Intersect the line bet. secs. 19 and 20, at a point from which the cor. of secs. 19, 20, 29 and 30, hereinbefore described, bears S. 0°14'20" W., 7.972 chs. dist.</p>
17.089	<p>Intersect line 4-5, Mineral Survey No. 188, H.M. Clemons claim, at a point from which Cor. No. 5, Mineral Survey No. 188, Clemons claim, hereinbefore described, bears S. 64°21'40" W., 2.265 chs. dist.</p>
22.588	<p>Cor. No. 4, Mineral Survey No. 189, J.B. Overton claim, monumented with an iron pipe, 2 ins. diam., 5 ft. long, firmly set, projecting 2 1/2 ft. above the ground. This iron pipe correlates well with other existing corners, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 189 (147),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS



1999

Reset the iron pipe alongside the stainless steel post.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 201 (159),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of Portions of the Survey Executed by  
U.S. Deputy Mineral Surveyor G. Haist in 1891

East North-Occidental lode

From Cor. No. 3, Mineral Survey No. 201, East North-Occidental lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.

POINT NOT REMONUMENTED

S. 63°54'10" E., on a portion of line 3-4, Mineral Survey No. 201, East North-Occidental lode.

3.090 Cor. No. 2, Mineral Survey Nos. 155 and 200, Edward Claim, hereinbefore described.


From Cor. No. 3, Mineral Survey Nos. 155 and 200, Edward Claim, hereinbefore described.

S. 63°54'10" E., on a portion of line 3-4, Mineral Survey No. 201, East North-Occidental lode.

0.592 Cor. No. 4, Mineral Survey No. 201, East North-Occidental lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.



2001

Reset the iron pipe alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, N. of cor.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 202 (160),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Reestablishment of a Portion the Survey Executed by  
U.S. Deputy Mineral Surveyor G. Haist in 1891

Victoria lode

From Cor. No. 2, Mineral Survey No. 202, Victoria lode, monumented with an iron pipe, 4 ins. diam., firmly set, projecting 3 ft. above the ground, in a mound of stone, and is accepted as the best available evidence of the position of the original corner.

POINT NOT REMONUMENTED


Thence S. 59°55'00" W., on line 2-3, Mineral Survey No. 202, Victoria lode.

0.409 Intersect line 3-4, Mineral Survey No. 108, Scorpion claim, at a point from which Cor. No. 3, Mineral Survey No. 108, Scorpion claim, hereinbefore described, bears S. 28°30'00" E., 2.180 chs. dist.

22.560 Cor. No. 3, Mineral Survey No. 202, Victoria lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.



2004

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 203 (161),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of a Portion of the Survey Executed by  
U.S. Deputy Surveyor G. Haist in 1891



Sunrise lode

From Cor. No. 1, Mineral Survey No. 203, Sunrise lode, recovered by U.S. Mineral Surveyor E.D. Boyle in 1909, monumented with an embedded mound of stone, with an iron pipe, 4 ins. diam., 4 ft. long, lying alongside.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.



DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 203 (161),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">T17N R21E S21</p> <div style="text-align: center;">  <p>MS 203 SU 1</p> </div> <p style="text-align: center;">2004</p> <p>Bury the iron pipe in the mound of stone.</p> <p>Thence S. 1°56'40" E., on line 1-2, Mineral Survey No. 203, Sunrise lode.</p> <p>8.448 Cor. No. 2, Mineral Survey No. 203, Sunrise lode, recovered by U.S. Mineral Surveyor E.D. Boyle in 1909, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, 24 ins. long, no visible marks, lying alongside. The field notes of Mineral Survey No. 3797 reported this post with illegible markings.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 203 SU 2</p> </div> <p style="text-align: center;">T17N R21E S21</p> <p style="text-align: center;">2004</p> <p>Deposit the remains of the original wood post alongside the stainless steel post.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 205 (163), T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor G. Haist in 1891</p> <hr/> <p style="text-align: center;">United States lode</p> <p>From Cor. No. 1, Mineral Survey No. 205, United States lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
--------	--


DEPENDENT RESURVEY OF MINERAL SURVEY NO. 205 (163),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">MS 4594 V MS 205 U S COR 1</p> <p style="text-align: center;">1999</p> <p>Thence S. 4°11'10" E., on line 1-2, Mineral Survey No. 205, United States lode.</p>
2.350	Intersect line 3-4, Mineral Survey No. 4594, Verdi lode, at a point from which Cor. No. 4, Mineral Survey No. 4594, Verdi lode, hereinafter described, bears S. 83°25'20" E., 11.349 chs. dist.
12.688	Intersect the line bet. secs. 21 and 22, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 2°07'40" W., 1.618 chs. dist.
14.306	Intersect the line bet. secs. 22 and 27, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 88°54'10" W., 0.178 chs. dist.
17.211	Intersect line 3-4, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 29°03'00" W., 4.305 chs. dist.
22.768	<p>Cor. No. 2, Mineral Survey No. 205, United States lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">MS 205 U S COR 2 S E MS 3757</p> <p style="text-align: center;">1999</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence S. 85°48'50" W., on line 2-3, Mineral Survey No. 205, United States lode.</p>
0.162	Intersect the line bet. secs. 27 and 28, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears N. 4°17'40" W., 8.471 chs.
7.578	Intersect line 2-3, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, hereinafter described, bears N. 27°10'40" E., 11.082 chs. dist.


DEPENDENT RESURVEY OF MINERAL SURVEY NO. 205 (163),  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
9.091	<p>Point for Cor. No. 3, Mineral Survey No. 205, United States lode, determined at record angle and distance from Cor. No. 2, Mineral Survey No. 205, United States lode; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 205 U S COR 3</p> <p>S28 T17N R21E</p> <p>1999</p> </div> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, NE. of cor.</p> <hr style="width: 20%; margin: auto;"/> <p>Thence N. 4°11'10" W., on line 3-4, Mineral Survey No. 205, United States lode.</p>
9.392	<p>Intersect the line bet. secs. 21 and 28, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 88°17'30" E., 8.961 chs. dist.</p>
22.146	<p>Intersect line 3-4, Mineral Survey No. 4594, Verdi lode, at a point from which Cor. No. 3, Mineral Survey No. 4594, Verdi lode, hereinafter described, bears N. 83°25'20" W., 2.162 chs. dist.</p>
22.768	<p>Point for Cor. No. 4, Mineral Survey No. 205, United States lode, determined at record angle and distance from Cor. No. 1, Mineral Survey No. 205, United States lode; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 4594 V MS 205 U S COR 4</p> <p>1999</p> </div> <hr style="width: 20%; margin: auto;"/> <p>Thence N. 85°48'50" E., on line 4-1, Mineral Survey No. 205, United States lode.</p>
9.091	<p>Cor. No. 1, Mineral Survey No. 205, United States lode, and point of beginning.</p> <hr style="width: 80%; margin: auto;"/>

DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 1970,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor L.F.J. Wrinkle in 1901 and a Portion of the Amended Resurvey Executed by U.S. Deputy Mineral Surveyor W.T. Moran in 1904</p> <hr/> <p style="text-align: center;">Last Chance lode</p> <p>From Cor. No. 2, Amended Mineral Survey No. 1970, Last Chance lode, identical with Cor. No. 8, Amended Mineral Survey No. 1971, Summit lode, monumented with an embedded mound of stone, with an iron pipe, 2 ins. diam., 4 ft. long, lying alongside. This mound of stone correlates well with other existing mounds of stones and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2001</p> <p>Deposit the iron pipe alongside the stainless steel post.</p> <p>From this corner, a position determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, as recorded in Storey County, Nevada, File No. 48666, Record of Survey Map, monumented with a rebar, 5/8 in. diam, firmly set, projecting 8 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS3921 1970-2 1971-8, bears S. 31°00' W., 0.026 chs. dist. This rebar was not utilized during the course of this survey.</p> <p>Thence N. 26°41'50" W. on line 2-3, Amended Mineral Survey No. 1970, Last Chance lode.</p> <p>1.155 Intersect the line bet. secs. 19 and 30, at a point from which the cor. of secs. 19, 20, 29 and 30, hereinbefore described, bears N. 87°54'10" E., 5.144 chs. dist.</p> <p>19.00 Ravine, drains ESE.</p> <p>20.680 Point for Cor. No. 3, Amended Mineral Survey No. 1970, Last Chance lode, at proportionate distance between Cor. No. 2, Amended Mineral Survey No. 1970, Last Chance lode and the NW. location monument, Amended Mineral Survey No. 1970, Last Chance lode; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
---------------	---

DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 1970,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">T17N R21E</p> <p style="text-align: center;">  </p> <p style="text-align: center;">2001</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <p>From this point, the NW. location monument, Amended Mineral Survey No. 1970, Last Chance lode, monumented with an iron pipe, 2 ins. diam., firmly set, projecting 2 ft. above the ground, in a mound of stone, bears N. 26°41'50" W., 1.874 chs. dist. This iron pipe is accepted as the best available evidence of the position of a location corner of this claim.</p> <p>POINT NOT REMONUMENTED</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 1971, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor L.F.J. Wrinkle in 1901 and a Portion of the Amended Resurvey Executed by U.S. Deputy Mineral Surveyor W.T. Moran in 1904</p> <hr/> <p style="text-align: center;">Summit lode</p> <p>From Cor. No. 6, Amended Mineral Survey No. 1971, Summit lode, monumented with an iron pipe, 2 ins. diam., firmly set projecting 2 ft. above the ground, with an unrecorded rebar set by Wm. Michael Donovan, Jr., Nevada Professional Land Surveyor No. 2617, 5/8 in. diam., firmly set flush with the ground, alongside the iron pipe, with aluminum cap, 1 1/2 ins. diam., mkd. RLS 2617. Add the marks 1971-6 to the aluminum cap. This iron pipe is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>From this corner, a position determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, as recorded in Storey County, Nevada, File No. 48666, Record of Survey Map, monumented with a rebar, 5/8 in. diam., firmly set, projecting 2 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. LS3921 1971-6, bears S. 22°18' W., 0.119 chs. dist. This rebar was not utilized during the course of this survey.</p> <p>Thence N. 19°15'00" W., on line 6-7, Amended Mineral Survey No. 1971, Summit lode.</p> <p>8.004 Point for Cor. No. 7, Amended Mineral Survey No. 1971, Summit lode, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p>
--------	--

DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 1971,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">           T17N \ MS 1971            R21E \ S            S29 \ 7            2001         </p> <p>Corner is located in a trail road bearing irregularly SE. and NW.</p> <hr/> <p>Thence N. 26°30'00" W., on line 7-8, Amended Mineral Survey No. 1971, Summit lode.</p> <p>0.952 Intersect the line bet. secs. 29 and 30, at a point from which the cor. of secs. 19, 20, 29 and 30, hereinbefore described, bears N. 0°13'00" E., 10.410 chs. dist.</p> <p>11.221 Cor. No. 8, Amended Mineral Survey No. 1971, Summit lode, identical with Cor. No. 2, Amended Mineral Survey No. 1970, Last Chance lode, hereinbefore described.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 2581, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor W.T. Moran in 1906 and a Portion of the Amended Resurvey Executed by U.S. Deputy Mineral Surveyor E.D. Boyle in 1911</p> <hr/> <p style="text-align: center;">Ohio Relocation lode</p> <p>From Cor. No. 2, Amended Mineral Survey No. 2581, Ohio Relocation lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 2 ft. above the ground, with threaded iron cap mkd. O 2 AM 2581.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence S. 27°39'50" W., on line 2-3, Amended Mineral Survey No. 2581, Ohio Relocation lode.</p> <p>21.160 Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 28 and 29, hereinbefore described, bears N. 87°29'10" W., 5.958 chs. dist.</p> <p>22.441 Cor. No. 3, Amended Mineral Survey No. 2581, Ohio Relocation lode, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 5 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. 2581-3 O.R. LS 3921, as recorded in Storey County, Nevada, File No. 48667, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/>
--------	---

DEPENDENT RESURVEY OF A PORTION OF AMENDED MINERAL SURVEY NO. 2581,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence N. 62°46'30" W., on line 3-4, Amended Mineral Survey No. 2581, Ohio Relocation lode.
2.774	Intersect the E-W center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 28 and 29, hereinbefore described, bears N. 87°29'10" W., 2.894 chs. dist.
6.028	Intersect the line bet. secs. 28 and 29, at a point from which the 1/4 sec. cor. of secs. 28 and 29, hereinbefore described, bears S. 0°08'40" E., 1.362 chs. dist.
9.075	Cor. No. 4, Amended Mineral Survey No. 2581, Ohio Relocation lode, determined by Greg Hess, Nevada Professional Land Surveyor No. 3921, monumented with a rebar, 5/8 in. diam., firmly set, projecting 4 ins. above the ground, with aluminum cap, 1 1/2 ins. diam., mkd. 2581-4 O.R. LS 3921, as recorded in Storey County, Nevada, File No. 48667, Record of Survey Map, and is accepted as the best available evidence of the position of the original corner.
	POINT NOT REMONUMENTED
<hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 3648, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor E.D. Boyle in 1909</p> <hr/>	
<p>May lode</p>	
<p>From Cor. No. 4, Mineral Survey No. 3648, May lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 2 ft. above the ground, with threaded iron cap erroneously mkd. 2 MAY 3648. (The cap was not altered to read 4.)</p>	
POINT NOT REMONUMENTED	
<p>Thence N. 67°20'10" W., on line 4-1, Mineral Survey No. 3648, May lode.</p>	
2.020	Intersect line 2-3, Mineral Survey No. 3797, Roy lode, at a point from which Cor. No. 2, Mineral Survey No. 3797, Roy lode, hereinafter described, bears S. 61°36'40" W., 9.829 chs. dist.
19.675	Cor. No. 1, Mineral Survey No. 3648, May lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 18 ins. above the ground, with threaded iron cap mkd. 1 MAY 3648.
POINT NOT MONUMENTED	

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS


Reestablishment of Portions of the Survey Executed by  
U.S. Deputy Mineral Surveyor E.D. Boyle in 1909

Silver Eagle lode

From Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.

At the corner point


Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.



Thence N. 29°03'00" W., on line 1-2, Mineral Survey No. 3757, Silver Eagle lode.

- 1.668 Intersect the northerly bdy. of Mineral Survey No. 76 B, Monte Christo claim, at a point from which the NE. Cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 4, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears N. 74°28'20" E., 0.548 chs. dist.
- 10.087 Intersect the E-W center line of the NE1/4 of sec. 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°52'20" E., 13.231 chs. dist.
- 10.944 Point for Cor. No. 2, Mineral Survey No. 3757, Silver Eagle lode, determined at the intersection of the lines run parallel to the side line and the end line; there is no remaining evidence of the original corner.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.




Thence N. 27°10'40" E., on line 2-3, Mineral Survey No. 3757, Silver Eagle lode.

- 11.663 Intersect line 2-3, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 3, Mineral Survey No. 205, United States lode, hereinbefore described, bears S. 85°48'50" W., 1.513 chs. dist.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
21.839	Intersect the line bet. secs. 21 and 28, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 88°17'30" E., 2.116 chs. dist.
22.745	<p>Cor. No. 3, Mineral Survey No. 3757, Silver Eagle lode, identical with Cor. No. 2, cancelled Mineral Survey No. 3757, Mountain Brow lode, monumented with the remains of a wood post, 4 ins. square, 36 ins. long, mkd. 3757 3SE-2MB, loosely set in an embedded mound of stone.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="899 730 1016 989" data-label="Diagram"> <p style="text-align: center;">MS 205 U S MS 3757 S E COR 3 1999</p> </div> <p>Reset the remains of the original wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, SW. of cor.</p> <hr style="width: 20%; margin: 10px auto;"/>
0.952	Intersect the line bet. secs. 21 and 28, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 88°17'30" E., 1.239 chs. dist.
3.894	Intersect the line bet. secs. 27 and 28, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears N. 4°17'40" W., 2.542 chs. dist.
4.305	Intersect line 1-2, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 2, Mineral Survey No. 205, United States lode, hereinbefore described, bears S. 4°11'10" E., 5.557 chs. dist.
10.944	<p>Cor. No. 4, Mineral Survey No. 3757, Silver Eagle lode, identical with Cor. No. 1, cancelled Mineral Survey No. 3757, Mountain Brow lode, and on line 4-1, Mineral Survey No. 3757, Virginia Standard lode, monumented with the remains of a burnt wood post, 4 ins. square, no visible marks, loosely set in an embedded mound of stone, from which the original bearing object</p> <p style="text-align: center;">A boulder, mkd. 4SE-BR XBR, bears N. 15°37' W., 0.311 chs. dist. Add the marks 3757 to the boulder.</p>


DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	At the corner point
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>1999</p> </div> <p>Reset the remains of the wood post alongside the stainless steel post.</p>
	<p>Thence S. 27°10'40" W., on line 4-1, Mineral Survey No. 3757, Silver Eagle lode, identical in part with a portion of line 4-1, Mineral Survey No. 3757, Virginia Standard lode.</p>
5.654	Intersect the line bet. secs. 27 and 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 4°17'40" E., 6.897 chs. dist.
13.219	Intersect the E-W center line of the NE1/4 of sec. 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°52'20" E., 3.975 chs. dist.
17.930	Cor. No. 1, Mineral Survey No. 3757, Virginia Standard lode, hereinafter described.
	Continue measurement on line 4-1, Mineral Survey No. 3757, Silver Eagle lode.
20.472	Intersect line 2-3, Mineral Survey No. 128, Sadie claim, at a point from which Cor. No. 3, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears N. 65°01'40" W., 0.464 chs. dist.
22.513	Intersect the easterly bdy. of Mineral Survey No. 76 B, Monte Christo claim, at a point from which the NE. Cor. of Mineral Survey No. 76 B, Monte Christo claim, identical with Cor. No. 4, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears N. 15°29'20" W., 1.451 chs. dist.
22.745	Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, and point of beginning.
	<p>Virginia Standard lode</p> <p>From the point for Cor. No. 1, Mineral Survey No. 3757, Virginia Standard lode, on line 4-1, Mineral Survey No. 3757, Silver Eagle lode, at proportionate distance between Cor. No. 4 and Cor. No. 1, both of Mineral Survey No. 3757, Silver Eagle lode; there is no remaining evidence of the original corner.</p>



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="852 346 1112 535" style="text-align: center;"> </div> <p style="text-align: center;">2002</p> <p>From this point, Cor. No. 1, Mineral Survey No. 3757, Silver Eagle lode, hereinbefore described, bears S. 27°10'40" W., 4.815 chs. dist.</p> <p>Thence S. 58°31'10" E., on line 1-2, Mineral Survey No. 3757, Virginia Standard lode.</p> <p>5.228 Intersect line 2-3, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 2, Mineral Survey No. 4277, Stone lode, hereinafter described, bears S. 74°31'50" W., 3.411 chs. dist.</p> <p>7.901 Intersect the line bet. secs. 27 and 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears N. 4°17'40" W., 8.192 chs. dist.</p> <p>8.776 Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, on line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="868 1354 1031 1543" style="text-align: center;"> </div> <p style="text-align: center;">2002</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence N. 27°39'00" E., on a portion of line 2-3, Mineral Survey No. 3757, Virginia Standard lode, identical in part with a portion of line 1-4, cancelled Mineral Survey No. 3757, Rosebud lode.</p> <p>3.551 Intersect line 2-3, Mineral Survey No. 4277, Stone lode, at a point from which Cor. No. 3, Mineral Survey No. 4277, Stone lode, hereinafter described, bears N. 74°31'50" E., 0.870 chs. dist.</p>
--------	--

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
9.924	Intersect the E-W center line of the NW1/4 of sec. 27, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 88°25'00" W., 5.968 chs. dist.
14.673	<p>Cor. No. 4, cancelled Mineral Survey No. 3757, Rosebud lode, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, mkd. 4-3757RB, lying alongside.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 3757 V S</p> <p>T17N R21E S27</p> <p>MS 3757 R</p> <p>COR 4</p> <p>2002</p> </div> <p>Deposit the remains of the original wood post alongside the stainless steel post.</p>
	Cancelled Rosebud lode
	<p>From Cor. No. 1, cancelled Mineral Survey No. 3757, Rosebud lode, monumented with an iron pin, 3/4 in. diam., firmly set, projecting 5 ins. above the ground, in an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence S. 49°56'30" E., on line 1-2, cancelled Mineral Survey No. 3757, Rosebud lode.</p>
4.865	Intersect the line bet. secs. 27 and 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 4°17'40" E., 1.695 chs. dist.
7.389	Intersect the E-W center line of sec. 27, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears S. 87°54'20" W., 1.806 chs. dist.
9.305	<p>Cor. No. 2, cancelled Mineral Survey No. 3757, Rosebud lode, monumented with an embedded mound of stone, with the remains of a wood post, 4 ins. square, 34 ins. long, dimly mkd. 3757, lying alongside.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3757,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<div style="text-align: center;"> <p>MS 3757 R COR 2</p>  <p>MS 4277 S</p> </div> <p style="text-align: center;">2002</p> <p>Deposit the remains of the original wood post alongside the stainless steel post.</p> <hr/> <p>From Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, on line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode, hereinbefore described.</p> <p>Thence S. 27°05'50" W., on a portion of line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode.</p> <p>1.363 Intersect the line bet. secs. 27 and 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears N. 4°17'40" W., 9.867 chs. dist.</p> <p>8.041 Cor. No. 1, cancelled Mineral Survey No. 3757, Rosebud lode, hereinbefore described.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 3797, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Mineral Surveyor E.D. Boyle in 1909</p> <hr/> <p style="text-align: center;">Roy lode</p> <p>From Cor. No. 1, Mineral Survey No. 3797, Roy lode, on line 3-4, Mineral Survey No. 3797, Alice lode, monumented with a rebar, 3/8 in. diam., 21 ins. long, firmly set in an embedded mound of stone, along with the remains of a wood post, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>MS 3648 MAY MS 3797 A</p>  <p>MS 3797 R COR 1</p> </div> <p style="text-align: center;">1999</p>
--------	---


DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 3797,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Insert the rebar inside and deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Thence S. 13°20'00" E., on line 1-2, Mineral Survey No. 3797, Roy lode.</p>
9.418	<p>Cor. No. 2, Mineral Survey No. 3797, Roy lode, monumented with a rebar, 1/2 in. diam., firmly set in an embedded mound of stone. This rebar correlates well with Cor. Nos. 1 and 3, both Mineral Survey No. 3797, Roy lode, and is accepted as the best available evidence of the position of the original corner.</p> <p>POINT NOT REMONUMENTED</p> <hr/> <p>Thence N. 61°36'40" E., on line 2-3, Mineral Survey No. 3797, Roy lode.</p>
9.829	<p>Intersect line 4-1, Mineral Survey No. 3648, May lode, at a point from which Cor. No. 4, Mineral Survey No. 3648, May lode, hereinbefore described, bears S. 67°20'10" E., 2.020 chs. dist.</p>
15.424	<p>Intersect the N-S center line of sec. 28, at a point from which the C-N 1/16 sec. cor. of sec. 28, hereinafter described, bears S. 0°33'10" W., 9.797 chs. dist.</p>
20.453	<p>Cor. No. 3, Mineral Survey No. 3797, Roy lode, monumented with a rebar, 3/8 in. diam., 21 ins. long, firmly set in an embedded mound of stone, with the remains of a wood post, 4 ins. square, with illegible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="824 1318 1133 1438" style="text-align: center;"> </div> <p style="text-align: center;">1999</p>
8.216	<p>Insert the rebar and deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <hr/> <p>Thence N. 13°34'50" W., on line 3-4, Mineral Survey No. 3797, Roy lode.</p> <p>Intersect the line bet. secs. 21 and 28, at a point from which the 1/4 sec. cor. of secs. 21 and 28, hereinbefore described, bears N. 88°17'30" W., 2.397 chs. dist.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 3797,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 9.435</p>	<p>Cor. No. 4, Mineral Survey No. 3797, Roy lode, monumented with a rebar, 3/8 in. diam., 21 ins. long, firmly set, projecting 8 ins. above the ground, in a mound of stone, with the remains of a wood post, 4 ins. square, 2 ft. long, mkd. 4 3797, wired to a highway sign post alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="852 646 1031 892" style="text-align: center;"> <p>T17N R21E S21 MS 3797 R COR 4 1999</p> </div> <p>Insert the rebar inside and deposit the remains of the original wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>
<hr/> <p>DEPENDENT RESURVEY OF MINERAL SURVEY NO. 4023, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor E.D. Boyle in 1911-1912</p> <hr/>	
<p>Miller or Sierra Nevada lode</p>	
<p>From Cor. No. 1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 8 ins. above a collar of stone, with threaded iron cap mkd. 1 SN 4023.</p>	
<p>POINT NOT REMONUMENTED</p>	
<p>Thence N. 16°54'40" E., on line 1-2, Mineral Survey No. 4023, Miller or Sierra Nevada lode.</p>	
<p>6.518</p>	<p>Intersect line 3-4, Mineral Survey No. 129, Union Consol. claim, at a point from which Cor. No. 3, Mineral Survey No. 129, Union Consol. claim, hereinbefore described, bears N. 78°42'40" W., 6.745 chs. dist.</p>
<p>41.145</p>	<p>Intersect the E-W center line of sec. 20, at a point from which the 1/4 sec. cor. of secs. 20 and 21, hereinbefore described, bears S. 89°23'50" E., 10.494 chs. dist.</p>


DEPENDENT RESURVEY OF MINERAL SURVEY NO. 4023,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
50.133	<p>Point for Cor. No. 2, Mineral Survey No. 4023, Miller or Sierra Nevada lode, determined at the intersection of the lines run parallel to the mean side line and the end line; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>T17N R21E</p> <p>MS 4023 S N 2</p> <p>S20</p> <p>2003</p> </div>
	<p>Thence N. 73°12'20" W., on line 2-3, Mineral Survey No. 4023, Miller or Sierra Nevada lode.</p>
16.650	<p>Intersect line 2-3, Mineral Survey No. 150, Allen claim, at a point from which Cor. No. 2, Mineral Survey No. 150, Allen claim, on line 3-4, Mineral Survey No. 37, Utah claim, hereinbefore described, bears N. 22°35'00" E., 3.361 chs. dist.</p>
19.697	<p>Intersect line 4-5, Mineral Survey No. 175, Sutro claim, at a point from which Cor. No. 4, Mineral Survey No. 175, Sutro claim, hereinbefore described, bears N. 11°46'00" E., 4.000 chs. dist.</p>
25.758	<p>Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 2 ft. above a collar of stone, with threaded iron cap mkd. 3 SN 4023.</p> <p>POINT NOT REMONUMENTED</p>
	<p>Thence S. 16°56'00" W., on line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode.</p>
9.733	<p>Intersect line 5-6, Mineral Survey No. 175, Sutro claim, at a point from which Cor. No. 6, Mineral Survey No. 175, Sutro claim, hereinbefore described, bears N. 78°14'00" W., 2.083 chs. dist.</p>
16.474	<p>Intersect the E-W center line of sec. 20, at a point from which the center 1/4 sec. cor. of sec. 20, hereinafter described, bears N. 89°23'50" W., 2.307 chs. dist.</p>
22.665	<p>Intersect line 1-2, Mineral Survey No. 149, Jacob Little claim, at a point from which Cor. No. 1, Mineral Survey No. 149, Jacob Little claim, hereinbefore described, bears N. 80°52'00" E., 1.927 chs. dist.</p>
24.658	<p>Intersect the N-S center line of sec. 20, at a point from which the center 1/4 sec. cor. of sec. 20, hereinafter described, bears N. 0°33'30" E., 7.854 chs. dist.</p>

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 4023,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
27.293	The monument on west line of claim, an iron pipe, 4 ins. diam., firmly set, projecting 2 1/2 ft. above ground.
	<hr/> <p>Thence S. 16°53'10" W., continue on line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode.</p>
10.507	Intersect line 3-4, Mineral Survey No. 149, Jacob Little claim, at a point from which Cor. No. 3, Mineral Survey No. 149, Jacob Little claim, hereinbefore described, bears N. 9°08'00" W., 8.077 chs. dist.
22.840	Cor. No. 4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 14 ins. above a mound of stone, with threaded cap mkd. 4 SN 4023.
	POINT NOT REMONUMENTED
	<hr/> <p>Thence S. 73°12'20" E., on line 4-1, Mineral Survey No. 4023, Miller or Sierra Nevada lode.</p>
6.837	Intersect line 2-3, Mineral Survey No. 4135, West Union lode, at a point from which Cor. No. 2, Mineral Survey No. 4135, West Union lode, hereinafter described, bears N. 39°01'00" E., 1.004 chs. dist.
7.461	Intersect the N-S center line of sec. 20, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 0°33'30" W., 5.440 chs. dist.
16.659	Intersect line 4-1, Mineral Survey No. 4135, West Union lode, identical with a portion of line 2-3, Mineral Survey No. 129, Union Consol. claim, at a point from which the point for Cor. No. 1, Mineral Survey No. 4135, West Union lode, hereinafter described, bears N. 39°01'00" E., 2.068 chs. dist.
25.758	Cor. No. 1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, and point of beginning.
	<hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4135, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor E.D. Boyle in 1912</p> <hr/> <p>West Union lode</p> <p>From the point for Cor. No. 1, Mineral Survey No. 4135, West Union lode, on line 2-3, Mineral Survey No. 129, Union Consol. claim, at proportionate distance between Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, identical with Cor. No. 4, Mineral Survey No. 4135, West Union lode and Cor. No. 3, Mineral Survey No. 129, Union Consol. claim, there is no remaining evidence of the original corner.</p> <p>POINT NOT MONUMENTED</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4135,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point, Cor. No. 3, Mineral Survey No. 129, Union Consol. claim, hereinbefore described, bears N. 39°01'00" E., 4.274 chs. dist.</p> <p>From this same point, the cor. of secs. 20, 21, 28 and 29, hereinbefore described, bears S. 79°57'50" E., 30.438 chs. dist. (Record: S 79°50'10" E.)</p> <p>Thence N. 78°42'30" W., on line 1-2, Mineral Survey No. 4135, West Union lode.</p>
10.272	<p>Point for Cor. No. 2, Mineral Survey No. 4135, West Union lode, determined at the intersection of the lines run parallel to the side line and the end line; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>MS 4023 S N  MS 4135 W U 2  2003</p> </div>
	<p>Thence S. 39°01'00" W., on line 2-3, Mineral Survey No. 4135, West Union lode.</p>
0.041	<p>Intersect the N-S center line of sec. 20, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 0°33'30" W., 6.368 chs. dist.</p>
1.004	<p>Intersect line 4-1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinbefore described, bears N. 73°12'20" W., 6.837 chs. dist.</p>
5.976	<p>Cor. No. 3, Mineral Survey No. 4135, West Union lode, on line 7-8, Mineral Survey No. 171 B, Ophir claim, monumented with the original iron pipe, 4 ins. diam., firmly set, projecting 18 ins. above the ground, with threaded cap mkd. +. POINT NOT REMONUMENTED</p> <p>From this corner, Cor. No. 8, Mineral Survey No. 171 B, Ophir claim, hereinbefore described, bears N. 78°46'00" W., 6.630 chs. dist.</p>
	<p>Thence S. 78°42'30" E., on line 3-4, Mineral Survey No. 4135, West Union lode, identical with a portion of line 8-7, Mineral Survey No. 171 B, Ophir claim.</p>
3.759	<p>Intersect the N-S center line of sec. 20, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears S. 0°33'30" W., 1.020 chs. dist.</p>

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4135,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

## CHAINS

- 9.642 Intersect the line bet. secs. 20 and 29, at a point from which the 1/4 sec. cor. of secs. 20 and 29, hereinbefore described, bears N. 88°41'30" W., 5.780 chs. dist.
- 10.272 Cor. No. 4, Mineral Survey No. 4135, West Union lode, identical with Cor. No. 2, Mineral Survey No. 129, Union Consol. claim, hereinbefore described.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


Reestablishment of Portions of the Survey Executed by  
U.S. Deputy Surveyor W.J. Moran in 1912

Morning Star lode

From Cor. No. 4, Mineral Survey No. 4136, Morning Star lode, monumented with an embedded mound of stone, with the remains of a burnt wood post, 4 ins. square, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.



Deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 2 ft. base, 1 1/2 ft. high, NE. of cor.

Thence S. 12°12'00" W., on line 4-1, Mineral Survey No. 4136, Morning Star lode.

- 14.291 Intersect line 3-4, Mineral Survey No. 40, Bailey claim, at a point from which Cor. No. 3, Mineral Survey No. 40, Bailey claim, hereinbefore described, bears N. 89°49'30" W., 2.764 chs. dist.
- 22.735 Cor. No. 1, Mineral Survey No. 4136, Morning Star lode, on line 6-1, Mineral Survey No. 4136, Twentieth Century lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, 2 ft. long, with illegible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin-left: auto; margin-right: auto;"> <tr><td>MS 4136</td><td></td></tr> <tr><td>  M S</td><td></td></tr> <tr><td>    1</td><td>/</td></tr> <tr><td colspan="2"><hr style="width: 50px; margin-left: 0;"/></td></tr> <tr><td>    MS 40</td><td></td></tr> <tr><td>      B</td><td></td></tr> </table> <p>2002</p> </div> <p>Deposit the remains of the wood post alongside the stainless steel post.</p> <hr/> <p style="text-align: center;">Twentieth Century lode</p> <p>From Cor. No. 1, Mineral Survey No. 4136, Morning Star lode, on line 6-1, Mineral Survey No. 4136, Twentieth Century lode, hereinbefore described.</p> <p>Thence S. 6°47'00" W., on a portion of line 6-1, Mineral Survey No. 4136, Twentieth Century lode.</p> <p>8.785 Point for Cor. No. 1, Mineral Survey No. 4136, Twentieth Century lode, on line 6-3, Mineral Survey No. 40, Bailey claim, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin-left: auto; margin-right: auto;"> <tr><td>MS 4136</td><td> </td><td></td></tr> <tr><td>  T C</td><td> </td><td></td></tr> <tr><td>    1</td><td> </td><td>MS 40</td></tr> <tr><td colspan="2"><hr style="width: 50px; margin-left: 0;"/></td><td></td></tr> <tr><td>    T17N</td><td> </td><td>B</td></tr> <tr><td>      R21E</td><td> </td><td></td></tr> <tr><td>      S28</td><td> </td><td></td></tr> </table> <p>2002</p> </div> <hr/> <p>Thence S. 86°18'00" W., on line 1-2, Mineral Survey No. 4136, Twentieth Century lode.</p> <p>4.156 Point for Cor. No. 2, Mineral Survey No. 4136, Twentieth Century lode, determined by the method of grant boundary adjustment; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>	MS 4136		M S		1	/	<hr style="width: 50px; margin-left: 0;"/>		MS 40		B		MS 4136			T C			1		MS 40	<hr style="width: 50px; margin-left: 0;"/>			T17N		B	R21E			S28		
MS 4136																																		
M S																																		
1	/																																	
<hr style="width: 50px; margin-left: 0;"/>																																		
MS 40																																		
B																																		
MS 4136																																		
T C																																		
1		MS 40																																
<hr style="width: 50px; margin-left: 0;"/>																																		
T17N		B																																
R21E																																		
S28																																		



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">MS 4136 T C 2</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S28 T17N R21E</p> <p style="text-align: center;">2001</p>
	<p>Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.</p> <hr style="width: 30%; margin: auto;"/> <p>Thence N. 87°57'00" W., on line 2-3, Mineral Survey No. 4136, Twentieth Century lode.</p>
10.625	<p>Intersect the N-S center line of sec. 28, at a point from which the 1/4 sec. cor. of secs. 28 and 33, hereinbefore described, bears S. 0°33'10" W., 3.038 chs. dist.</p>
14.449	<p>Cor. No. 3, Mineral Survey No. 4136, Twentieth Century lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p style="text-align: center;">MS 4136 T C 3</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S28 T17N R21E</p> <p style="text-align: center;">2001</p>
	<p>Rebuild the mound of stone, 3 ft. base, 2 ft. high, SW. of cor.</p> <hr style="width: 30%; margin: auto;"/> <p>Thence N. 7°03'50" E., on line 3-4, Mineral Survey No. 4136, Twentieth Century lode.</p>
8.873	<p>Cor. No. 4, Mineral Survey No. 4136, Twentieth Century lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	T17N R21E
	<div style="text-align: center;">  <p>S28 MS 4136 T C 4 2002</p> </div>
0.553	<p>Thence S. 88°50'00" E., on a portion of line 4-5, Mineral Survey No. 4136, Twentieth Century lode.</p> <p>Cor. No. 2, Mineral Survey No. 4136, Last Chance lode, hereinafter described.</p> <hr/> <p style="text-align: center;">Last Chance lode</p> <p>From Cor. No. 2, Mineral Survey No. 4136, Last Chance lode, on line 4-5, Mineral Survey No. 4136, Twentieth Century lode, monumented with an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T17N / MS 4136 R21E / L C S28 / 2 MS 4136 T C 2002</p> </div>
1.680	<p>Thence N. 11°38'20" E., on line 2-3, Mineral Survey No. 4136, Last Chance lode.</p> <p>Computed intersection of southerly side line, Dewey lode, unsurveyed, based on the official record of the 1912 survey of Mineral Survey No. 4136, Last Chance lode, at a point from which the SE. cor. of Dewey lode, unsurveyed, hereinafter described, bears N. 83°03'00" E., 3.067 chs. dist.</p>
5.120	<p>Cor. No. 3, Mineral Survey No. 4136, Last Chance lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, 2 ft. long, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">T17N R21E S28</p>  <p style="text-align: center;">2001</p> <p>Deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 1 1/2 ft. high, NW. of cor.</p> <hr/> <p>Thence N. 88°36'00" E., on line 3-4, Mineral Survey No. 4136, Last Chance lode.</p>
1.280	Intersect the N-S center line of sec. 28, at a point from which the C-S 1/16 sec. cor. of sec. 28, hereinafter described, bears N. 0°33'10" E., 2.949 chs. dist.
1.713	Computed intersection of easterly end line, Dewey lode, unsurveyed, based on the official record of the 1912 survey of Mineral Survey No. 4136, Last Chance lode, at a point from which the SE. cor. of Dewey lode, unsurveyed, hereinafter described, bears S. 11°52'00" E., 3.106 chs. dist.
8.946	<p>Cor. No. 4, Mineral Survey No. 4136, Last Chance lode, on line 2-3, Mineral Survey No. 4136, Morning Star lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, 2 ft. long, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>  <p style="text-align: center;">2001</p> <p>Deposit the remains of the wood post alongside the stainless steel post and rebuild the mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p> <hr/> <p style="text-align: center;">March lode, Unsurveyed</p> <p>From Cor. No. 4, Mineral Survey No. 4136, Last Chance lode, on line 2-3, Mineral Survey No. 4136, Morning Star lode, hereinbefore described.</p> <p>Thence N. 88°36'00" E., on a portion of southerly end line, March lode, unsurveyed.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

## CHAINS

3.027

Point for SE. cor. of March lode, unsurveyed, determined at record distance from Cor. No. 4, Mineral Survey No. 4136, Last Chance lode, and on the extension of line 3-4 of said Last Chance lode; there is no remaining evidence of the original claim corner.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

T17N  
R21E  
S28

M S  
MS 4136

2004

---

Dewey lode, unsurveyed

From the computed point of intersection of southerly side line, Dewey lode, unsurveyed, and line 2-3, Mineral Survey No. 4136, Last Chance lode.

Thence N. 83°03'00" E. (record bearing), on a portion of southerly side line, Dewey lode, unsurveyed.

1.957

Intersect the N-S center line of sec. 28, at a point from which the C-S 1/16 sec. cor. of sec. 28, hereinafter described, bears N. 0°33'10" E., 6.113 chs. dist.

3.067

The SE. cor. of Dewey lode, unsurveyed, monumented with a wood post, 4 ins. square, 3 ft. long, no visible marks, lying in an embedded mound of stone, and is accepted as the best available evidence of the position of the original claim corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.

T17N  
R21E  
S28

L C  
MS 4136

2004

Bury the wood post in the mound of stone.



From this corner, Cor. No. 3, Mineral Survey No. 4136, Last Chance lode, hereinbefore described, bears N. 38°06'00" W., 3.810 chs. dist. (Record: N. 38°23' W., 248 ft. (3.758 chs.))

---



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4136,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence N. 11°52'00" W. (record bearing), on a portion of easterly end line, Dewey lode, unsurveyed.
3.106	Intersect line 3-4, Mineral Survey No. 4136, Last Chance lode, at a point from which Cor. No. 3, Mineral Survey No. 4136, Last Chance lode, hereinbefore described, bears S. 88°36'00" W., 1.713 chs. dist.
<p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4137, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Mineral Surveyor W.J. Moran in 1912</p>	
<p>Cosmopolitan lode</p>	
<p>From Cor. No. 1, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 6, cancelled Mineral Survey No. 82, Cosmopolitan claim, monumented with the remains of a wood post lying in an embedded mound of stone, and is accepted as the best available evidence of the position of the original corner.</p>	
<p>At the corner point</p>	
<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>	
<p>Deposit the remains of the wood post alongside the stainless steel post.</p>	
<p>Thence N. 64°50'10" W., on line 1-2, Mineral Survey No. 4137, Cosmopolitan lode, identical with line 6-5, cancelled Mineral Survey No. 82, Cosmopolitan claim.</p>	
2.985	Intersect the line bet. secs. 28 and 33, at a point from which the cor. of secs. 27, 28, 33 and 34, hereinbefore described, bears S. 89°06'40" E., 20.058 chs. dist.
5.753	Intersect line 4-7, Mineral Survey No. 40, Bailey claim, at a point from which the point for Cor. No. 7, Mineral Survey No. 40, Bailey claim, hereinbefore described, bears S. 0°29'50" W., 3.210 chs. dist.
6.062	Cor. No. 2, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 5, cancelled Mineral Survey No. 82, Cosmopolitan claim, monumented with the remains of a wood post, 6 ins. square, 3 1/2 ft. long, no visible marks, loosely set in a mound of earth, and is accepted as the best available evidence of the position of the original corner.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4137,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Reset the remains of the wood post alongside the stainless steel post.</p> <hr/> <p>From Cor. No. 8, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 7, cancelled Mineral Survey No. 82, Cosmopolitan claim, monumented with the remains of a wood post lying in a small embedded mound of earth and stone, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit the remains of the wood post alongside the stainless steel post.</p> <p>Thence S. 0°13'10" W., on line 8-1, Mineral Survey No. 4137, Cosmopolitan lode, identical with line 7-6, cancelled Mineral Survey No. 82, Cosmopolitan claim.</p> <p>6.518 Intersect the line bet. secs. 28 and 33, at a point from which the cor. of secs. 27, 28, 33 and 34, hereinbefore described, bears S. 89°06'40" E., 17.352 chs. dist.</p> <p>7.745 Cor. No. 1, Mineral Survey No. 4137, Cosmopolitan lode, identical with Cor. No. 6, cancelled Mineral Survey No. 82, Cosmopolitan claim, hereinbefore described.</p> <hr/> <p style="text-align: center;">Great American No. 2 lode</p> <p>From Cor. No. 2, Mineral Survey No. 4137, Great American No. 2 lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, 3 ft. long, with illegible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p>
--------	--

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4137,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 4137 G A NO 2 2 MS 40 B</p> </div> <p>2002</p> <p>Deposit the remains of the wood post alongside the stainless steel post.</p> <p>Thence N. 20°01'20" E., on line 2-3, Mineral Survey No. 4137, Great American No. 2 lode.</p> <p>5.763 Intersect line 3-4, Mineral Survey No. 40, Bailey claim, identical in part with line 5-6, cancelled Mineral Survey No. 151, Rattler claim, at a point from which Cor. No. 4, Mineral Survey No. 40, Bailey claim, identical with Cor. No. 5, cancelled Mineral Survey No. 151, Rattler claim, hereinbefore described, bears S. 89°49'30" E., 0.191 chs. dist.</p> <p>22.798 Point for Cor. No. 3, Mineral Survey No. 4137, Great American No. 2 lode, determined by the method of grant boundary adjustment, falls on easterly side of trail road bearing N. and S.; there is no remaining evidence of the original corner.</p> <p>Set a copper coated steel stake, 24 ins. long, 1/2 in. diam., flush with the surface of the ground, with top mkd.</p> <div style="text-align: center;">  <p>3 G A 2 MS 4137</p> </div> <p>2002</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Thence N. 82°29'20" E., on line 3-4, Mineral Survey No. 4137, Great American No. 2 lode.</p> <p>2.855 Intersect line 2-3, cancelled Mineral Survey No. 151, Rattler claim, at a point from which the point for Cor. No. 2, cancelled Mineral Survey No. 151, Rattler claim, hereinbefore described, bears N. 9°09'00" E., 0.279 chs. dist.</p> <p>4.004 Intersect line 7-3, Mineral Survey No. 76 A, Monte Christo claim, at a point from which Cor. No. 3, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears S. 15°31'40" E., 8.891 chs. dist.</p> <p>5.149 Cor. No. 4, Mineral Survey No. 4137, Great American No. 2 lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, with illegible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.</p>
--------	---

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4137,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
24 ins. in the ground, over a plastic-encased magnet, with brass  
cap mkd.



2002

Deposit the remains of the wood post alongside the stainless  
steel post.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4138,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


Reestablishment of a Portion of the Survey Executed by  
U.S. Deputy Mineral Surveyor W.J. Moran in 1912

Three Pipes lode

From Cor. No. 5, Mineral Survey No. 4138, Three Pipes lode,  
monumented with an embedded mound of stone, with the remains of  
a wood post, 6 ins. square, with the marks 413 visible, lying  
alongside, and is accepted as the best available evidence of the  
position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
18 ins. in the ground to solid rock, over a plastic-encased  
magnet and in a mound of stone, 3 ft. base, to top, with brass  
cap mkd.



2002

Deposit the remains of the original wood post alongside the  
stainless steel post.

Thence S. 26°20'30" W., on line 5-6, Mineral Survey No. 4138,  
Three Pipes lode.

1.281

Intersect line 4-1, Mineral Survey No. 4277, Stone lode,  
at a point from which Cor. No. 1, Mineral Survey No. 4277, Stone  
lode, hereinafter described, bears S. 74°32'20" W.,  
1.065 chs. dist.

DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4138,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA


## CHAINS

8.962

Cor. No. 6, Mineral Survey No. 4138, Three Pipes lode, monumented with an embedded mound of stone, with the remains of a wood post, 6 ins. square, with illegible marks, lying alongside, and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.



Deposit the remains of the wood post alongside the stainless steel post.

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4277,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of Portions of the Survey Executed by  
U.S. Deputy Mineral Surveyor G.D. Smith, Jr. in 1915


Stone lode

(Portion in SW1/4 of sec. 27 shown as cancelled on plat)

From Cor. No. 2, Mineral Survey No. 4277, Stone lode, on line 1-2, cancelled Mineral Survey No. 4277, C. B. lode, monumented with an embedded mound of stone, with a rusted iron pipe, 2 ins. diam., lying alongside, and is accepted as the best available evidence of the position of the original corner.

At the corner point


Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.



Deposit the iron pipe alongside the stainless steel post.

Thence N. 74°31'50" E., on line 2-3, Mineral Survey No. 4277, Stone lode, identical in part with line 2-1, cancelled Mineral Survey No. 4277, C. B. lode.


DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4277,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
0.409	Intersect line 2-3, Mineral Survey No. 128, Sadie claim, at a point from which Cor. No. 2, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears S. 65°01'40" E., 2.238 chs. dist.
3.059	Cor. No. 1, cancelled Mineral Survey No. 4277, C. B. lode, monumented with the remains of a burnt wood post, 4 ins. square, 3 ft. long, mkd. 1-CB 4277, with a rusted iron pipe, 3 ins. diam., 2 ft. long, firmly set in an embedded mound of stone.
	POINT NOT REMONUMENTED
	Continue measurement on line 2-3, Mineral Survey No. 4277, Stone lode.
3.411	Intersect line 1-2, Mineral Survey No. 3757, Virginia Standard lode, at a point from which Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, hereinbefore described, bears S. 58°31'10" E., 3.548 chs. dist.
5.622	Intersect the line bet. secs. 27 and 28, at a point from which the N 1/16 sec. cor. of secs. 27 and 28, hereinbefore described, bears N 4°17'40" W., 6.201 chs. dist.
8.260	Intersect line 2-3, Mineral Survey No. 3757, Virginia Standard lode, identical in part with a portion of line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode, at a point from which Cor. No. 2, Mineral Survey No. 3757, Virginia Standard lode, hereinbefore described, bears S. 27°39'00" W., 3.551 chs. dist.
9.130	Cor. No. 3, Mineral Survey No. 4277, Stone lode, monumented with an iron pipe, 2 ins. diam., 2 ft. long, firmly set, projecting 10 ins. above ground, in an embedded mound of stone, mkd. STONE 4277-3, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	<div style="text-align: center;"> <p>T17N R21E</p>  <p>2002</p> </div>
	Bury the iron pipe alongside the stainless steel post.
	From Cor. No. 4, Mineral Survey No. 4277, Stone lode, monumented with an iron pipe, 3 1/2 ins. diam., cemented in a mound of stone, exposed 3 ft., mkd. STONE 4277-4, and is accepted as the best available evidence of the position of the original corner.
	POINT NOT REMONUMENTED

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4277,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	Thence S. 74°32'20" W., on line 4-1, Mineral Survey No. 4277, Stone lode.
4.852	Intersect the line bet. secs. 27 and 28, at a point from which the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described, bears N. 1°03'30" E., 8.555 chs. dist.
8.163	Intersect line 5-6, Mineral Survey No. 4138, Three Pipes lode, at a point from which Cor. No. 5, Mineral Survey No. 4138, Three Pipes lode, hereinbefore described, bears N. 26°20'30" E., 1.281 chs. dist.
9.039	Intersect line 1-2, Mineral Survey No. 128, Sadie claim, at a point from which Cor. No. 1, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears S. 0°18'20" W., 0.902 chs. dist.
9.228	Cor. No. 1, Mineral Survey No. 4277, Stone lode, monumented with the remains of a wood post, loosely set in an embedded mound of stone, with the upper portion of the wood post, 4 ins. square, 2 ft. long, mkd. S-4277, and an iron pipe, 3 ins. diam., 2 1/2 ft. long, mkd. STONE 4277-1, lying alongside.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	<p>MS 4277 S COR-1 MS 4138 T P</p>
	1999
	Deposit the remains of the original wood post and the iron pipe alongside the stainless steel post.
<hr/> <p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4594, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of Portions of the Survey Executed by U.S. Deputy Surveyor E.D Boyle in 1924</p> <hr/>	
Verdi lode	
<p>From Cor. No. 3, Mineral Survey No. 4594, Verdi lode, monumented with an embedded mound of stone. A stone, approximate record size of 1.0x0.8x2.0 ft., was found lying nearby, no visible marks. This mound of stone correlates well with original Cor. No. 4, Verdi lode, and original Cor. No. 1, Kohinoor lode, both Mineral Survey No. 4277, and is accepted as the best available evidence of the position of the original corner.</p>	


DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4594,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  <p>MS 4594 V S21 COR-3 T17N R21E 1999</p> </div> <p>Thence S. 83°25'20" E., on line 3-4, Mineral Survey No. 4594, Verdi lode.</p> <p>2.162 Intersect line 3-4, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 4, Mineral Survey No. 205, United States lode, hereinbefore described, bears N. 4°11'10" W., 0.622 chs. dist.</p> <p>11.416 Intersect line 1-2, Mineral Survey No. 205, United States lode, at a point from which Cor. No. 1, Mineral Survey No. 205, United States lode, hereinbefore described, bears N. 4°11'10" W., 2.350 chs. dist.</p> <p>12.556 Intersect the line bet. secs. 21 and 22, at a point from which the cor. of secs. 21, 22, 27 and 28, hereinbefore described, bears S. 2°07'40" W., 11.805 chs. dist.</p> <p>22.765 Cor. No. 4, Mineral Survey No. 4277, Verdi lode, monumented with the original stone, 24x9x7 ins., mkd. V 4 4594, firmly set in a mound of stone.</p> <p>POINT NOT REMONUMENTED</p> <hr/> <p style="text-align: center;">Kohinoor lode</p> <p>From Cor. No. 1, Mineral Survey No. 4594, Kohinoor lode, monumented with the original stone, 30x18x12 ins., mkd. 1 4594, and a cross, firmly set in a mound of stone.</p> <p>POINT NOT REMONUMENTED</p> <p>Thence N. 83°25'50" W., on line 1-2, Mineral Survey No. 4594, Kohinoor lode.</p> <p>11.604 Intersect the line bet. secs. 21 and 22, at a point from which the 1/4 sec. cor. of secs. 21 and 22, hereinbefore described, bears N. 2°07'40" E., 11.194 chs. dist.</p> <p>19.353 Computed intersection of southerly side line, U.S. Grant lode, unsurveyed, based on the official record of the 1924 survey of Mineral Survey No. 4594, Kohinoor lode, at a point from which the SW. cor. of U.S. Grant lode, unsurveyed, hereinafter described, bears S. 75°44'00" W., 2.406 chs. dist.</p> <p>21.904 Intersect westerly end line, U.S. Grant lode, unsurveyed, at a point from which the SW. cor. of U.S. Grant lode, unsurveyed, hereinafter described, bears S. 12°52'00" E., 0.908 chs. dist.</p>
--------	---

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4594,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 22.775</p>	<p>Cor. No. 2, Mineral Survey No. 4594, Kohinoor lode, monumented with the remains of a wood post, 4 ins. square, 3 ft. long, no visible marks, firmly set in a mound of stone. This post and mound of stone correlates well with original Cor. No. 4, Verdi lode and original Cor. No. 1, Kohinoor lode, both Mineral Survey No. 4277, and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R21E S21</p>  <p>1999</p> </div> <p>Reset the remains of the wood post alongside the stainless steel post.</p>
<p>0.908</p>	<p style="text-align: center;">U.S. Grant lode, Unsurveyed</p> <p>From the point of intersection of westerly end line of U.S. Grant lode, unsurveyed, and line 1-2, Mineral Survey No. 4594, Kohinoor lode.</p> <p>From this point of intersection, the NW. cor. of U.S. Grant lode, unsurveyed, bears N. 12°52'00" W., 6.674 chs. dist., monumented with a small ring of stones, with scattered remains of a wood post, and is accepted as the best available evidence of the position of the original claim corner.</p> <p>From this same point of intersection, Cor. No. 2, Mineral Survey No. 4594, Kohinoor lode, hereinbefore described, bears N. 83°25'50" W., 0.871 chs. dist.</p> <p>POINT NOT MONUMENTED</p> <p>Thence S. 12°52'00" E., on a portion of westerly end line of U.S. Grant lode, unsurveyed.</p> <p>The SW. cor. of U.S. Grant lode, unsurveyed, monumented with an embedded mound of stone, with the remains of a wood post, no visible marks, lying alongside, and is accepted as the best available evidence of the position of the original claim corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4594,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div style="text-align: center;">  <p>T17N R21E S21 K MS 4594</p> <p>1999</p> </div>
	<p>Deposit the remains of the wood post alongside the stainless steel post.</p>
	<p>From this corner, Cor. No. 2, Mineral Survey No. 4594, Kohinoor lode, hereinbefore described, bears N. 47°19'00" W., 1.452 chs. dist. (Record: N. 46°36' W., 92.25 ft. (1.398 chs.))</p>
	<p>Thence N. 75°44'00" E. (record bearing), on a portion of southerly side line, U.S. Grant lode, unsurveyed.</p>
2.406	<p>Intersect line 1-2, Mineral Survey No. 4594, Kohinoor lode, at a point from which Cor. No. 1, Mineral Survey No. 4594, Kohinoor lode, hereinbefore described, bears S. 83°25'50" E., 19.353 chs. dist.</p> <p>POINT NOT MONUMENTED</p>
	<p style="text-align: center;">SUBDIVISION OF SECTION 20, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p>
	<p>From the 1/4 sec. cor. of secs. 20 and 29.</p> <p>N. 0°33'30" E., on the N-S center line of sec. 20.</p>
1.020	<p>Intersect line 7-8, Mineral Survey No. 171 B, Ophir claim, identical in part with line 3-4, Mineral Survey No. 4135, West Union lode, at a point from which Cor. No. 3, Mineral Survey No. 4135, West Union lode, hereinbefore described, bears N. 78°42'30" W., 3.759 chs. dist.</p>
5.440	<p>Intersect line 4-1, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinbefore described, bears N. 73°12'20" W., 7.461 chs. dist.</p>
6.368	<p>Intersect line 2-3, Mineral Survey No. 4135, West Union lode, at a point from which Cor. No. 2, Mineral Survey No. 4135, West Union lode, hereinbefore described, bears N. 39°01'00" E., 0.041 chs. dist.</p>
31.972	<p>Intersect line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinbefore described, bears N. 16°56'00" E., 24.658 chs. dist.</p>
33.788	<p>Intersect line 1-2, Mineral Survey No. 149, Jacob Little claim, at a point from which the witness cor. for Cor. No. 2, Mineral Survey No. 149, Jacob Little claim, hereinbefore described, bears S. 80°52'00" W., 1.821 chs. dist.</p>

SUBDIVISION OF SECTION 20,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
39.826	<p>Point for the center 1/4 sec. cor. of sec. 20, at intersection with the E-W center line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R21E C 1/4 S20</p> <p style="text-align: center;">1999</p> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p>
60.912	<p>Point for the C-N 1/16 sec. cor. of sec. 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">C N 1/16   S20 C</p> <p style="text-align: center;">1999</p>
81.998	<p>The 1/4 sec. cor. of secs. 17 and 20.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 20 and 21.</p> <p>N. 89°23'50" W., on the E-W center line of sec. 20.</p>
10.494	<p>Intersect line 1-2, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 2, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinbefore described, bears N. 16°54'40" E., 8.988 chs. dist.</p>
37.337	<p>Intersect line 3-4, Mineral Survey No. 4023, Miller or Sierra Nevada lode, at a point from which Cor. No. 3, Mineral Survey No. 4023, Miller or Sierra Nevada lode, hereinbefore described, bears N. 16°56'00" E., 16.474 chs. dist.</p>
39.644	<p>The center 1/4 sec. cor. of sec. 20.</p>
79.996	<p>The 1/4 sec. cor. of secs. 19 and 20.</p> <hr/> <p>From the N 1/16 sec. cor. of secs. 20 and 21.</p> <p>S. 88°33'50" W., on the E-W center line of the NE1/4 of sec. 20.</p>
28.396	<p>Intersect line 2-3, Mineral Survey No. 37, Utah claim, identical in part with line 2-3, Mineral Survey No. 175, Sutro claim, at a point from which Cor. No. 3, Mineral Survey No. 37, Utah claim, identical with Cor. No. 3, Mineral Survey No. 175, Sutro claim, hereinbefore described, bears S. 26°31'30" W., 2.310 chs. dist.</p>

SUBDIVISION OF SECTION 20,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
35.103	Intersect line 6-7, Mineral Survey No. 175, Sutro claim, at a point from which Cor. No. 7, Mineral Survey No. 175, Sutro claim, hereinbefore described, bears N. 11°46'00" E., 13.805 chs. dist.
40.120	The C-N 1/16 sec. cor. of sec. 20.
<hr/> <p>SUBDIVISION OF SECTION 27, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
	From the 1/4 sec. cor. of secs. 27 and 34.
	N. 1°23'40" W., on the N-S center line of sec. 27.
19.630	Point for the C-S 1/16 sec. cor. of sec. 27.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, cemented in a rock wall of abandoned Butters Mill, with top mkd.
	$\begin{array}{c} C \\ S\ 1/16 \quad   \quad S27 \\ C \end{array}$
	1999
39.260	Point for the center 1/4 sec. cor. of sec. 27, at intersection with the E-W center line.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	<p>T17N R21E C 1/4 S27</p>
	1999
59.558	Point for the C-N 1/16 sec. cor. of sec. 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	$\begin{array}{c} C \\ N\ 1/16 \quad   \quad S27 \\ C \end{array}$
	1999
	Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
79.856	The 1/4 sec. cor. of secs. 22 and 27.

SUBDIVISION OF SECTION 27,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the 1/4 sec. cor. of secs. 26 and 27.</p> <p>S. 87°54'20" W., on the E-W center line of sec. 27.</p>
20.054	<p>Point for the C-E 1/16 sec. cor. of sec. 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> $C \frac{E \ 1/16}{S27} C$ <p style="text-align: center;">1999</p> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.</p>
40.108	<p>The center 1/4 sec. cor. of sec. 27.</p>
59.226	<p>Point for the C-W 1/16 sec. cor. of sec. 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> $C \frac{W \ 1/16}{S27} C$ <p style="text-align: center;">1999</p> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.</p>
76.538	<p>Intersect line 1-2, cancelled Mineral Survey No. 3757, Rosebud lode, at a point from which Cor. No. 2, cancelled Mineral Survey No. 3757, Rosebud lode, hereinbefore described, bears S. 49°56'30" E., 1.916 chs. dist.</p>
78.344	<p>The 1/4 sec. cor. of secs. 27 and 28.</p> <hr/> <p>From the E 1/16 sec. cor. of secs. 27 and 34.</p> <p>N. 1°14'20" W., on the N-S center line of the SE1/4 of sec. 27.</p>
19.790	<p>Point for the SE 1/16 sec. cor. of sec. 27, at intersection with the E-W center line of the SE1/4.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, cemented in rock outcropping, with top mkd.</p> $SE \ 1/16 \ S27$ <p style="text-align: center;">1999</p>
39.580	<p>The C-E 1/16 sec. cor. of sec. 27.</p> <hr/>

SUBDIVISION OF SECTION 27,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	From the S 1/16 sec. cor. of secs. 26 and 27.
	S. 88°21'30" W., on the E-W center line of the SE1/4 of sec. 27.
20.000	The SE 1/16 sec. cor. of sec. 27.
40.000	The C-S 1/16 sec. cor. of sec. 27.
<hr/>	
	From the C-W 1/16 sec. cor. of sec. 27.
	N. 2°51'20" W., on the N-S center line of the NW1/4 of sec. 27.
20.474	Point for the NW 1/16 sec. cor. of sec. 27, at intersection with the E-W center line of the NW1/4.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground to solid rock, over a plastic-encased magnet and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	NW 1/16 S27 1999
40.948	The W 1/16 sec. cor. of secs. 22 and 27.
<hr/>	
	From the C-N 1/16 sec. cor. of sec. 27.
	S. 88°25'00" W., on the E-W center line of the NW1/4 of sec. 27.
19.638	The NW 1/16 sec. cor. of sec. 27.
33.308	Intersect line 4-1, cancelled Mineral Survey No. 3757, Rosebud lode, identical in part with a portion of line 2-3, Mineral Survey No. 3757, Virginia Standard lode, at a point from which Cor. No. 4, cancelled Mineral Survey No. 3757, Rosebud lode, hereinbefore described, bears N. 27°39'00" E., 4.749 chs. dist.
39.276	The N 1/16 sec. cor. of secs. 27 and 28.
<hr/>	
SUBDIVISION OF SECTION 28, T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA	
<hr/>	
	From the 1/4 sec. cor. of secs. 28 and 33.
	N. 0°33'10" E., on the N-S center line of sec. 28.
3.038	Intersect line 2-3, Mineral Survey No. 4136, Twentieth Century lode, at a point from which Cor. No. 3, Mineral Survey No. 4136, Twentieth Century lode, hereinbefore described, bears N. 87°57'00" W., 3.824 chs. dist.
13.851	Computed intersection of southerly side line, Dewey lode, unsurveyed, based on the official record of the 1912 survey of Mineral Survey No. 4136, Last Chance lode, at a point from which the SE. cor. of Dewey lode, unsurveyed, hereinbefore described, bears N. 83°03'00" E., 1.110 chs. dist.

SUBDIVISION OF SECTION 28,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
17.015	Intersect line 3-4, Mineral Survey No. 4136, Last Chance lode, at a point from which Cor. No. 3, Mineral Survey No. 4136, Last Chance lode, hereinbefore described, bears S. 88°36'00" W., 1.280 chs. dist.
19.964	<p>Point for the C-S 1/16 sec. cor. of sec. 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} C \\ S\ 1/16 \quad   \quad S28 \\ C \end{array}</math> <p>1999</p> </div> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p>
39.928	<p>Point for the center 1/4 sec. cor. of sec. 28, at intersection with the E-W center line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} T17N\ R21E \\ C\ 1/4\ S28 \end{array}</math> <p>1999</p> </div> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p>
60.174	<p>Point for the C-N 1/16 sec. cor. of sec. 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} C \\ N\ 1/16 \quad   \quad S28 \\ C \end{array}</math> <p>1999</p> </div> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p>
69.971	Intersect line 2-3, Mineral Survey No. 3797, Roy lode, at a point from which Cor. No. 3, Mineral Survey No. 3797, Roy lode, hereinbefore described, bears N. 61°36'40" E., 5.029 chs. dist.
80.420	The 1/4 sec. cor. of secs. 21 and 28.

SUBDIVISION OF SECTION 28,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	From the 1/4 sec. cor. of secs. 27 and 28.
	N. 87°29'10" W., on the E-W center line of sec. 28.
4.145	Intersect line 1-2, Mineral Survey No. 128, Sadie claim, at a point from which Cor. No. 1, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears S. 0°18'20" W., 10.754 chs. dist.
9.570	Intersect line 2-6, Mineral Survey No. 76 A, Monte Christo claim, identical in part with line 6-7, Mineral Survey No. 128, Sadie claim, at a point from which Cor. No. 2, Mineral Survey No. 76 A, Monte Christo claim, identical with Cor. No. 7, Mineral Survey No. 128, Sadie claim, hereinbefore described, bears S. 15°38'30" E., 8.824 chs. dist.
14.231	Intersect line 7-3, Mineral Survey No. 76 A, Monte Christo claim, at a point from which a witness cor., hereinbefore described, bears N. 15°31'40" W., 1.392 chs. dist.
16.574	Intersect line 2-3, Mineral Survey No. 152, Concordia claim, at a point from which Cor. No. 3, Mineral Survey No. 152, Concordia claim, hereinbefore described, bears S. 8°31'20" E., 2.463 chs. dist.
24.220	Intersect line 5-6, Mineral Survey No. 152, Concordia claim, at a point from which Cor. No. 5, Mineral Survey No. 152, Concordia claim, identical with Cor. No. 7, cancelled Mineral Survey No. 151, Rattler claim, hereinbefore described, bears S. 8°28'40" E., 3.950 chs. dist.
43.792	The center 1/4 sec. cor. of sec. 28.
63.700	Point for the C-W 1/16 sec. cor. of sec. 28.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.  $C \frac{W \ 1/16}{S28} C$  1999  Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.
77.650	Intersect line 2-3, Amended Mineral Survey No. 2581, Ohio Relocation lode, at a point from which Cor. No. 3, Amended Mineral Survey No. 2581, Ohio Relocation lode, hereinbefore described, bears S. 27°39'50" W., 1.281 chs. dist.
80.714	Intersect line 3-4, Amended Mineral Survey No. 2581, Ohio Relocation lode, at a point from which Cor. No. 3, Amended Mineral Survey No. 2581, Ohio Relocation lode, hereinbefore described, bears S. 62°46'30" E., 2.774 chs. dist.
83.608	The 1/4 sec. cor. of secs. 28 and 29.

SUBDIVISION OF SECTION 28,  
T. 17 N., R. 21 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the N 1/16 sec. cor. of secs. 27 and 28.</p> <p>N. 87°52'20" W., on the E-W center line of the NE1/4 of sec. 28.</p>
3.975	Intersect line 4-1, Mineral Survey No. 3757, Virginia Standard lode, identical in part with a portion of line 4-1, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 1, Mineral Survey No. 3757, Virginia Standard lode, hereinbefore described, bears S. 27°10'40" W., 4.711 chs. dist.
13.231	Intersect line 1-2, Mineral Survey No. 3757, Silver Eagle lode, at a point from which Cor. No. 2, Mineral Survey No. 3757, Silver Eagle lode, hereinbefore described, bears N. 29°03'00" W., 0.857 chs. dist.
13.774	Intersect line 2-6, Mineral Survey No. 76 A, Monte Christo claim, at a point from which Cor. No. 6, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears N. 15°29'20" W., 12.091 chs. dist.
18.423	Intersect line 7-3, Mineral Survey No. 76 A, Monte Christo claim, at a point from which Cor. No. 7, Mineral Survey No. 76 A, Monte Christo claim, hereinbefore described, bears N. 15°31'40" W., 9.792 chs. dist.
42.034	The C-N 1/16 sec. cor. of sec. 28.
	<hr/> <p>From the W 1/16 sec. cor. of secs. 28 and 33.</p> <p>N. 0°12'00" E., on the N-S center line of the SW1/4 of sec. 28.</p>
19.980	<p>Point for the SW 1/16 sec. cor. of sec. 28, at intersection with the E-W center line of the SW1/4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">SW 1/16 S28</p> <p style="text-align: center;">1999</p> <p>Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p>
39.960	The C-W 1/16 sec. cor. of sec. 28.
	<hr/> <p>From the C-S 1/16 sec. cor. of sec. 28.</p> <p>N. 87°31'20" W., on the E-W center line of the SW1/4 of sec. 28.</p>
19.786	The SW 1/16 sec. cor. of sec. 28.
39.572	The S 1/16 sec. cor. of secs. 28 and 29.

## TOWNSHIP 17 NORTH, RANGE 21 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	GENERAL DESCRIPTION
	<p>The area surveyed is generally located in the area surrounding Virginia City, Nevada. Virginia City is located mostly within section 29. The area is mountainous land and the elevation ranges from approximately 5000 ft. to 7850 ft. above sea level. The vegetation consists of sagebrush, pinon pine, juniper, Brigham Tea, shadscale, buck brush and various grasses. Access is provided by Nevada State Route 341 and numerous secondary and trail roads. The area is highly mineralized and has numerous mining claims.</p> <hr/>

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

Duane R. Garoutte	Cadastral Surveyor
Clay W. Morrow	Surveying Technician
Robert W. Crouch	Surveying Technician
Sarah L. Hass	Surveying Technician
Karla L. Gundlach	Survey Aid
Patrick Welsh	Survey Aid

## CERTIFICATE OF SURVEY

We, David D. Morlan, Cadastral Surveyor, and Ronald E. Williams, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 17th day of May, 1993, we have dependently resurveyed a portion of the south boundary, a portion of the subdivisional lines, a portion of the Northern Line of the Sutro Tunnel Grant and portions of certain mineral surveys, and subdivided sections 20, 27 and 28, Township 17 North, Range 21 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

July 28, 2008

(Date)

*David D. Morlan*

(Cadastral Surveyor)

July 29, 2008

(Date)

*David J. Clark*

/ For Ronald E. Williams

(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Reno, Nevada

The foregoing field notes of the dependent resurvey of a portion of the south boundary, a portion of the subdivisional lines, a portion of the Northern Line of the Sutro Tunnel Grant and portions of certain mineral surveys, and the subdivision of sections 20, 27 and 28, Township 17 North, Range 21 East, Mount Diablo Meridian, Nevada, executed by David D. Morlan, Cadastral Surveyor, and Ronald E. Williams, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

July 29, 2008

(Date)

*David J. Clark*

Acting (Chief Cadastral Surveyor, Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 17 N., R. 21 E., M.D.M., Nevada, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor, Nevada)~~