

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Original

FIELD NOTES

OF THE

INDEPENDENT RESURVEY OF

A PORTION OF THE SOUTH BOUNDARY AND THE EAST BOUNDARY,

AND THE SURVEY OF

A PORTION OF THE SUBDIVISIONAL LINES

OF

TOWNSHIP 37 NORTH, RANGE 32 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA

EXECUTED BY

David L. Dukleth, Cadastral Surveyor

Under Special Instructions dated August 7, 2001,
approved August 7, 2001,
and Supplemental Special Instructions dated July 16, 2004,
and approved July 16, 2004,
which provided for the surveys included under Group No. 803,
and Assignment Instructions dated July 16, 2004.

Survey commenced July 19, 2004

Survey completed May 12, 2005

INDEX DIAGRAM

TOWNSHIP 37 NORTH, RANGE 32 EAST, MOUNT DIABLO MERIDIAN, NEVADA

6	5	4	3	2	1 10
7	8	9	10	11	12 9
18	17	16	15 21	14 17	13 8 14
19	20	21	20 22 19	16 23 16	13 24 8 12
30	29	28	19 27 18	15 26 15	12 25 7 11
31	32	33 5	17 34 4	14 35 3	11 36 6 2

037

TOWNSHIP 37 NORTH, RANGE 32 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

The following field notes are those of the independent resurvey of a portion of the south boundary and the east boundary, and the survey of a portion of the subdivisional lines of Township 37 North, Range 32 East, Mount Diablo Meridian, Nevada.

The exterior boundaries and a portion of the subdivisional lines were surveyed by U.S. Deputy Surveyor G.W. Garside in 1874 under Contract No. 65.

A portion of the south boundary was retraced by U.S. Transitman J.R. English in 1918 under Group No. 62.

A portion of the south boundary of T. 38 N., R. 32 E., was dependently resurveyed by Cadastral Surveyor W.H. Sylvester in 1962 under Group No. 376.

An investigation along a portion of the south boundary in 1960 is shown on Protraction Diagram No. 147.

That portion of the plat of T. 37 N., R. 32 E., approved November 16, 1874, representing the survey of portions of sections 1, 4, 33 and 36 was suspended by the Director's memo dated August 16, 2005.

The survey was executed in accordance with the specifications set forth in the Manual of Surveying Instructions, 1973, the Special Instructions dated August 7, 2001, and the Supplemental Special Instructions dated July 16, 2004, for Group No. 803, Nevada.

Measurements were made with Trimble 4400 and 4700 Global Positioning System (GPS) receivers using real-time kinematic method and refer to the true meridian based on geodetic methods. The mean bearings of the lines and horizontal equivalents of ground distances only are entered in these field notes.

The geographic position (NAD 1983) of the cor. of Townships 37 North, Ranges 32 and 33 East, as determined by survey grade GPS receivers, in 2004, from National Geodetic Survey control stations Burns Junction CORS ARP, Tungsten CORS ARP, and Sheldon Refuge CORS ARP, is as follows:

Latitude 41°01'37.599" N. Longitude 118°20'12.357" W.

The mean magnetic declination is 16°00' E., as shown on U.S.G.S. quadrangle map "DONNA SCHEE SPRING, NEVADA" provisional edition, dated 1990.

038

INDEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

This Independent Resurvey Supersedes a Portion of the Survey Executed by U.S. Deputy Surveyor G.W. Garside in 1874. A diligent search was made for the original corners and the corners that were found are hereinafter noted.

From the point for the cor. of Tps. 36 and 37 N., Rs. 32 and 33 E., established SOUTH from the cor. of Tps. 37 and 38 N., Rs. 32 and 33 E., and EAST from the cor. of secs. 32 and 33 only, on the S. bdy. of the Tp., to an intersection, both hereinafter described.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.

T37N
R32E R33E
S36 | S31
T36N R32E
S 1

2004

The cor. is located on a rocky spur, slopes SW.

WEST, on the S. bdy. of sec. 36.

Over mountainous land.

17.751 The 1/4 sec. cor. of sec. 1 only, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, in a mound of stone, 3 ft. base, to top, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.

35.15 Jeep trail, 10 lks. wide, bears N. 15° W. and S. 15° E.

40.000 Point for the 1/4 sec. cor. of sec. 36 only.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.

T37N R32E
1/4 S36
T36N R32E

2004

The cor. is located on a rocky spur, slopes SW.

40.50 Drainage, dry, 20 lks. wide, drains S. 30° W., enter rolling hills.

039

INDEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS											
57.751	<p>The closing cor. of secs. 1 and 2, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.</p>										
80.000	<p>Point for the cor. of secs. 35 and 36 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T37N R32E</td> <td></td> </tr> <tr> <td>S35</td> <td>S36</td> </tr> <tr> <td colspan="2"><hr style="width: 50%; margin: 0 auto;"/></td> </tr> <tr> <td>T36N R32E</td> <td></td> </tr> <tr> <td>S</td> <td>2</td> </tr> </table> <p>2004</p> <p>The cor. is located on a gradual SW. slope with scattered vegetation.</p> <p>Land, mountainous, rolling. Soil, sandy, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> </div>	T37N R32E		S35	S36	<hr style="width: 50%; margin: 0 auto;"/>		T36N R32E		S	2
T37N R32E											
S35	S36										
<hr style="width: 50%; margin: 0 auto;"/>											
T36N R32E											
S	2										
	<p>WEST, on the S. bdy. of sec. 35.</p> <p>Over rolling hills.</p>										
17.702	<p>The 1/4 sec. cor. of sec. 2 only, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.</p>										
40.000	<p>Point for the 1/4 sec. cor. of sec. 35 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T37N R32E</td> <td></td> </tr> <tr> <td>1/4 S35</td> <td></td> </tr> <tr> <td colspan="2"><hr style="width: 50%; margin: 0 auto;"/></td> </tr> <tr> <td>T36N R32E</td> <td></td> </tr> </table> <p>2004</p> </div> <p>The cor. is located on a gradual SW. slope with scattered vegetation.</p>	T37N R32E		1/4 S35		<hr style="width: 50%; margin: 0 auto;"/>		T36N R32E			
T37N R32E											
1/4 S35											
<hr style="width: 50%; margin: 0 auto;"/>											
T36N R32E											
57.653	<p>The closing cor. of secs. 2 and 3, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, and in a collar of stone, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.</p>										

040

INDEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
80.000	<p>Point for the cor. of secs. 34 and 35 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S34 S35 ----- T36N R32E S 3 2004</p> <p>The cor. is located on a gradual S. slope.</p> <p>Land, rolling. Soil, sandy, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> <p>WEST, on the S. bdy. of sec. 34.</p> <p>Over rolling to level land.</p>
0.80	Jeep trail, 20 lks. wide, bears N. 15° E. and S. in curve.
17.770	The 1/4 sec. cor. of sec. 3 only, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, in a mound of stone, 2 1/2 ft. base, to top with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.
40.000	<p>Point for the 1/4 sec. cor. of sec. 34 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S34 ----- T36N R32E 2004</p> <p>The cor. is located on level land with scattered vegetation.</p>
57.887	The closing cor. of secs. 3 and 4, T. 36 N., R. 32 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 36 N., R. 32 E., executed concurrently under this same group.
80.000	Point for the cor. of secs. 33 and 34 only.

041

INDEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> $\begin{array}{r} T37N R32E \\ S33 S34 \\ \hline T36N R32E \\ S 4 \end{array}$ <p>2004</p> <p>The cor. is located on level land with scattered vegetation.</p> <p>Land, rolling, level. Soil, sandy, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> <p>WEST, on the S. bdy. of sec. 33.</p> <p>Over level land.</p> <p>15.60 Graveled road, 20 lks. wide, bears NNW and SSE.</p> <p>40.000 Point for the 1/4 sec. cor. of sec. 33 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> $\begin{array}{r} T37N R32E \\ 1/4 S33 \\ \hline T36N R32E \end{array}$ <p>2004</p> <p>The cor. is located on level land with scattered vegetation.</p> <p>80.000 Point for the 80 1/16 sec. cor. of sec. 33 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> $\frac{1/16 S33 80}{}$ <p>2005</p> <p>94.431 The Garside cor. of secs. 4, 5, 32 and 33, monumented with a trapstone, 9x6x5 ins., mkd. with 6 grooves on the S. face and 2 grooves on the W. face, firmly set in a mound of stone, 2 1/2 ft. diam., 6 ins. high, with a steel fence post laying alongside (Record, post). This is accepted as the best available evidence of the position of the original corner. This cor. will now refer to the cor. of secs. 32 and 33 only.</p>
--------	--

042

INDEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> $\begin{array}{r l} \text{T37N} & \text{R32E} \\ \text{S32} & \text{S33} \\ \hline \text{T36N} & \text{R32E} \\ \text{S} & \text{5} \end{array}$ <p>2004</p> <p>Deposit the marked stone and set the steel fence post alongside the stainless steel post.</p> <p>The cor. is located on level land with scattered vegetation and 4.7 chs. N. of a jeep trail, 10 lks. wide, bears NW. and SE.</p> <p>Land, level. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> <p style="text-align: center;">INDEPENDENT RESURVEY OF THE EAST BOUNDARY, T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">This Independent Resurvey Supercedes the Survey Executed by U.S. Deputy Surveyor G.W. Garside in 1874. A diligent search was made for the original corners and none were found.</p> <hr/> <p>From the cor. of Tps. 37 N., Rs. 32 and 33 E., hereinbefore described.</p> <p>NORTH, on the E. bdy. of sec. 36.</p> <p>Over mountainous land.</p> <p>40.000 Point for the 1/4 sec. cor. of sec. 36 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p> $\begin{array}{r l} \text{T37N} & \\ \text{R32E} & \text{R33E} \\ \text{1/4} & \\ \text{S36} & \end{array}$ <p>2004</p> <p>The cor. is located on a steep W. slope and 25 lks. E. of a ravine, drains S. 10° W.</p> <p>80.000 Point for the cor. of secs. 25 and 36 only.</p>
--------	--

043

INDEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 2 ins. in the ground, to solid rock, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T37N</td></tr> <tr><td>R32E</td><td>R33E</td></tr> <tr><td>S25</td><td></td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S36</td><td>S31</td></tr> </table> <p>2004</p> <p>The cor. is located on a spur, slopes N. 20° E.</p> <p>Land, mountainous. Soil, rocky, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> <p>NORTH, on the E. bdy. of sec. 25.</p> <p>Over mountainous land.</p> <p>40.000 Point for the 1/4 sec. cor. of sec. 25 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T37N</td></tr> <tr><td>R32E</td><td>R33E</td></tr> <tr><td>1/4</td><td></td></tr> <tr><td>S25</td><td></td></tr> </table> <p>2004</p> <p>The cor. is located on a spur, slopes W.</p> <p>79.00 Ridge, bears N. 50° E. and S. 65° W.</p> <p>80.000 Point for the cor. of secs. 24 and 25 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T37N</td></tr> <tr><td>R32E</td><td>R33E</td></tr> <tr><td>S24</td><td></td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S25</td><td>S30</td></tr> </table> <p>2004</p> <p>The cor. is located on a gradual N. slope.</p> <p>Land, mountainous. Soil, rocky, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> </div> </div> </div>	T37N		R32E	R33E	S25		<hr/>		S36	S31	T37N		R32E	R33E	1/4		S25		T37N		R32E	R33E	S24		<hr/>		S25	S30
T37N																													
R32E	R33E																												
S25																													
<hr/>																													
S36	S31																												
T37N																													
R32E	R33E																												
1/4																													
S25																													
T37N																													
R32E	R33E																												
S24																													
<hr/>																													
S25	S30																												

044

INDEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	NORTH, on the E. bdy. of sec. 24.								
	Over mountainous land.								
40.000	Point for the 1/4 sec. cor. of sec. 24 only.								
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.								
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">1/4</td><td style="border-left: 1px solid black;"></td></tr> <tr><td style="text-align: center;">S24</td><td style="border-left: 1px solid black;"></td></tr> </table>	T37N		R32E	R33E	1/4		S24	
T37N									
R32E	R33E								
1/4									
S24									
	2004								
	The cor. is located on a WNW slope, 1.2 chs. E. of a drainage, 10 lks. wide, drains N.								
80.000	Point for the cor. of secs. 13 and 24 only.								
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.								
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">S13</td><td style="border-left: 1px solid black;"></td></tr> <tr><td style="text-align: center;">S24</td><td style="border-left: 1px solid black;">S19</td></tr> </table>	T37N		R32E	R33E	S13		S24	S19
T37N									
R32E	R33E								
S13									
S24	S19								
	2004								
	The cor. is located on the S. side of a drainage, 110 lks. wide, drains N. 70° W.								
	Land, mountainous. Soil, rocky, alkali and silt. Vegetation, native grass and shadscale.								
	NORTH, on the E. bdy. of sec. 13.								
	Over mountainous land.								
40.000	Point for the 1/4 sec. cor. of sec. 13 only.								
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.								
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">1/4</td><td style="border-left: 1px solid black;"></td></tr> <tr><td style="text-align: center;">S13</td><td style="border-left: 1px solid black;"></td></tr> </table>	T37N		R32E	R33E	1/4		S13	
T37N									
R32E	R33E								
1/4									
S13									
	2004								

045

INDEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	The cor. is located on a WNW slope.								
80.000	<p>Point for the cor. of secs. 12 and 13 only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="border-left: 1px solid black; text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">S12</td><td style="border-left: 1px solid black; text-align: center;"> </td></tr> <tr><td style="border-top: 1px solid black; text-align: center;">S13</td><td style="border-left: 1px solid black; text-align: center;">S18</td></tr> </table> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual NNW slope with scattered vegetation.</p> <p>Land, mountainous. Soil, rocky, alkali and silt. Vegetation, native grass and shadscale.</p>	T37N		R32E	R33E	S12		S13	S18
T37N									
R32E	R33E								
S12									
S13	S18								
	<hr/>								
	NORTH, on the E. bdy. of sec. 12.								
	Over mountainous land; descending, mostly broken.								
38.20	Jeep trail, 10 lks. wide, bears N. 80° W. and S. 80° E.								
40.000	Point for the 1/4 sec. cor. of sec. 12 only.								
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="border-left: 1px solid black; text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">1/4</td><td style="border-left: 1px solid black; text-align: center;"> </td></tr> <tr><td style="text-align: center;">S12</td><td style="border-left: 1px solid black; text-align: center;"> </td></tr> </table> <p style="text-align: center;">2004</p>	T37N		R32E	R33E	1/4		S12	
T37N									
R32E	R33E								
1/4									
S12									
	The cor. is located on a gradual NNE slope with scattered vegetation.								
80.000	Point for the cor. of secs. 1 and 12 only.								
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T37N</td></tr> <tr><td style="text-align: center;">R32E</td><td style="border-left: 1px solid black; text-align: center;">R33E</td></tr> <tr><td style="text-align: center;">S 1</td><td style="border-left: 1px solid black; text-align: center;"> </td></tr> <tr><td style="border-top: 1px solid black; text-align: center;">S12</td><td style="border-left: 1px solid black; text-align: center;">S 7</td></tr> </table> <p style="text-align: center;">2004</p>	T37N		R32E	R33E	S 1		S12	S 7
T37N									
R32E	R33E								
S 1									
S12	S 7								

046

INDEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS											
	<p>The cor. is located on a gradual NW. slope with scattered vegetation.</p> <p>Land, mountainous, mostly broken. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>										
	<p>NORTH, on the E. bdy. of sec. 1.</p> <p>Over gently rolling land.</p>										
16.40	Jeep trail, 10 lks. wide, bears NW. and SE.										
40.000	Point for the 1/4 sec. cor. of sec. 1 only.										
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td>T37N</td><td></td></tr> <tr><td>R32E</td><td>R33E</td></tr> <tr><td>1/4</td><td> </td></tr> <tr><td>S 1</td><td> </td></tr> </table> <p>2004</p> </div>	T37N		R32E	R33E	1/4		S 1			
T37N											
R32E	R33E										
1/4											
S 1											
	<p>The cor. is located on a gradual WSW slope with scattered vegetation.</p>										
84.986	<p>The cor. of Tps. 37 and 38 N., Rs. 32 and 33 E., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 18 ins. above ground, and in a mound of stone, 4 ft. diam., with brass cap mkd. as described in the field notes of T. 38 N., R. 32 E., executed under Group No. 376.</p>										
	<p>This cor. will now refer to the cor. of Tps. 37 and 38 N., R. 32 E. only. Remark the brass cap to read as follows:</p> <div style="text-align: center;"> <table border="0"> <tr><td>T38N</td><td></td></tr> <tr><td>R32E</td><td>T37N</td></tr> <tr><td>S36</td><td> </td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td>T37N</td><td>R33E</td></tr> </table> <p>2005 1959</p> </div>	T38N		R32E	T37N	S36		S 1	S 6	T37N	R33E
T38N											
R32E	T37N										
S36											
S 1	S 6										
T37N	R33E										
	<p>From this corner, top of hill bears S. 36 3/4° W., 6.6 chs. dist.</p>										
	<p>The cor. is located on a rocky N. slope and at NW. side of small rock outcropping.</p> <p>Land, gently rolling. Soil, sandy, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>										

047

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the cor. of secs. 35 and 36 only, on the S. bdy. of the Tp., hereinbefore described.</p> <p>N. 0°00'40" W., bet. secs. 35 and 36.</p> <p>Over SW. slopes of rolling land.</p> <p>40.000 Point for the 1/4 sec. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S35 S36</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual SW. slope with sagebrush.</p> <p>80.000 Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S26 S25 S35 S36</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual SW. slope with sagebrush.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/> <p>From the cor. of secs. 25 and 36 only, on the E. bdy. of the Tp., hereinbefore described.</p> <p>WEST, bet. secs. 25 and 36.</p> <p>Over mountainous land.</p> <p>40.000 Point for the 1/4 sec. cor. of secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S25 1/4 ——— S36</p> <p style="text-align: center;">2004</p>
--------	---

048

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>The cor. is located on a gradual W. slope with sagebrush. Leave mountainous land; enter rolling land.</p>
80.000	<p>The cor. of secs. 25, 26, 35 and 36. Land, mountainous, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
	<p>N. 0°00'40" W., bet. secs. 25 and 26. Over rolling hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 25 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S26 S25 2004</p>
80.000	<p>The cor. is located on a gradual SW. slope with sagebrush. Point for the cor. of secs. 23, 24, 25 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S23 S24 S26 S25 2004</p>
	<p>The cor. is located on top of spur, slopes SW. Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
40.000	<p>From the cor. of secs. 24 and 25 only, on the E. bdy. of the Tp., hereinbefore described. WEST, bet. secs. 24 and 25. Over low hills. Point for the 1/4 sec. cor. of secs. 24 and 25.</p>

049

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S24 1/4 <u> </u> S25</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual SW. slope.</p> <p>40.30 Ravine, drains S. 50° W.</p> <p>80.000 The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, scattered native grass and shadscale.</p> <hr/> <p>N. 0°00'40" W., bet. secs. 23 and 24.</p> <p>Over low hills.</p> <p>40.000 Point for the 1/4 sec. cor. of secs. 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S23 S24</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a moderate NE. slope with sagebrush.</p> <p>80.000 Point for the cor. of secs. 13, 14, 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S14 S13 <u> </u> S23 S24</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a moderate NW. slope with sagebrush.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
--------	--

050

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the cor. of secs. 13 and 24 only, on the E. bdy. of the Tp., hereinbefore described.</p>
	<p>WEST, bet. secs. 13 and 24.</p>
	<p>Over low hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 13 and 24.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E S13 1/4 <u> </u> S24</p>
	<p style="text-align: center;">2004</p>
	<p>The cor. is located on a gradual N. slope with sagebrush.</p>
80.000	<p>The cor. of secs. 13, 14, 23 and 24.</p>
	<p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p>
	<hr/> <p>From the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp., hereinbefore described.</p>
	<p>N. 0°01'30" W., bet. secs. 34 and 35.</p>
	<p>Over nearly level land.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 34 and 35.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E 1/4 S34 S35</p>
	<p style="text-align: center;">2004</p>
	<p>The cor. is located on a gradual SW. slope with sagebrush.</p>
80.000	<p>Point for the cor. of secs. 26, 27, 34 and 35.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E S27 S26 <u> </u> S34 S35</p>
	<p style="text-align: center;">2004</p>

051

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>The cor. is located on a gradual SW. slope with sagebrush.</p>
	<p>Land, nearly level. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p>
	<p>WEST, bet. secs. 26 and 35.</p>
	<p>Over rolling land.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E 1/4 $\frac{S26}{S35}$</p>
	<p style="text-align: center;">2004</p>
	<p>The cor. is located on a gradual SW. slope with sagebrush.</p>
80.000	<p>The cor. of secs. 26, 27, 34 and 35.</p>
	<p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
	<p>N. 0°01'30" W., bet. secs. 26 and 27.</p>
	<p>Over rolling land.</p>
30.30	<p>Jeep trail, 10 lks. wide, bears N. 30° E. and S. 30° W.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 26 and 27.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to solid rock, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E 1/4 $\frac{S27}{S26}$</p>
	<p style="text-align: center;">2004</p>
	<p>The cor. is located on a moderate SW. slope with sagebrush.</p>
80.000	<p>Point for the cor. of secs. 22, 23, 26 and 27.</p>

052

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S22 S23 ----- S27 S26</p> <p style="text-align: center;">2004</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>WEST, bet. secs. 23 and 26.</p> <p>Over low hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 23 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S23 1/4 --- S26</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a moderate E. slope with sagebrush.</p>
80.000	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/>
	<p>N. 0°01'30" W., bet. secs. 22 and 23.</p> <p>Over rolling hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S22 S23</p> <p style="text-align: center;">2004</p>

053

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS							
40.80	Ridge, bears N. 45° E. and S. 75° W.						
80.000	Point for the cor. of secs. 14, 15, 22 and 23. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd. <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T37N</td> <td>R32E</td> </tr> <tr> <td>S15</td> <td>S14</td> </tr> <tr> <td>S22</td> <td>S23</td> </tr> </table> <p style="text-align: center;">2004</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24. WEST, bet. secs. 14 and 23. Over rolling hills.</p>	T37N	R32E	S15	S14	S22	S23
T37N	R32E						
S15	S14						
S22	S23						
40.000	Point for the 1/4 sec. cor. of secs. 14 and 23. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd. <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T37N</td> <td>R32E</td> </tr> <tr> <td>1/4</td> <td>S14</td> </tr> <tr> <td></td> <td>S23</td> </tr> </table> <p style="text-align: center;">2004</p> <p>The cor. is located on the E. edge of a dry wash, drains N. 50° W., with sagebrush.</p>	T37N	R32E	1/4	S14		S23
T37N	R32E						
1/4	S14						
	S23						
80.000	The cor. of secs. 14, 15, 22 and 23. Land, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.						
	<hr/> <p>From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp., hereinbefore described. N. 0°02'20" W., bet. secs. 33 and 34. Over nearly level land, rolling hills.</p>						
40.000	Point for the 1/4 sec. cor. of secs. 33 and 34.						

054

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S33 S34</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a SW. slope in rocky soil with sagebrush.</p>
54.60	Jeep trail, 10 lks. wide, bears N. 45° E. and S. 45° W.
80.000	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S28 S27 ----- S33 S34</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual SW. slope with scattered vegetation.</p> <p>Land, nearly level, rolling. Soil, alkali and silt. Vegetation, native grass, sagebrush and shadscale.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>WEST, bet. secs. 27 and 34.</p> <p>Over, rolling land.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 27 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S27 1/4 ----- S34</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a WNW slope.</p>
42.20	Jeep trail, 10 lks. wide, bears N. 60° E. and S. 60° W.

055

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
80.000	<p>The cor. of secs. 27, 28, 33 and 34.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>
	<p>N. 0°02'20" W., bet. secs. 27 and 28.</p> <p>Over rolling land.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E 1/4 S28 S27</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual SW. slope with scattered vegetation.</p>
80.000	<p>Point for the cor. of secs. 21, 22, 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T37N R32E S21 S22 S28 S27</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a rocky SW. slope with scattered vegetation.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>
	<p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>WEST, bet. secs. 22 and 27.</p> <p>Over rolling hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 22 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>

056

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">T37N R32E S22 1/4 $\frac{1/4}{S27}$</p>
	<p style="text-align: center;">2004</p> <p>The cor. is located on a moderate S. slope with scattered vegetation.</p>
80.000	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, rolling. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>
	<p>N. 0°02'20" W., bet. secs. 21 and 22.</p> <p>Over rolling hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E 1/4 S21 S22</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a broken westerly slope with scattered vegetation.</p>
80.000	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T37N R32E S16 S15 S21 S22</p> <p style="text-align: center;">2004</p> <p>The cor. is located on a gradual NW. slope with scattered vegetation.</p>
	<p>Land, rolling. Soil, alkali and silt. Vegetation, native grass and shadscale.</p> <hr/>

057

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 37 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	From the cor. of secs. 14, 15, 22 and 23.
	WEST, bet. secs. 15 and 22.
	Over rolling hills.
0.10	Wash, drains N.
40.000	Point for the 1/4 sec. cor. of secs. 15 and 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
	22 ins. in the ground, over a plastic-encased magnet, and in a
	mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.
	T37N R32E
	S15
	1/4 $\frac{\quad}{\quad}$
	S22
	2004
	The cor. is located on top of spur, slopes N. 20° E.
80.000	The cor. of secs. 15, 16, 21 and 22.
	Land, rolling.
	Soil, rocky.
	Vegetation, native grass and shadscale.
<hr/>	
GENERAL DESCRIPTION	
The lands included in the survey are located in the south-	
central portion of Humboldt County, Nevada, about 40 miles	
westerly of the City of Winnemucca, Nevada. Access is gained by	
way of Nevada State Route No. 49 (Jungo Road). The majority of	
the township can be accessed from a rural road extending	
northerly from the Jungo railroad siding on Jungo Road.	
The lowest portion of the survey area is at an elevation of	
about 4200 feet above sea level and the highest elevation is at	
5250 feet above sea level.	
Presently the lands are used for cattle grazing and off-road	
vehicle recreation. Limited mining activity has occurred in	
past years in the Jungo Hills. Vegetation in the alkali soil	
consists of native grass, shadscale and other vegetation.	
<hr/>	

058

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANT

Donald R. Parke	Cadastral Surveyor
Brian L. Mikkelsen	Cadastral Surveyor
Jonathan H. Miller II	Land Surveyor-in-Training (Student)
David J. Roderiques	Land Surveyor-in-Training (Student)
Ronald M. Schulz	Land Surveyor-in-Training (Student)
Wayne E. Chubb	Survey Aid

059

CERTIFICATE OF SURVEY

I, David L. Dukleth, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of Special Instructions bearing date of the 7th day of August, 2001, and Supplemental Special Instructions bearing date of the 16th day of July, 2004, I have independently resurveyed a portion of the south boundary and the east boundary, and surveyed a portion of the subdivisional lines of Township 37 North, Range 32 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special and supplemental instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

September 19, 2005

(Date)



(Cadastral Surveyor)


CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Reno, Nevada

The foregoing field notes of the independent resurvey of a portion of the south boundary and the east boundary, and the survey of a portion of the subdivisional lines of Township 37 North, Range 32 East, Mount Diablo Meridian, Nevada, executed by David L. Dukleth, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

September 27, 2005

(Date)



(Chief Cadastral Surveyor, Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 37 N., R. 32 E., M.D.M., Nevada, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor, Nevada)~~