

INDEPENDENT RESURVEY OF THE EAST BDY. OF T. 27 S., R. 62 E.

Chains

From this cor., the original $\frac{1}{4}$ sec. cor. bears S.86°30'W., 4.49 chs. dist., a basalt stone, 18x12x10 ins., mkd. $\frac{1}{4}$ on W. face, and firmly set in a mound of stone. I destroy this cor.

55.00 Low spur, slopes NE.

66.10 Shallow dry wash, 40 lks. wide, course E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 1 and 12 only, with brass cap mkd.

T27S	
R62E	R63E
S 1	S6
S12	
1940	

raise a mound

of stone, 3 ft. base, 2 ft. high, W. of cor.

From this cor., the original sec. cor. bears N.87°20'W., 5.48 chs. dist., a basalt stone, 16x12x8 ins., mkd. 5 grooves on S. face and 1 groove on N. face, firmly set in a mound of stones. I destroy all traces of this cor.

Land, rolling.

Soil, gravelly, 3d rate.

No timber.

Undergrowth, creosote, black brush, cacti, grasses.

Grazing, good.

North, along the E. bdy. of sec. 1.

Over rolling land through medium dense undergrowth.

10.10 Shallow wash, 20 lks. wide, course NE.

31.20 Shallow wash, 80 lks. wide, course N.5°W. from S.30°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, with a basalt rock, 16x12x10 ins., mkd. X deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 1 only, with brass cap mkd.

$\frac{1}{4}$ S1	
1940	

raise a mound

of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

From this cor., the original $\frac{1}{4}$ sec. cor. bears N.82°W., 6.60 chs. dist., a basalt stone, 16x12x10 ins., mkd. $\frac{1}{4}$ on W. face, firmly set in a mound of stone. I destroy all traces of this cor.

47.80 Shallow wash, 80 lks. wide, course N.20°E.

75.10 Shallow wash, 150 lks. wide, course N.10°E.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground, for the cor. of Ts. 26 and 27 S., Rs. 62 and 63 E., with brass cap mkd.

T26S	
R62E	R63E
S36	S31
S 1	S 6
T27S	
1940	