

DEPENDENT RESURVEY OF A PORTION OF
THE SUBDIVISIONAL LINES,
TOWNSHIP 30 SOUTH, RANGE 64 EAST, MDM, NEVADA

CHAINS	DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 30 S., R. 64 E., MOUNT DIABLO MERIDIAN, NEVADA
	<p>Reestablishment of the Survey Executed by U.S. Deputy Surveyor W. H. Myrick in 1883</p>
	<p>From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp.</p>
	<p>N. 1° 32' E., bet. secs. 31 and 32.</p>
	<p>Over gently rolling land, covered with creosote, greasewood and scattered cacti.</p>
40.185	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T30S R64E $\frac{1}{4}$ S 31 S 32 1989</p>
	<p>Set a steel fence post, 5$\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>
	<p>From this corner, an iron pin, 1 in. diam., firmly set showing 4 ins. above ground, with brass cap, 2 ins. diam., mkd. $\frac{1}{4}$ S31 S32 T30S R64E 1986 RLS 2002, bears N. 80° 47' W., 0.90 chs. dist. This point is recorded in Clark County, Record of Survey No. 623, no original evidence found, therefore was not utilized in the course of this resurvey.</p>
73.70	<p>Trail road, parallels power line.</p>
73.90	<p>Power line, bears S. 85$\frac{1}{2}$° E. and N. 85$\frac{1}{2}$° W.</p>
75.50	<p>Piute Wash, 100 lks. wide, 3 ft. deep, drains SSW.</p>
80.37	<p>Point for the cor. of secs. 29, 30, 31 and 32, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T30S R64E S 30 S 29 <u>S 31 S 32</u> 1989</p>