

Toiyabe NATIONAL FOREST

Chains

courses of this survey are referred to as courses of this survey.

Mean magnetic declination $17^{\circ} 27'$ E., November 28, 1913

Beginning at Cor. 1 identical with Cor. H/4 of listing survey, a granite stone, marked and witnessed as described by the Surveyor General, in place of which I set a granite stone, 26x16x4 ins., 16 ins. in the ground, marked 1-HES 46 on side facing the claim, and cross (x) on top for Cor. 1 of this survey.

A pinon, 11 ins. dia., blazed and scribed X-HES46-BT, bears N. $69^{\circ} 25'$ W. 63 lks. dist.

A juniper fence post, 9 ft. long, 7 ins. dia., set 24 ins. in the ground, blazed and scribed X-1HES46-BP, bears N. $31^{\circ} 9'$ E., 33 lks. dist.

Fences bear N. 31° E. and N. $47^{\circ} 30'$ W.

The cor. of sections 13, 18, 19, and 24, T. 14 N., Rgs. 38 and 39 E., a granite stone 14x10x8 ins., marked with 3 notches on N. and 3 notches on S., bears S. $70^{\circ} 14'$ W., 137.79 chs. dist.

Thence N. 12° E.

Ascend gentle slope across alluvial material.

5.24 To Cor. 2, 16 ft. above Cor. 1, identical with Cor. H/3 of listing survey, a granite stone, marked and witnessed as described by the Surveyor General, in place of which I set a granite stone 24x18x18 ins., 14 ins. in the ground, marked 2HES46 on side facing the claim and cross (x) on top for Cor. 2 of this survey.

A pinon, 5 ins. dia., blazed and scribed X-2HES46-BT, bears N. $53^{\circ} 16'$ W., 60 lks. dist.

A granite boulder, 36x24x8 ins. above ground, marked X-2HES46-BR., bears S. $89^{\circ} 35'$ W., 23 lks. dist.

The mean of these is $21^{\circ} 50'$ W. The mean of these is $21^{\circ} 50'$ W. and to the corresponding meridian $54'$ W.