

SURVEY NO. 3037.

INSTRUMENT.

This survey was made with a Lietz Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 6 ft. and 650 ft. steel tapes.

REPORT.

The S. E. corner of Sec. 6, T. 2 S. R. 39 E. M. D. M. is a porphyry rock, 4 x 9 ins., extending 12 ins. above the ground with a mound of stones alongside, marked five notches on the east and five notches on the south.

The S. W. corner of Sec. 6, T. 2 S., R. 39 E., M. D. M. is a granite rock, 4 x 5 ins., extending 12 ins. above the ground, with a mound of stones alongside, marked five notches on the south and one notch on the north.

After diligent search I was unable to find the south  $\frac{1}{4}$  corner of Sec. 6, T. 2 S., R. 39 E., M. D. M.

I find the south line of Sec. 6, T. 2 S. R. 39 E, M. D. M. to be S. 89° 13' 50" E. 5393.05 ft.

Vega Location: (Unsd)

All corners are sawed pine posts 4 x 4 ins., extending 3 ft. above the ground in a mound of earth and stones, marked N. E. Cor., N. W. Cor., S. E. Cor., and S. W. Cor. Vega.

Vega Extension Location: (Unsd)

All corners are sawed pine posts 4 x 4 ins., extending 3 ft. above the ground, marked N. E. Cor., N. W. cor., S. E. Cor., and S. W. Cor., Vega Extension.

Mohawk No. 1 Location: (Unsd)

All corners are sawed pine posts 4 x 4 ins., extending 30 ins. above the ground in a mound of earth and stones, marked N. E. Cor., N. W. Cor., S. E. Cor., and S. W. Cor., Mohawk No. 1.

Summit Location: (Unsd)

All corners are sawed pine posts 4 x 4 ins., extending 3 ft. above the ground in a mound of earth and stones, marked N. E. Cor., <sup>(N.S. Cor)</sup> N. W. Cor., S. E. Cor., and S. W. Cor