

Mineral Survey No. 5006

	FEET	<p>All lines and connections of this survey were run by direct methods except as noted.</p> <p>The magnetic declination observed at each cor. gave a uniform value of 17°00' E.</p> <hr/> <p>AM 162 MILLSITE</p> <p>At Cor. No. 1 of the AM 162 millsite.</p> <p>Set an aluminum post, 30 ins. long, 2 ins. diam., 25 ins. in the ground, with an aluminum cap mkd. AM-162-1-5006, from which</p> <p>The 1/4 sec. cor. bet. sec. 27 and 28, T. 22 N., R. 49 E., Mt. Diablo Mer., bears S. 81°32'53" W., 691.93 ft. dist., monumented with a wood post and steel post, with R.L.S. Tag mkd. 1/4 28/27 LS 5830-1985.</p> <p>The cor. of secs. 22, 23, 26 and 27, T. 22 N., R. 49 E., Mt. Diablo Mer., bears N. 61°04'51" E., 5281.27 ft. dist., monumented with an aluminum post, 2 ins. diam., 8 ins. above the ground, surrounded by a rock mound, 30 ins. diam., with a mkd. aluminum cap.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 44°55'18" E.</p> <p>215. Center of road, 30 ft. wide, bears N. 67° E. and S. 67° W.</p> <p>600.00 Cor. No. 2.</p> <p>Set an aluminum post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with an aluminum cap mkd. AM-162-2-5006.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 45°04'42" W.</p>
--	------	---