

Mineral Survey No. 5082

FEET

inclined -60° , azimuth 270° , total down hole depth of drill hole, 600 ft. deep.

Value \$6,600.00.

Total value of expenditures this survey: \$403,510.00. Number of mining claims included in this survey: 10. Allocation of proportionate share of expenditures to this survey: $\$403,510.00 \div 10 = \$40,351.00$.

The improvements are in progress for the development of the ten lodes of this survey, which are all the contiguous lode claims owned in common within the range of benefit of said improvements.

These improvements afford the most practical and economical means of developing each of the lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey, subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-tenth interest in their value is hereby credited to each of the lodes.

No portion of or interest in these improvements has been credited theretofore as patent expenditures to any lode claims.

OTHER IMPROVEMENTS

Drill Hole No. DNT-11 bears S. $3^\circ 30'$ E., 630.2 ft. dist., from Cor. No. 1 of the AP #10A lode, vertical hole 4.75 ins. diam., 400 ft. deep.

No value.

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

The closing cor. of secs. 18 and 19, T. 32 N., R. 43 E., MDM, was found to be monumented with an iron post and G.L.O. brass cap, 13 ins. above the ground, firmly set and properly mkd.

The $\frac{1}{4}$ sec. cor. of secs. 18 and 19, T. 32 N., R. 43 E., MDM, was found to be monumented with an iron post and G.L.O. brass cap, 14 ins. above the ground, firmly set and properly mkd.

The cor. of secs. 17, 18, 19, and 20, T. 32 N., R. 43 E., MDM, was found to be monumented with an iron post and G.L.O. brass cap, 13 ins. above the ground, firmly set and properly mkd.

The line from the closing cor. of secs. 18 and 19 to the $\frac{1}{4}$ sec. cor. of sec. 18 and 19 was found to be N. $89^\circ 57' 46''$ E., 2636.36 ft. dist., instead of N. $89^\circ 56'$ E., 2641.32 ft. dist., as approved.

The line from the $\frac{1}{4}$ sec. cor. of secs. 18 and 19 to the cor. of secs. 17, 18, 19, and 20 was found to be N. $89^\circ 52' 38''$ E., 2633.44 ft. dist., instead of N. $89^\circ 56'$ E., 2641.32 ft. dist., as approved.
