

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

063

Original
FIELD NOTES
OF THE
DEPENDENT RESURVEY
OF
PORTIONS OF THE WEST AND NORTH BOUNDARIES,
A PORTION OF THE SUBDIVISIONAL LINES,
AND THE MEANDERS OF CARSON LAKE,
AND
THE DETERMINATION OF THE PARTITION LINES
IN THE RELICTED LANDS OF CARSON LAKE,
THE SURVEY OF THE SOUTH BOUNDARY,
THE COMPLETION SURVEY OF THE EAST AND WEST BOUNDARIES,
THE METES-AND-BOUNDS SURVEYS OF A PRIVATE CLAIM
AND A PORTION OF STATE HIGHWAY NO. 120,
AND THE SURVEY OF TRACTS 37, 38, 39 AND 40,
TOWNSHIP 17 NORTH, RANGE 29 EAST,
OF THE MOUNT DIABLO MERIDIAN,
IN THE STATE OF NEVADA

EXECUTED BY

Brock R. Clifford, Cadastral Surveyor
Thomas E. Casinger, Cadastral Surveyor

Under Special Instructions dated June 10, 1996,
and approved June 10, 1996,
and Supplemental Special Instructions dated April 30, 1998,
and approved April 30, 1998,
which provided for the surveys included under Group No. 763,
and Assignment Instructions dated June 10, 1996
and November 3, 1997.

Survey commenced September 9, 1996

Survey completed July 2, 1998

INDEX DIAGRAM

064

TOWNSHIP 17 NORTH, RANGE 29 EAST

6	5	4	5 11 3	4 2	3 1
7	8 8	9 9	10	11	12
18 6	7 17	16	15	14	13
2 19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Dependent resurvey of the meanders of Carson Lake	Pages 12-15
Survey of the relicted lands of Carson Lake	Pages 16-17
Survey of the south boundary	Page 17
Completion survey of the east boundary	Page 18
Completion survey of the west boundary	Pages 18-19
Metes-and-Bounds survey of a private claim	Pages 19-23
Metes-and-Bounds survey of a portion of State Highway No. 120	Pages 23-27
Survey of Tract 37	Pages 27-29
Survey of Tract 38	Pages 29-32
Survey of Tract 39	Pages 32-33
Survey of Tract 39	Pages 33-35

TOWNSHIP 17 NORTH, RANGE 29 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

The following field notes are those of the dependent resurvey of portions of the west and north boundaries, a portion of the subdivisional lines, and the meanders of Carson Lake, and the determination of the partition lines in the relicted lands of Carson Lake, the survey of the south boundary, the completion survey of the east and west boundaries, the metes-and-bounds surveys of a private land claim and a portion of State Highway No. 120, and the survey of Tracts 37, 38, 39 and 40, Township 17 North, Range 29 East, Mount Diablo Meridian, Nevada.

Portions of the west and north boundaries were surveyed by U.S. Deputy Surveyor E.B. Monroe, in 1868, under Contract No. 10. A portion of the subdivisional lines was surveyed by U.S. Deputy Surveyors E.B. Monroe and A.J. Bateman, in 1874, under Contract No. 63. Portions of the west and north boundaries and subdivisional lines were resurveyed and surveyed, and a portion of the east boundary and the meanders of Carson Lake were surveyed by U.S. Deputy Surveyors M.F. Reilly and T.A. Magee, in 1881, under Contract No. 108. A portion of the north boundary was resurveyed by U.S. Surveyor W. A. Pray, in 1912, under Contract No. 16.

The dependent resurvey of a portion of the west boundary of T. 17 N., R. 30 E., and the metes-and-bounds survey of Parcel A and the survey of Tracts 37, 38, 39 and 40, T. 17 N., R. 28 E., were executed concurrently under this same group.

Before restoring the corners, the lines of the original surveys were retraced and diligent search made for any evidence of the original corners and other calls of the original field note record.

The rules of proportionate measurement were applied in order to ascertain the position of lost corners, after completing the necessary retracements to connect with identified corner locations. Additional lines governing secs. 3 and 17 were resurveyed to verify local control. In order to simplify the record, the true line notes only are supplied herewith, which refer to the completed survey.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, the Special Instructions dated June 10, 1996, and the Supplemental Special Instructions dated April 30, 1998.

The direction of the lines of this survey were determined by azimuth taken from GPS positions at the cor. of Tps. 17 and 18 N., Rs. 29 and 30 E., and the $\frac{1}{4}$ sec. cor. of secs. 20 and 21, T. 17 N., R. 30 E., and by use of Global Positioning System satellite data, using the real time kinematic survey process, and refer to the true meridian. The lines were carried forward by sustained angulation throughout the progress of the survey.

The vertical angles of measurements made on the slope were ascertained with a theodolite in good adjustment; the horizontal equivalents only are entered in the field notes.

CHAINS

The 1980 mean magnetic declination is 16° E., as shown on U.S.G.S. quadrangle map "CARSON LAKE, NEV." dated 1985.

(Reestablishment of the Survey Executed by
M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881)

SOUTH, bet. secs. 19 and 24, identical with line 1-4, Parcel A,
T. 17 N., R. 28 E.

12.300

Drive a railroad spike flush with the surface of the ground, with top mkd. MC and a cross

A stainless steel post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 46°40' E., 97.4 lks. dist., with brass cap mkd. RM T17NR29E MC S19 64.3 FT TO COR 1998 and an arrow pointing to the corner.

Cor. is located 0.33 chs. E. of the center of U.S. Highway No. 95, 48 lks. wide, bears N. and S. and 0.08 chs. S. of the projection of a fence, bears SW.

067

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>(Reestablishment of the Survey Executed by M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881, and the Retracement and Resurvey Executed by W.A. Prey, U.S. Surveyor, in 1912)</p> <hr/> <p>From the cor. of Tps. 17 and 18 N., Rs. 29 and 30 E., identical with Angle Pt. No. 1, Tract 37, monumented with an iron post, 3 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 30 E., executed concurrently under this same group.</p> <p>N. 89°45'50" W., on the S. bdy. of sec. 36, T. 18 N., R. 29 E., identical with line 1-2, Tract 37.</p> <p>Along fence, over pasture land, covered with native grass.</p> <p>40.097 The $\frac{1}{4}$ sec. cor. of secs. 1 and 36, monumented with an iron post, 1 in. diam., firmly set flush with the surface of the ground, in fence, bears E. and W., with brass cap mkd. as described in the field notes of T. 18 N., R. 29 E., executed under Group No. 16. This cor. will now function as the $\frac{1}{4}$ sec. cor. of sec. 36 only, and also as Angle Pt. No. 2, Tract 37.</p> <p>Remark the brass cap to read</p> <div style="text-align: center;"> <p>T18N R29E 1/4 S36</p> <hr/> <p>T17N</p> <p>1998 1912</p> </div> <hr/> <p>N. 89°46'20" W., beginning new measurement, identical with line 2-3, Tract 37.</p> <p>0.10 Corner of fences, bears N. and E.</p> <p>39.60 Canal, 30 lks. wide, 4 ft. deep, bears N. and S.</p> <p>40.068 The cor. of secs. 1, 2, 35 and 36, monumented with remains of an iron post, 12 ins. long, 1 in. diam., filled with concrete, firmly set flush with the surface of the ground. This cor. will now function as the cor. of secs. 35 and 36 only, and also as Angle Pt. No. 3, Tract 37.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. below the surface of the ground, over a plastic-encased magnet, with brass cap mkd.</p>

068

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div style="text-align: center;"> T18N R29E S35 S36 <hr style="width: 50%; margin: 0 auto;"/> T17N 1996 </div> <p>Insert the remains of the iron post inside the stainless steel post.</p> <p>From this cor., a galvanized iron pipe monumented by person(s) unknown, 1 in. diam., firmly set, projecting 8 ins. above the ground, in fence extending N. and S., bears S. 88°51' E., 0.244 chs. dist. This position is not utilized in the course of this survey.</p> <hr/> <p>N. 89°48'20" W., on the S. bdy. of sec. 35, T. 18 N., R. 29 E., identical with line 3-4, Tract 37.</p> <p>Over pasture land, covered with native grass.</p>
0.20	Canal road, bears N. and S.
0.60	Canal, 30 lks. wide, 4 ft. deep, parallels road.
40.095	<p>The $\frac{1}{4}$ sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam., firmly set flush with the surface of the ground, at corner of fences, bears N. and W., with brass cap mkd. as described in the field notes of T. 18 N., R. 29 E., executed under Group No. 16. This cor. will now function as the $\frac{1}{4}$ sec. cor. of sec. 35 only, and also as Angle Pt. No. 4, Tract 37.</p> <p>Remark the brass cap to read</p> <div style="text-align: center;"> T18N R29E 1/4 S35 <hr style="width: 50%; margin: 0 auto;"/> T17N 1998 1912 </div> <p>From this corner, a point determined by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, bears S. 88°21' E., 0.131 chs. dist., monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set, projecting 2 ins. above the ground, with plastic cap, 1 in. diam., mkd. "FITZPATRICK RLS 7809", as recorded in Churchill County, Nevada, Book 2, Page 42 of Surveys. This position is not utilized in the course of this survey.</p> <hr/> <p>N. 89°48'50" W., beginning new measurement, identical with line 4-5, Tract 37.</p> <p>Along fence, over pasture land, covered with native grass.</p>
40.086	<p>The cor. of secs. 2, 3, 34 and 35, determined by person(s) unknown, subsequently remonumented by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, with a rebar, $\frac{5}{8}$ in. diam., firmly set 4 ins. below the surface of canal road, in gate in</p>

069

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>fence, bears E. and W., with a plastic cap, 1 in. diam., mkd. "FITZPATRICK RLS 7809" as recorded in Churchill County, Nevada, Book 2, Page 30 of Surveys. This position has been adopted by professional land surveyors and is accepted as the best available evidence of the position of the original corner, and will now function as the cor. of secs. 34 and 35 only, and also as Angle Pt. No. 5, Tract 37</p> <p>from which</p> <p>A stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., firmly set 24 ins. in the ground, for a reference monument, bears S. 39°55' E., 29.1 lks. dist., with brass cap mkd. RM 19.2 FT 1996 and an arrow pointing to the corner.</p> <p>A stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., firmly set 24 ins. in the ground, for a reference monument, bears S. 21°33' W., 24.0 lks. dist., with brass cap mkd. RM 15.8 FT 1996 and an arrow pointing to the corner.</p> <hr/> <p>N. 89°53'00" W., on the S. bdy. of sec. 34, T. 18 N., R. 29 E., identical with line 5-6, Tract 37.</p> <p>Along fence, over pasture land, covered with native grass.</p> <p>0.50 Canal, 30 lks. wide, 3 ft. deep, bears N. and S.</p> <p>40.067 The $\frac{1}{4}$ sec. cor. of secs. 3 and 34, determined by person(s) unknown, subsequently remonumented by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, with a rebar, $\frac{5}{8}$ in. diam., 20 ins. long, firmly set flush with the surface of the ground, at corner of fences, bears N. and E., with a plastic cap, 1 in. diam., mkd. "FITZPATRICK RLS 7809" as recorded in Churchill County, Nevada, Book 2, Page 30 of Surveys. This position has been adopted by professional land surveyors and is accepted as the best available evidence of the position of the original corner. This cor. will now also function as Angle Pt. No. 6, Tract 37 and Angle Pt. No. 1, Tract 38.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T18N R29E</p> <p>S34</p> <p>1/4 ———</p> <p>S 3</p> <p>T17N</p> <p>1996</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <hr/> <p>N. 89°55'10" W., beginning new measurement, bet. secs. 3 and 34.</p> <p>39.50 Single pole power line, bears N. and S.</p>
--------	---

070

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 39.90	Pasture Road, parallels power line.
40.159	<p>The cor. of secs. 3, 4, 33 and 34, determined by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, as recorded in Churchill County, Nevada, Book 1, Page 48 of Surveys, subsequently remonumented by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set 4 ins. below the surface of the ground, on W. shoulder of Pasture Road, with a plastic cap, 1 in. diam., mkd. "FITZPATRICK RLS 7809" as recorded in Churchill County, Nevada, Book 17, Page 30 of Surveys. This position has been adopted by professional land surveyors and is accepted as the best available evidence of the position of the original corner. Point not remonumented.</p> <p>From this corner, the cor. of secs. 4, 5, 32 and 33, bears N. $89^{\circ}55'10''$ W., 80.384 chs. dist., monumented with an iron post, 3 ins. diam., firmly set 10 ins. below the surface of dirt road, bears N. and S., with brass cap mkd. as described in the field notes of T. 18 N., R. 29 E., executed under Group No. 16.</p> <hr/> <p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>(Reestablishment of the Survey Executed by E.B. Monroe and A.G. Bateman, U.S. Deputy Surveyors, in 1874, and the Resurvey and Survey Executed by M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881)</p> <hr/> <p>From the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., identical with Angle Pt. No. 1, Parcel A, T. 17 N., R. 28 E.</p> <p>N. $89^{\circ}57'00''$ E., bet. secs. 18 and 19.</p> <p>Over level land, along fence.</p>
40.000	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19, determined latitudinally by a fence extending E. and W. and longitudinally by proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R29E</p> <p>S18</p> <p>1/4 ———</p> <p>S19</p> <p>1998</p> </div> <p>Cor. is located 1.25 chs. S. 65° W. of a canal, 23 lks. wide, bears N., E. and W. and 0.30 chs. N. of a canal, 15 lks. wide, bears E. and W.</p> <hr/> <p>N. $89^{\circ}58'10''$ E., beginning new measurement.</p>
0.81	Corner of fences, bears N., E. and W.

071

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 36.000</p>	<p>Point for the meander cor. of secs. 18 and 19, determined latitudinally by a fence extending E. and W. and longitudinally by record distance; there is no remaining evidence of the original corner. This cor. will now also function as Angle Pt. No. 6, Tract 40.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="860 483 1055 682" data-label="Diagram"> <p style="text-align: center;">T17N S18 ----- S19 R29E MC 1998</p> </div> <p>Cor. is located 0.53 chs. S. of a canal, 23 lks. wide, bears E. and W.</p> <hr/> <p>From the cor. of secs. 7, 8, 17 and 18, monumented by person(s) unknown, with a rebar, $\frac{5}{8}$ in. diam., firmly set flush with the surface of the ground, at corner of fences, bears E. and S. This is accepted as the best available evidence of the original corner position. Point not remonumented.</p> <p>S. 0°23'20" E., bet. secs. 17 and 18.</p> <p>Over nearly level land, along fence.</p> <p>40.476 The $\frac{1}{4}$ sec. cor. of secs. 17 and 18, monumented by person(s) unknown, with a rebar, $\frac{5}{8}$ in. diam., firmly set flush with the surface of the ground. This is accepted as the best available evidence of the original corner position. Point not remonumented.</p> <p>Cor. is located in canal road, bears N. and S.</p> <hr/> <p>S. 0°21'50" E., beginning new measurement.</p> <p>Over nearly level land.</p> <p>34.510 The meander cor. of secs. 17 and 18, reestablished by Lowell D. Emery, Nevada Professional Surveyor No. 1251, as shown on the plat recorded in Book 4, Page 17, Churchill County, Nevada, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set 10 ins. below the surface of the ground, with plastic cap mkd. LD EMERY RLS 1251. This is accepted as a careful and faithful reestablishment of the original corner position. This cor. will now also function as Angle Pt. No. 5, Tract 40.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
--------------------------	--

072


DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<div data-bbox="873 262 1019 556" data-label="Diagram"> </div> <p>1998</p> <p>Insert the rebar inside the stainless steel post.</p> <p>Cor. is located 0.02 chs. W. of corner of fences, bears N. and SE. and 0.23 chs. E. of a canal, 15 lks. wide, bears N. and S.</p> <hr/> <p>From the cor. of secs. 7, 8, 17 and 18.</p> <p>N. 89°58'30" E., bet. secs. 8 and 17.</p> <p>Along Norcutt Road.</p> <p>40.207 The point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17, determined 30.00 ft. westerly from a local witness monument, as shown on the plat by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, recorded in Book 4, Page 17, Churchill County, Nevada. This is accepted as the best available evidence of the original corner position. Point not monumented.</p> <p>40.50 Corner of fences, bears N. and E., along fence.</p> <p>40.662 A local witness cor. for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17, monumented by person(s) unknown, and accepted by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, as shown on the plat recorded in Book 4, Page 17, Churchill County, Nevada, monumented with a concrete post, 4 ins. square, firmly set flush with the surface of the ground, with nail set in top.</p> <p>Cor. is located 0.01 chs. N. of a fence, bears E. and W.</p> <hr/> <p>N. 89°58'30" E., beginning new measurement.</p> <p>Over nearly level land.</p> <p>36.542 The meander cor. of secs. 8 and 17, reestablished by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, as shown on the plat recorded in Book 4, Page 17, Churchill County, Nevada, monumented with a rebar, $\frac{3}{8}$ in. diam., firmly set flush with the surface of the ground, with plastic cap mkd. L.D. EMERY RLS 1251. This is accepted as a careful and faithful reestablishment of the original corner position. This cor. will now also function as Angle Pt. No. 2, Tract 40.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 25 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

073

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS



1998

Insert the rebar inside the stainless steel post.

Cor. is located N. 56° E. at 0.03 chs. from E. end of fence extending W.

From the point for the cor. of secs. 4, 5, 8 and 9, determined latitudinally in line with old fences to the E. and W. as shown on Map 5988-42 Department of the Interior, United States Reclamation Service, dated Dec. 5, 1917 and longitudinally at 30.00 ft. westerly of the center of Carson Lake Deep Drain, bearing N. and S., as shown on Property and Structure Map 2986-76, dated 5-17-29, revised July, 1971, said maps obtained from the Carson Truckee Water Conservation District, Fallon, Nevada. This is accepted as the best available evidence of the original corner position.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T17N	R29E
S 5	S 4
S 8	S 9

1998

From this point, an iron pipe, 2 ins. diam., firmly set 18 ins. below the surface of the ground, monumented by person(s) unknown, remonumented by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, with a rebar, 5/8 in. diam., inserted in the center of the iron pipe, with plastic cap mkd. LUMAS AND ASSOC. PLS 7809, bears S. 31°32' W., 0.224 chs. dist. This position is not utilized in the course of this survey.

S. 0°00'30" E., bet. secs. 8 and 9.

Along canal road.

24.119

Point for a witness point on line bet. secs. 8 and 9, determined at intersection with the end of the seventh course and terminus of a metes-and-bounds survey of a private claim, hereinafter described.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., flush with the surface of the ground, over a plastic-encased magnet, with brass cap mkd.

074

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">WP T17N R29E S 8 S 9</p> <p style="text-align: center;">1998</p> <p>Cor. is located in canal road, bears N. and S. and 0.45 chs. W. of a canal, 45 lks. wide, parallels road.</p> <p>From this point, a point established for the southwest cor. of the Ray Hodges Parcel as shown in Book 3, Page 46 of Records, Churchill County, Nevada, by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, bears S. 0°50' E., 0.425 chs. dist., monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set, projecting 2 ins. above the ground, with steel tag mkd. RLS 1251. This position is not utilized in the course of this survey.</p>
40.00	Canal, 45 lks. wide, bears E. and W.
40.601	<p>Intersect the centerline of State Highway No. 120, asphalt surface, 36 lks. wide.</p> <p>Drive a PK nail flush with the surface of the asphalt.</p> <p>From this point, the point for the centerline at Sta. "E" 104+88.00 P.C. is 2.472 chs. along a curve to the right, having a radius of 4000.00 ft., the chord of which bears S. 88°51'10" W., 2.472 chs. dist., hereinafter described.</p>
40.801	<p>The $\frac{1}{4}$ sec. cor. of secs. 8 and 9, determined by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, as shown on the plat recorded in Book 3, Page 46, Churchill County, Nevada, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set 4 ins. below the asphalt surface, and is accepted as the best available evidence of the original corner position</p> <p>from which</p> <p style="padding-left: 40px;">An "x" etched in the top of the N. end of a concrete ditch bears N. 37°04' E., 0.657 chs. dist.</p> <p style="padding-left: 40px;">An "x" etched in the west side of the S. end of a concrete ditch bears S. 70°15' E., 0.446 chs. dist.</p> <p>Cor. is located on S. side of Pasture Road, bears E. and W.</p> <hr/> <p>SOUTH, beginning new measurement.</p> <p>Along canal road.</p>
0.20	Power line, bears E. and W.
25.000	Point for the meander cor. of secs. 8 and 9, determined at record bearing and distance; there is no remaining evidence of the original corner. This cor. will now also function as Angle Pt. No. 12, Tract 38 and Angle Pt. No. 1, Tract 40.

075

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., flush with the surface of the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div data-bbox="883 394 1029 575" data-label="Diagram"> </div> <p>1998</p> <p>Cor. is located in canal road, bears N. and S. and 0.50 chs. W. of a canal, 45 lks. wide, parallels canal road.</p> <p>From this point, a position established by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, bears S. 0°23'50" E., 15.460 chs. dist., monumented with a brass tablet, 2$\frac{1}{8}$ in. diam., firmly set flush with the ground, seated in a concrete cylinder, 6 ins. diam., with top mkd. T17NR29E SE COR 8 PLS 7809, with a carsonite post alongside. This position is not utilized in the course of this survey.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°59'30" E., bet. secs. 4 and 9.</p> <p>Over nearly level land, along fence.</p> <p>0.45 Carson Lake Deep Drain, 45 lks. wide, bears N. and S.</p> <p>40.000 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9, determined latitudinally in line with old fence to the E. and W. and longitudinally by proportionate distance; there is no remaining evidence of the original corner. Point not monumented.</p> <p>Cor. is located 0.15 chs. N. of an irregular fence winding approximately 2 chs. E. and approximately 3 chs. W. from this point.</p> <p>54.750 Point for the meander cor. of secs. 4 and 9, determined latitudinally in line with old fence to the W. and longitudinally by record distance; there is no remaining evidence of the original corner. Point not monumented.</p> <hr/> <p>From the cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp.</p> <p>S. 0°08'00" E., bet. secs. 3 and 4.</p> <p>Along Pasture Road.</p> <p>40.316 The $\frac{1}{4}$ sec. cor. of secs. 3 and 4, determined by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 78090, as shown on the plat recorded in Book 2, Page 31, Churchill County, Nevada, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set flush with the surface of the ground, with plastic cap mkd. FITZPATRICK PLS 7809. This is accepted as the best available evidence of the original corner position. Point not remonumented.</p>
--------	---

CHAINS

Cor. is located on W. shoulder of Pasture Road.

SOUTH, beginning new measurement.

Along Pasture Road.

8.350 Point for the meander cor. of secs. 3 and 4, determined at record bearing and distance; there is no remaining evidence of the original corner. Point not monumented.

DEPENDENT RESURVEY OF THE MEANDERS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

(Reestablishment of the Survey Executed by
M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881)

From the meander cor. of secs. 19 and 24, on the W. bdy. of the Tp., identical with Angle Pt. No. 9, Tract 40, and Angle Pt. No. 1, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 4, Parcel A, T. 17 N., R. 28 E., hereinbefore described.

Thence northeasterly with the adjusted original meanders of sec. 19, identical with the bdy. bet. sec. 19 and a portion of Tract 40, describing a fixed and limiting boundary.

N. 62°04'40" E., 23.960 chs., Point for the adjusted position of Angle Pt. No. 1, and will now also function as Angle Pt. No. 8, Tract 40.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

S19

AP 1

1998



Set a carsonite post, 5 ft. long, alongside the stainless steel post.

Cor. is located 0.45 chs. S. of a canal, 23 lks. wide, bears E. and W.

S. 73°01'30" E., 37.722 chs., Point for the adjusted position of Angle Pt. No. 2, and will now also function as Angle Pt. No. 7, Tract 40.


077

DEPENDENT RESURVEY OF THE MEANDERS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">S19  AP 2 1998</p> <p>Set a carsonite post, 5 ft. long, alongside the stainless steel post.</p> <p>N. 57°04'00" E., 22.343 chs., the meander cor. of secs. 18 and 19, identical with Angle Pt. No. 6, Tract 40, hereinbefore described.</p> <hr/> <p>Thence northeasterly with the adjusted original meander line of sec. 18, identical with the bdy. bet. sec. 18 and a portion of Tract 40, describing a fixed and limiting boundary.</p> <p>N. 45°24'00" E., 8.549 chs., the meander cor. of secs. 17 and 18, identical with Angle Pt. No. 5, Tract 40, hereinbefore described.</p> <hr/> <p>Thence northeasterly with the adjusted original meanders of sec. 17, identical with the bdy. bet. sec. 17 and a portion of Tract 40, describing a fixed and limiting boundary.</p> <p>N. 5°13'40" E., 56.417 chs., Point for the adjusted position of Angle Pt. No. 1, and will now also function as Angle Pt. No. 4, Tract 40.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">S17  AP 1 1998</p> <p>From this point, a point determined by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, bears S. 40°46' W., 0.238 chs. dist., monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set 6 ins. below the surface of the ground, at corner of fences, bears</p>
--------	---

078

DEPENDENT RESURVEY OF THE MEANDERS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>NE. and Sly. This position is not utilized in the course of this survey.</p> <p>N. 59°23'30" E., 21.586 chs., Point for the adjusted position of Angle Pt. No. 2, and will now also function as Angle Pt. No. 3, Tract 40.</p> <p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>S17</p>  <p>AP 2</p> <p>1998</p> </div> <p>From this point, a point determined by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, bears S. 47°10' W., 0.205 chs. dist., monumented with a rebar, ⁵/₈ in. diam., firmly set flush with the surface of the ground, at corner of fences, bears Ely. and SW. This position is not utilized in the course of this survey.</p> <p>N. 81°34'50" E., 53.572 chs., the meander cor. of secs. 8 and 17, identical with Angle Pt. No. 2, Tract 40, hereinbefore described.</p> <hr/> <p>Thence northeasterly with the adjusted original meander line of sec. 8, identical with the bdy. bet. sec. 8 and a portion of Tract 40, describing a fixed and limiting boundary.</p> <p>N. 11°18'50" E., 15.779 chs., the meander cor. of secs. 8 and 9, identical with Angle Pt. No. 12, Tract 38 and Angle Pt. No. 1, Tract 40, hereinbefore described.</p> <hr/> <p>Thence northeasterly with the adjusted original meanders of sec. 9, identical with the bdy. bet. sec. 9 and a portion of Tract 38, describing a fixed and limiting boundary.</p> <p>N. 43°48'20" E., 26.086 chs., Point for the adjusted position of Angle Pt. No. 1, and will now also function as Angle Pt. No. 11, Tract 38. Point not monumented.</p>

079

DEPENDENT RESURVEY OF THE MEANDERS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>N. 65°44'50" E., 28.050 chs., Point for the adjusted position of Angle Pt. No. 2, and will now also function as Angle Pt. No. 10, Tract 38. Point not monumented.</p> <p>N. 17°24'30" E., 5.076 chs., Angle Pt. No. 9, Tract 38, and Angle Pt. No. 5, Tract 39, hereinafter described.</p> <p>Continue northeasterly with the adjusted original meanders of sec. 9, identical with the bdy. bet. sec. 9 and a portion of Tract 39, describing a fixed and limiting boundary.</p> <p>11.826 chs., Angle Pt. No. 4, Tract 39, hereinafter described, and end of a fixed and limiting boundary.</p> <p>Continue northeasterly with the adjusted original meanders of sec. 9, across private land.</p> <p>37.165 chs., the point for the meander cor. of secs. 4 and 9, hereinbefore described.</p> <hr/> <p>The following original meander lines in sections 3 and 4 were retraced to obtain the adjusted positions of the angle points which were necessary in part to determine the point for the centroid of Carson Lake.</p> <hr/> <p>Thence northeasterly with the adjusted original meanders of sec. 4, across private land.</p> <p>N. 32°23'50" E., 18.008 chs.</p> <p>N. 43°35'00" E., 23.349 chs., the point for the meander cor. of secs. 3 and 4, hereinbefore described.</p> <hr/> <p>Thence northeasterly with the adjusted original meanders of sec. 3, across private land.</p> <p>N. 3°00'50" E., 30.130 chs., at 3.324 chs. intersect the centerline of State Highway No. 120, hereinafter described.</p> <p>N. 79°45'40" E., 35.043 chs.</p> <p>N. 57°46'30" W., 11.021 chs.</p> <p>N. 64°17'20" E., 14.784 chs., the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp., identical with Angle Pt. No. 6, Tract 37 and Angle Pt. No. 1, Tract 38, hereinbefore described.</p> <hr/>
--------	--

SURVEY OF THE RELICTED LANDS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
294.366	<p>From the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp., identical with Angle Pt. No. 6, Tract 37 and Angle Pt. No. 1, Tract 38, hereinbefore described.</p> <p>S. $2^{\circ}23'40''$ E., on the partition line between Tracts 37 and 38.</p> <p>Over nearly level land.</p> <p>Point for the centroid of Carson Lake, determined by the "pie method" division obtained by using an Autocad R12 centroid lisp routine, and will now also function as Angle Pt. No. 7, Tract 37, Angle Pt. No. 13, Tract 38 and Angle Pt. No. 11, Tract 40. This position falls under water, where it is impractical to establish a permanent monument.</p> <p>Land, wetlands. Soil, sandy clay loam. Undergrowth, water reeds.</p>
198.608	<p>From the meander cor. of secs. 8 and 9, identical with Angle Pt. No. 12, Tract 38 and Angle Pt. No. 1, Tract 40, hereinbefore described.</p> <p>S. $42^{\circ}00'20''$ E., on the partition line between Tracts 38 and 40.</p> <p>Over nearly level land.</p> <p>The point for the centroid of Carson Lake, identical with Angle Pt. No. 7, Tract 37, Angle Pt. No. 13, Tract 38 and Angle Pt. No. 11, Tract 40, hereinbefore described.</p> <p>Land, wetlands. Soil, sandy clay loam. Undergrowth, water reeds.</p>
258.274	<p>From the crossing closing cor. on the W. bdy. of the Tp., identical with Angle Pt. No. 8, Tract 37 and Angle Pt. No. 10, Tract 40 and also identical with Angle Pt. No. 5, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 1, Tract 38, T. 17 N., R. 28 E., hereinafter described.</p> <p>From this point, the meander cor. of secs. 24 and 25, T. 17 N., R. 28 E., identical with Angle Pt. No. 4, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 2, Tract 38, T. 17 N., R. 28 E., bears S. $84^{\circ}36'50''$ W., 21.697 chs. dist., monumented with a stainless steel post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 28 E., executed concurrently under this same group.</p> <p>N. $84^{\circ}36'50''$ E., on the partition line between Tracts 37 and 40.</p> <p>Over nearly level land.</p> <p>Point for a witness point on line between Tracts 37 and 40.</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., flush with the surface of the ground, over a plastic-encased magnet, with brass cap mkd.</p>

081

SURVEY OF THE RELICTED LANDS OF CARSON LAKE,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">WP T17N R29E TR40 <hr/>TR37 1998</p>
296.274	<p>The witness point is located in a dirt road, 18 lks. wide, bears N. and S., surrounded by water.</p> <p>The point for the centroid of Carson Lake, identical with Angle Pt. No. 7, Tract 37, Angle Pt. No. 13, Tract 38 and Angle Pt. No. 11, Tract 40, hereinbefore described.</p> <p>Land, wetlands. Soil, sandy clay loam. Undergrowth, water reeds.</p>
	<p style="text-align: center;">SURVEY OF THE SOUTH BOUNDARY, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>From the cor. of Tps. 16 and 17 N., Rs. 29 and 30 E., identical with Angle Pt. No. 10, Tract 37 and also identical with Angle Pt. No. 1, Tract 37, T. 16 N., R. 29 E. and Angle Pt. No. 2, Tract 37, T. 17 N., R. 30 E., monumented with a stainless steel post, 2$\frac{1}{2}$ ins. diam., firmly set, projecting 5 ins. above the ground, with brass cap mkd. as described in the field notes of T. 16 N., R. 29 E., executed concurrently under this same group.</p> <p>S. 89°04'50" W., on the S. bdy. of the Tp., identical with line 10-9, Tract 37 and also identical in part with line 1-2, Tract 37, T. 16 N., R. 29 E., on a latitudinal curve. Quarter-section and section corners are not established.</p> <p>Over nearly level land.</p>
480.745	<p>Angle Pt. No. 2, Tract 37, T. 16 N., R. 29 E., identical with Angle Pt. No. 1, Tract 38, T. 16 N., R. 29 E., at the intersection with the centerline of U.S. Highway No. 95, monumented with a PK nail, set flush with asphalt surfaced road, as described in the field notes of T. 16 N., R. 29 E., executed concurrently under this same group.</p> <p>Continue on the S. bdy. of the Tp. and line 10-9, Tract 37, now identical in part with line 1-2, Tract 38, T. 16 N., R. 29 E.</p>
480.867	<p>The cor. of Tps. 16 and 17 N., Rs. 28 and 29 E., identical with Angle Pt. No. 9, Tract 37 and also identical with Angle Pt. No. 2, Tract 38, T. 16 N., R. 29 E. and Angle Pt. No. 5, Tract 40, T. 17 N., R. 28 E., monumented with a PK nail, set flush with asphalt surfaced road, as described in the field notes of T. 16 N., R. 29 E., executed concurrently under this same group.</p> <p>Land, nearly level. Soil, sandy clay loam. Undergrowth, native grasses.</p>

082

COMPLETION SURVEY OF THE EAST BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the cor. of Tps. 16 and 17 N., Rs. 29 and 30 E., identical with Angle Pt. No. 10, Tract 37 and also identical with Angle Pt. No. 1, Tract 37, T. 16 N., R. 29 E. and Angle Pt. No. 2, Tract 37, T. 17 N., R. 30 E., hereinbefore described.</p> <p>N. 0°20'50" E., on the E. bdy. of the Tp., identical with line 10-11, Tract 37 and also identical with line 2-1, Tract 37, T. 17 N., R. 30 E. Quarter-section and section corners are not established.</p> <p>Over nearly level land.</p> <p>468.756 The meander cor. of sec. 6 only, T. 17 N., R.30 E., identical with Angle Pt. No. 11, Tract 37 and also identical with Angle Pt. No. 1, Tract 37, T. 17 N., R. 30 E., monumented with a stainless steel post, 2½ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 30 E., executed concurrently under this same group.</p> <p>Land, nearly level. Soil, sandy clay loam. Undergrowth, native grasses.</p>
	<p>COMPLETION SURVEY OF THE WEST BOUNDARY, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p>
	<p>From the cor. of Tps. 16 and 17 N., Rs. 28 and 29 E., identical with Angle Pt. No. 9, Tract 37 and also identical with Angle Pt. No. 2, Tract 38, T. 16 N., R. 29 E. and Angle Pt. No. 5, Tract 40, T. 17 N., R. 28 E., hereinbefore described.</p> <p>N. 0°04'00" E., on the W. bdy. of the Tp., identical in part with line 9-8, Tract 37 and also identical in part with line 5-1, Tract 40, T. 17 N., R. 28 E. Quarter-section and section corners are not established.</p> <p>Over nearly level land.</p>
40.939	<p>Angle Pt. No. 7, Tract 39, T. 17 N., R. 28 E., identical with Angle Pt. No. 1, Tract 40, T. 17 N., R. 28 E., monumented with a stainless steel post, 2½ ins. diam., firmly set, projecting 5 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 28 E., executed concurrently under this same group.</p> <p>Continue on the W. bdy. of the Tp. and line 9-8, Tract 37, now identical in part with line 7-1, Tract 39, T. 17 N., R. 28 E.</p>
102.215	<p>Angle Pt. No. 5, Tract 38, T. 17 N., R. 28 E., identical with Angle Pt. No. 1, Tract 39, T. 17 N., R. 28 E., monumented with a stainless steel post, 2½ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 28 E., executed concurrently under this same group.</p> <p>Continue on the W. bdy. of the Tp. and line 9-8, Tract 37, now identical in part with line 5-1, Tract 38, T. 17 N., R. 28 E.</p>

083

COMPLETION SURVEY OF THE WEST BOUNDARY,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 165.186</p>	<p>Intersect the partition line from the meander cor. of secs. 24 and 25, T. 17 N., R. 28 E., to the centroid of Carson Lake.</p> <p>Point for the crossing closing cor. on the W. bdy. of the Tp., will now also function as Angle Pt. No. 8, Tract 37 and Angle Pt. No. 10, Tract 40, and Angle Pt. No. 5, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 1, Tract 38, T. 17 N., R. 28 E.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <table border="1" data-bbox="873 554 1029 789"> <tr><td>T17N</td><td></td></tr> <tr><td>R28E</td><td>R29E</td></tr> <tr><td>TR37</td><td>TR40</td></tr> <tr><td>AP5</td><td>AP10</td></tr> <tr><td>C</td><td></td></tr> <tr><td>C</td><td></td></tr> <tr><td>AP1</td><td>AP8</td></tr> <tr><td>TR38</td><td>TR37</td></tr> </table> <p>1998</p> <p>From this point, the point for the centroid of Carson Lake, identical with Angle Pt. No. 7, Tract 37, Angle Pt. No. 13, Tract 38 and Angle Pt. No. 11, Tract 40, bears N. 84°36'50" E., 296.274 chs. dist., hereinbefore described.</p> <p>Continue on the W. bdy. of the Tp., now identical in part with line 10-9, Tract 40, and line 5-1, Tract 37, T. 17 N., R. 28 E.</p>	T17N		R28E	R29E	TR37	TR40	AP5	AP10	C		C		AP1	AP8	TR38	TR37
T17N																	
R28E	R29E																
TR37	TR40																
AP5	AP10																
C																	
C																	
AP1	AP8																
TR38	TR37																
<p>231.748</p>	<p>The meander cor. of secs. 19 and 24, identical with Angle Pt. No. 9, Tract 40 and also identical with Angle Pt. No. 1, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 4, Parcel A, T. 17 N., R. 28 E., hereinbefore described.</p> <p>Land, nearly level. Soil, sandy clay loam. Undergrowth, native grasses.</p> <hr/> <p>METES-AND-BOUNDS SURVEY OF A PRIVATE CLAIM, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>NOTE: The following field notes describes a survey of a metes-and-bounds description provided in the document recorded in Book 11, Page 232 MISC, Churchill County, Nevada.</p> <hr/> <p>Beginning at the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp., identical with Angle Pt. No. 6, Tract 37 and Angle Pt. No. 1, Tract 38, hereinbefore described.</p> <p>S. 0°08'00" E., on the first course of the private claim, identical with line 1-2, Tract 38.</p> <p>Along fence.</p>																
<p>20.176</p>	<p>An angle point of the private claim, determined by Barry A. Fitzpatrick, Nevada Land Surveyor No. 7809, monumented with a</p>																

084

METES-AND-BOUNDS SURVEY OF A PRIVATE CLAIM,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>rebar, $\frac{5}{8}$ in. diam., firmly set, projecting 3 ins. above the ground, with plastic cap mkd. FITZPATRICK PLS 7809, as recorded in Churchill County, Nevada, Bk. 17, Page 17 of Surveys. This is accepted as a careful and faithful determination of the corner position. This cor. will now also function as Angle Pt. No. 2, Tract 38.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R29E</p> <div style="border-left: 1px solid black; padding-left: 5px; margin: 0 auto;"> <p>AP2</p> <p>TR38</p> </div> <p>1998</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <p>Cor. is located at corner of fences, bears N., S. and W.</p> <hr/> <p>S. $0^{\circ}00'20''$ E., on the second course of the private claim, identical with line 2-3, Tract 38.</p> <p>Along fence.</p> <p>20.547 From this point, a rebar bears E. at 0.008 chs. dist., established for the southeast cor. of Parcel 14 by Barry A. Fitzpatrick, Nevada Land Surveyor No. 7809, $\frac{5}{8}$ in. diam., firmly set, projecting 10 ins. above the ground, at corner of fences, bears N., S. and W., with plastic cap mkd. FITZPATRICK PLS 7809, as recorded in Churchill County, Nevada, Bk. 17, Page 17 of Surveys.</p> <p>40.512 An angle point of the private claim, perpetuated by Lowell D. Emery, Nevada Land Surveyor No. 1251, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set, projecting 1 in. above the ground, with plastic cap mkd. L D EMERY PLS 1251, as recorded in Churchill County, Nevada, Bk. 1, Page 48 of Surveys. This is accepted as a careful and faithful perpetuation of the corner position. This cor. will now also function as Angle Pt. No. 3, Tract 38.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <p>T17N R29E</p> <div style="border-left: 1px solid black; padding-left: 5px; margin: 0 auto;"> <p>AP3</p> <p>TR38</p> </div> <p>1998</p> </div> <p>Insert the rebar inside the stainless steel post.</p> <p>Cor. is located at corner of fences, bears N. and W.</p> <hr/>
---------------	--



085

METES-AND-BOUNDS SURVEY OF A PRIVATE CLAIM,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>N. 89°57'30" W., on the third course of the private claim, identical with line 3-4, Tract 38.</p> <p>Along fence.</p>
39.57	Corner of fences, bears S. and E.
39.620	A point established for the easterly right-of-way of State Highway No. 120 by Barry A. Fitzpatrick, Nevada Land Surveyor No. 7809, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set flush with the asphalt surface, with plastic cap mkd. FITZPATRICK PLS 7809, as recorded in Churchill County, Nevada, Bk. 17, Page 3 of Surveys.
40.023	<p>Intersect the centerline of State Highway No. 120, asphalt surfaced, 36 lks. wide.</p> <p>From this point, the point for the centerline at Sta."O" 211+99.30 P.O.T., bears N. 0°16'20" E., 25.803 chs. dist., hereinafter described.</p>
40.075	<p>An angle point of the private claim, determined by Barry A. Fitzpatrick, Nevada Land Surveyor No. 7809, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set flush with the asphalt surface, with plastic cap mkd. FITZPATRICK PLS 7809, as recorded in Churchill County, Nevada, Bk. 17, Page 3 of Surveys. This is accepted as a careful and faithful determination of the corner position. This cor. will now also function as Angle Pt. No. 4, Tract 38. Point not remonumented. (Note: Intervening parcel corners along this line as shown on the parcel map recorded in Bk. 17, Page 3 and Bk. 17, Page 4 of Surveys are not described in the body of these field notes.)</p> <hr/> <p>SOUTH, on the fourth course of the private claim, identical with line 4-5, Tract 38.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
10.593	<p>Intersect the centerline of State Highway No. 120.</p> <p>From this point, the point for the centerline at Sta. "E" 170+84.36 P.T., and Angle Pt. No. 7, Tract 38 and Angle Pt. No. 7, Tract 39, bears S. 0°16'20" W., 10.086 chs. dist., hereinafter described.</p>
20.054	<p>Point for an angle point of the private claim, determined latitudinally in line with old fence to the W. and longitudinally by the record bearing from the previous angle point of the private claim. This cor. will now also function as Angle Pt. No. 5, Tract 38.</p> <p>Drive a railroad spike flush with the surface of the asphalt, with top mkd. AP5.</p> <hr/> <p>S. 89°58'10" W., on the fifth course of the private claim.</p> <p>Over asphalt surface.</p>


086

METES-AND-BOUNDS SURVEY OF A PRIVATE CLAIM,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 0.044</p>	<p>Intersect the centerline of State Highway No. 120, and Angle Pt. No. 6, Tract 38, identical with Angle Pt. No. 1, Tract 39, hereinafter described.</p> <p>From this point, the point for the centerline at Sta. "E" 170+84.36 P.T., and Angle Pt. No. 7, Tract 38 and Angle Pt. No. 7, Tract 39, bears S. 0°16'20" W., 0.625 chs. dist., hereinafter described.</p> <p>Continue on the fifth course of the private claim, identical with line 1-2, Tract 39, hereinafter described.</p>
<p>20.136</p>	<p>An angle point of the private claim, determined latitudinally in line with old fence to the W. and longitudinally by the record bearing from the following angle point. This cor. will now also function as Angle Pt. No. 2, Tract 39.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R29E</p> <div style="text-align: center;">  </div> <p style="text-align: center;">1998</p> <hr/> <p>SOUTH, on the sixth course of the private claim, identical with line 2-3, Tract 39.</p>
<p>24.189</p>	<p>An angle point of the private claim, determined by Lowell D. Emery, Nevada Land Surveyor No. 1251, monumented with a rebar, $\frac{5}{8}$ in. diam., firmly set, projecting 2 ins. above the ground, with steel tag mkd. RLS 1251, as recorded in Churchill County, Nevada, Bk. 3, Page 46 of Surveys. This is accepted as a careful and faithful determination of the corner position. This cor. will now also function as Angle Pt. No. 3, Tract 39.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R29E</p> <div style="text-align: center;">  </div> <p style="text-align: center;">1998</p> <hr/> <p>N. 89°56'00" W., on the seventh course of the private claim, identical with line 3-4, Tract 39.</p>
<p>13.240</p>	<p>Point for an angle point of the private claim, determined at intersection with the adjusted original meander line of Carson Lake, sec. 9. This cor. will now also function as Angle Pt. No. 4, Tract 39.</p>

087

METES-AND-BOUNDS SURVEY OF A PRIVATE CLAIM,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T17N R29E</p> <div style="text-align: center;">  </div> <p style="text-align: center;">1998</p> <p>From this point, a point established for the southeast cor. of the Ray Hodges Parcel, as shown in Book 3, Page 46 of Records, Churchill County, Nevada, by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, bears N. 88°24' E., 0.125 chs. dist., monumented with a rebar, ⁵/₈ in. diam., firmly set, projecting 2 ins. above the ground, with steel tag mkd. RLS 1251. This position is not utilized in the course of this survey.</p> <p>From this same point, a point established for the southwest cor. of the Parcel 1, as shown in Book 3, Page 46 of Records, Churchill County, Nevada, by Lowell D. Emery, Nevada Professional Land Surveyor No. 1251, bears S. 63°19' E., 0.120 chs. dist., monumented with a rebar, ⁵/₈ in. diam., firmly set, projecting 1 in. above the ground, with steel tag mkd. RLS 1251. This position is not utilized in the course of this survey.</p> <p>From this point, Angle Pt. No. 2 of the adjusted original meanders of sec. 9, identical with Angle Pt. No. 10, Tract 38, bears S. 17°24'30" W., 11.826 chs. dist.</p> <hr/> <p>N. 89°56'00" W., on the eighth course of the private claim.</p> <p>47.173 Intersect the section line bet. secs. 8 and 9, at the witness point of secs. 8 and 9, hereinbefore described, and the end of the eighth course and terminus of the metes-and-bounds survey of a private claim.</p> <p>From this point, the ¹/₄ sec. cor. of secs. 8 and 9, bears S. 0°00'30" E., 16.682 chs. dist.</p> <p>From this same point, the cor. of secs. 4, 5, 8 and 9, bears N. 0°00'30" W., 24.119 chs. dist.</p> <hr/> <p style="text-align: center;">METES-AND-BOUNDS SURVEY OF A PORTION OF STATE HIGHWAY NO. 120, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Note: State Highway No. 120 is commonly referred to as Pasture Road.</p> <hr/> <p>Beginning at the point for the centerline of State Highway No. 120, at Sta. "C" 89+00.00 P.O.T., as shown on Plan and Profile Sheet No. 9, Project No. S511(1), obtained from the Nevada Highway Department. Point not monumented</p> <p>from which</p>
---------------	---

088

METES-AND-BOUNDS SURVEY OF A PORTION OF STATE HIGHWAY NO. 120,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A reference monument, bears N. 0°01' E., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 3 ins. below the surface of the ground, with top mkd. 47.00 FT STA 89+00.0 NO. 6 LT. (Note: Southerly reference monument not found.)</p> <p>S. 89°58'40" E., on the centerline of State Highway No. 120.</p> <p>Along asphalt surface road, 36 lks. wide.</p>
24.065	<p>Point for the centerline at Sta. "E" 104+88.00 P.C., identical with Sta. "C" 104+88.00 P.O.T., as shown on Plan and Profile Sheet No. 10, Project No. S511(1). Point not monumented.</p>
	<hr/> <p>Thence on the centerline of State Highway No. 120, along a curve to the left having a radius of 4000.00 ft., the long chord of which bears N. 82°59'20" E., 14.842 chs. dist.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
2.472	<p>Intersect the line bet. secs. 8 and 9.</p> <p>From this point, the ¹/₄ sec. cor. of secs. 8 and 9, bears S. 0°00'30" E., 0.200 chs. dist.</p>
14.879	<p>Point for the centerline at Sta. "E" 114+70.04 P.T., as shown on Plan and Profile Sheet No. 10, Project No. S511(1), obtained from the Nevada Highway Department. Point not monumented</p> <p>from which</p> <p>A reference monument, bears S. 14°03' E., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 3 ins. below the surface of the ground, with top mkd. 47.00 FT STA 114+70.04 NO. 7 RT.</p> <p>A reference monument, bears N. 14°03' W., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. 47.00 FT STA 114+70.04 NO. 7 LT.</p>
25.943	<hr/> <p>N. 75°57'20" E., on the centerline of State Highway No. 120.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p> <p>Point for the centerline at Sta. "E" 131+82.14, as shown on Plan and Profile Sheet No. 12, Project No. S511(1), obtained from the Nevada Highway Department. Point not monumented</p> <p>from which</p> <p>A reference monument, bears S. 14°03' E., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 1 in. below the surface of the ground, with top mkd. DIST 47.00 FT STA 131+82.1 NO. 8 RT.</p>

089

METES-AND-BOUNDS SURVEY OF A PORTION OF STATE HIGHWAY NO. 120,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>A reference monument, bears N. 14°03' W., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set flush with the surface of the ground, with top mkd. DIST 47.00 FT STA 131+82.1 NO. 8 LT.</p> <hr/> <p>N. 75°57'20" E., on the centerline of State Highway No. 120.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p> <p>7.952 Intersect the adjusted original meander line of Carson Lake, sec. 9.</p> <p>Point for Angle Pt. No. 9, Tract 38 and Angle Pt. No. 5, Tract 39.</p> <p>Drive a PK nail flush with the surface of the asphalt.</p> <p>From this point, the point for the meander cor. of secs. 4 and 9, bears N. 17°24'30" E., 32.089 chs. dist.</p> <p>Continue on the centerline of State Highway No. 120, identical with line 9-8, Tract 38 and line 5-6, Tract 39.</p> <p>23.096 Point for the center line at Sta. "E" 147+06.65 P.C., as shown on Plan and Profile Sheet No. 13, Project No. S511(1), obtained from the Nevada Highway Department. This cor. will now also function as Angle Pt. No. 8, Tract 38 and Angle Pt. No. 6, Tract 39. Point not monumented</p> <p>from which</p> <p>A reference monument, bears S. 14°03' E., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. DIST 47.00 FT STA (unreadable) NO. 9 RT.</p> <p>A reference monument, bears N. 14°03' W., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. DIST 47.00 FT STA 147+06.65 NO. 9 LT.</p> <hr/> <p>Thence on the centerline of State Highway No. 120, along a curve to the left having a radius of 1800.00 ft., the long chord of which bears N. 38°06'50" E., 33.463 chs. dist., identical with line 8-7, Tract 38 and line 6-7, Tract 39.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p> <p>18.013 Point for the centerline at Sta. "E" 158+95.51, as shown on Plan and Profile Sheet No. 13, Project No. S511(1), obtained from the Nevada Highway Department. Point not monumented</p> <p>from which</p>
--------	---

METES-AND-BOUNDS SURVEY OF A PORTION OF STATE HIGHWAY NO. 120,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>A reference monument, bears S. 51°53' E., .712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. 47.00 FT STA 158+95.5 NO. 10 RT.</p> <p>A reference monument, bears N. 51°53' W., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. 47.00 FT STA 158+95.5 NO. 10 LT.</p>
36.026	<p>Point for the centerline at Sta. "E" 170+84.36 P.T., as shown on Plan and Profile Sheet No. 14, Project No. S511(1), obtained from the Nevada Highway Department. This cor. will now also function as Angle Pt. No. 7, Tract 38 and Angle Pt. No. 7, Tract 39. Point not monumented</p> <p>from which</p> <p>A reference monument, bears S. 89°44' E., 0.712 chs. dist., monumented with a brass tablet, 3¹/₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 1 in. below the surface of the ground, with top mkd. 47.00 FT STA 170+84.36 NO. 11 RT. (Note: The westerly reference monument was found above ground and disturbed.)</p>
0.625	<p>N. 0°16'20" E., on the centerline of State Highway No. 120, identical with a line 7-6, Tract 38 and line 7-1, Tract 39.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p> <p>Intersect the fifth course of the private claim.</p> <p>Point for Angle Pt. No. 6, Tract 38 and Angle Pt. No. 1, Tract 39.</p> <p>Drive a PK nail flush with the surface of the asphalt</p> <p>from which</p> <p>A stainless steel post, 28 ins. long, 2¹/₂ ins. diam., firmly set 24 ins. in the ground, for a reference monument, bears N. 44°27' E., 88.3 lks. dist., with brass cap mkd. RM T17NR29E AP1 TR39 58.3 FT TO COR 1998 and an arrow pointing to the corner.</p> <p>The easterly reference monument, No. 11 RT, of State Highway No. 120 at Sta. "E" 170+84.36, bears S. 48°29' E., 0.948 chs. dist.</p> <p>From this point, the beginning of the fifth course of the private claim, identical with Angle Pt. No. 5, Tract 38, bears N. 89°58'10" E., 0.044 chs. dist.</p> <p>Continue on the centerline of State Highway No. 120.</p>
10.086	<p>Intersect the fourth course of the private claim, identical with line 4-5, Tract 38.</p>

091

METES-AND-BOUNDS SURVEY OF A PORTION OF STATE HIGHWAY NO. 120,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	From this point, the end of the fourth course of the private claim, identical with Angle Pt. No. 5, Tract 38, bears SOUTH, 9.461 chs. dist.
20.679	Intersect the third course of the private claim, identical with line 3-4, Tract 38. From this point, the end of the third course of the private claim, identical with Angle Pt. No. 4, Tract 38, bears N. 89°57'30" W., 0.052 chs. dist.
36.049	Intersect the adjusted original meander line of Carson Lake, sec. 3. From this point, the point for the meander cor. of secs. 3 and 4, bears S. 3°00'50" W., 3.324 chs. dist.
46.482	Point for the centerline at Sta."0" 211+99.30 P.O.T., as shown on Plan and Profile Sheet No. 17, Project No. S511(1), obtained from the Nevada Highway Department. Point not monumented from which A reference monument, bears N. 89°44' W., 0.803 chs. dist., monumented with a brass tablet, 3 ¹ / ₄ ins. diam., seated in a concrete post, 18 ins. diam., firmly set 2 ins. below the surface of the ground, with top mkd. DIST 53.00 STA 211+99.30 NO. 12 LT. (Note: Easterly right-of-way monument not found.)
<hr/>	
SURVEY OF TRACT 37, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA	
<hr/>	
	Beginning at Angle Pt. No. 1, Tract 37, identical with the cor. of Tps. 17 and 18 N., Rs. 29 and 30 E., hereinbefore described. N. 89°45'50" W., on line 1-2, Tract 37, identical with a portion of the S. bdy. of sec. 36, T. 18 N., R. 29 E. Along fence.
40.097	Angle Pt. No. 2, Tract 37, identical with the ¹ / ₄ sec. cor. of sec. 36 only, T. 18 N., R. 29 E., hereinbefore described.
<hr/>	
	N. 89°46'20" W., on line 2-3, Tract 37, identical with a portion of the S. bdy. of sec. 36, T. 18 N., R. 29 E.
0.10	Corner of fences, bears N. and E.
39.60	Canal, 30 lks. wide, 4 ft. deep, bears N. and S.
40.068	Angle Pt. No. 3, Tract 37, identical with the cor. of secs. 35 and 36 only, T. 18 N., R. 29 E., hereinbefore described.
<hr/>	
	N. 89°48'20" W., on line 3-4, Tract 37, identical with a portion of the S. bdy. of sec. 35, T. 18 N., R. 29 E.

092

SURVEY OF TRACT 37,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 0.20	Canal road, bears N. and S.
0.60	Canal, 30 lks. wide, 4 ft. deep, parallels road.
40.095	Angle Pt. No. 4, Tract 37, identical with the $\frac{1}{4}$ sec. cor. of sec. 35 only, T. 18 N., R. 29 E., hereinbefore described.
	<hr/>
	N. $89^{\circ}48'50''$ W., on line 4-5, Tract 37, identical with a portion of the S. bdy. of sec. 35, T. 18 N., R. 29 E.
	Along fence.
40.086	Angle Pt. No. 5, Tract 37, identical with the cor. of secs. 34 and 35 only, T. 18 N., R. 29 E., hereinbefore described.
	<hr/>
	N. $89^{\circ}53'00''$ W., on line 5-6, Tract 37, identical with a portion of the S. bdy. of sec. 34, T. 18 N., R. 29 E.
	Along fence.
0.50	Canal, 30 lks. wide, 3 ft. deep, bears N. and S.
40.067	Angle Pt. No. 6, Tract 37, identical with Angle Pt. No. 1, Tract 38 and also identical with the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp., hereinbefore described.
	<hr/>
	S. $2^{\circ}23'40''$ E., on line 6-7, Tract 37, identical with a partition line of Carson Lake and also identical with line 1-13, Tract 38.
294.366	The point for Angle Pt. No. 7, Tract 37, identical with the centroid of Carson Lake and also identical with Angle Pt. No. 13, Tract 38 and Angle Pt. No. 11, Tract 40, hereinbefore described.
	<hr/>
	S. $84^{\circ}36'50''$ W., on line 7-8, Tract 37, identical with a portion of a partition line of Carson Lake and also identical with line 11-10, Tract 40.
38.000	The witness point between Tracts 37 and 40, hereinbefore described.
296.274	Angle Pt. No. 8, Tract 37, identical with the crossing closing cor. on the W. bdy. of the Tp. and Angle Pt. No. 10, Tract 40 and also identical with Angle Pt. No. 5, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 1, Tract 38, T. 17 N., R. 28 E., hereinbefore described.
	<hr/>
	S. $0^{\circ}04'00''$ W., on line 8-9, Tract 37, identical with a portion of the W. bdy. of the Tp. and also identical in part with line 1-5, Tract 38, T. 17 N., R. 28 E.
62.971	Angle Pt. No. 5, Tract 38, T. 17 N., R. 28 E., identical with Angle Pt. No. 1, Tract 39, T. 17 N., R. 28 E., hereinbefore described.
	Continue on line 8-9, Tract 37 and the W. bdy. of the Tp., now identical in part with line 1-7, Tract 39, T. 17 N., R. 28 E.

093

SURVEY OF TRACT 37,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 124.247</p>	<p>Angle Pt. No. 7, Tract 39, T. 17 N., R. 28 E., identical with Angle Pt. No. 1, Tract 40, T. 17 N., R. 28 E., hereinbefore described.</p> <p>Continue on line 8-9, Tract 37 and the W. bdy. of the Tp., now identical in part with line 1-5, Tract 40, T. 17 N., R. 28 E.</p>
<p>165.186</p>	<p>Angle Pt. No. 9, Tract 37, identical with the cor. of Tps. 16 and 17 N., Rs. 28 and 29 E. and also identical with Angle Pt. No. 2, Tract 38, T. 16 N., R. 29 E. and Angle Pt. No. 5, Tract 40, T. 17 N., R. 28 E., hereinbefore described.</p>
<p>0.122</p>	<p>N. 89°04'50" E., on line 9-10, Tract 37, identical with the S. bdy. of the Tp. and also identical in part with line 2-1, Tract 38, T. 16 N., R. 29 E.</p> <p>Angle Pt. No. 2, Tract 37, T. 16 N., R. 29 E., identical with Angle Pt. No. 1, Tract 38, T. 16 N., R. 29 E., at the intersection with the centerline of U.S. Highway No. 95, hereinbefore described.</p> <p>Continue on line 9-10, Tract 37 and the S. bdy. of the Tp., now identical in part with line 2-1, Tract 37, T. 16 N., R. 29 E.</p>
<p>480.867</p>	<p>Angle Pt. No. 10, Tract 37, identical with the cor. of Tps. 16 and 17 N., Rs. 29 and 30 E. and also identical with Angle Pt. No. 1, Tract 37, T. 16 N., R. 29 E. and Angle Pt. No. 2, Tract 37, T. 17 N., R. 30 E., hereinbefore described.</p> <p>N. 0°20'50" E., on line 10-11, Tract 37, identical with a portion of the E. bdy. of the Tp. and also identical with line 2-1, Tract 37, T. 17 N., R. 30 E.</p>
<p>468.756</p>	<p>Angle Pt. No. 11, Tract 37, identical with the meander cor. of sec. 6 only, T. 17 N., R. 30 E. and also identical with Angle Pt. No. 1, Tract 37, T. 17 N., R. 30 E., hereinbefore described.</p> <p>NORTH, on line 11-1, Tract 37, identical with a portion of the E. bdy. of the Tp.</p>
<p>10.000</p>	<p>Angle Pt. No. 1, Tract 37, identical with the cor. of Tps. 17 and 18 N., Rs. 29 and 30 E. and point of beginning.</p> <p style="text-align: center;">SURVEY OF TRACT 38, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <p>Beginning at Angle Pt. No. 1, Tract 38, identical with Angle Pt. No. 6, Tract 37 and also identical with the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp., hereinbefore described.</p> <p>S. 0°08'00" E., on line 1-2, Tract 38, identical with the first course of the private claim.</p> <p>Along fence.</p>

094

SURVEY OF TRACT 38,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 20.176	<p>Angle Pt. No. 2, Tract 38, identical with an angle point of the private claim, hereinbefore described.</p> <hr/> <p>S. 0°00'20" E., on line 2-3, Tract 38, identical with the second course of the private claim.</p> <p>Along fence.</p>
20.547	<p>From this point, a rebar bears E. at 0.008 chs. dist., established for the southeast cor. of Parcel 14 by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, hereinbefore described.</p>
40.512	<p>Angle Pt. No. 3, Tract 38, identical with an angle point of the private claim, hereinbefore described.</p> <hr/> <p>N. 89°57'30" W., on line 3-4, Tract 38, identical with the third course of the private claim.</p> <p>Along fence.</p>
39.57	<p>Corner of fences, bears S. and E.</p>
39.620	<p>A point established for the easterly right-of-way of State Highway No. 120, by Barry A. Fitzpatrick, Nevada Professional Land Surveyor No. 7809, monumented with a rebar, hereinbefore described.</p>
40.023	<p>Intersect the centerline of State Highway No. 120, asphalt surfaced, 36 lks. wide.</p> <p>From this point, the centerline at Sta."O" 211+99.30 P.O.T., bears N. 0°16'20" E., 25.803 chs. dist.</p>
40.075	<p>Angle Pt. No. 4, Tract 38, identical with an angle point of the private claim, hereinbefore described.</p> <hr/> <p>SOUTH, on line 4-5, Tract 38, identical with the fourth course of the private claim.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
10.593	<p>Intersect the centerline of State Highway No. 120.</p> <p>From this point, the point for the centerline at Sta."O" 211+99.30 P.O.T., bears N. 0°16'20" E., 36.396 chs. dist.</p>
20.054	<p>Angle Pt. No. 5, Tract 38, identical with an angle point of the private claim, hereinbefore described.</p> <hr/> <p>S. 89°58'10" W., on line 5-6, Tract 38, identical with a portion of the fifth course of the private claim.</p>
0.044	<p>Angle Pt. No. 6, Tract 38, identical with Angle Pt. No. 1, Tract 39, on the centerline of State Highway No. 120, hereinbefore described.</p> <hr/>

095

SURVEY OF TRACT 38,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>S. 0°16'20" W., on line 6-7, Tract 38, identical with a portion of the centerline of State Highway No. 120 and also identical with line 1-7, Tract 39.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
0.625	<p>The point for Angle Pt. No. 7, Tract 38, identical with the centerline of State Highway No. 120 at Sta. "E" 170+84.36 P.T. and also identical with Angle Pt. No. 7, Tract 39, hereinbefore described.</p> <hr/> <p>Thence on line 7-8, Tract 38, identical with the centerline of State Highway No. 120, a curve to the right having a radius of 1800.00 ft., the long chord of which bears S. 38°06'50" W., 33.463 chs. dist. and also identical with line 7-6, Tract 39.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
18.013	<p>The point for the centerline of State Highway No. 120 at Sta. "E" 158+95.51, hereinbefore described.</p>
36.026	<p>The point for Angle Pt. No. 8, Tract 38, identical with the centerline of State Highway No. 120 at Sta. "E" 147+06.65 P.C. and also identical with Angle Pt. No. 6, Tract 39, hereinbefore described.</p> <hr/> <p>S. 75°57'20" W., on line 8-9, Tract 38, identical with a portion of the centerline of State Highway No. 120 and also identical with line 6-5, Tract 39.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
15.144	<p>Angle Pt. No. 9, Tract 38, identical with Angle Pt. No. 5, Tract 39, at the intersection with the adjusted original meander line of Carson Lake, sec. 9, hereinbefore described.</p> <hr/> <p>S. 17°24'30" W., on line 9-10, Tract 38, identical with a portion of the adjusted original meanders of Carson Lake, sec. 9.</p>
5.076	<p>The point for Angle Pt. No. 10, Tract 38, identical with Angle Pt. No. 2 of the adjusted original meanders of Carson Lake, sec. 9, hereinbefore described.</p> <hr/> <p>S. 65°44'50" W., on line 10-11, Tract 38, identical with a portion of the adjusted original meanders of Carson Lake, sec. 9.</p>
28.050	<p>The point for Angle Pt. No. 11, Tract 38, identical with Angle Pt. No. 1 of the adjusted original meanders of Carson Lake, sec. 9, hereinbefore described.</p> <hr/> <p>S. 43°48'20" W., on line 11-12, Tract 38, identical with a portion of the adjusted original meanders of Carson Lake, sec. 9.</p>

096

SURVEY OF TRACT 38,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 26.086	Angle Pt. No. 12, Tract 38, identical with the meander cor. of secs. 8 and 9 and also identical with Angle Pt. No. 1, Tract 40, hereinbefore described.
	S. 42°00'20" E., on line 12-13, Tract 38, identical with a partition line of Carson Lake and also identical with line 1-11, Tract 40, hereinbefore described.
198.608	The point for Angle Pt. No. 13, Tract 38, identical with the centroid of Carson Lake and also identical with Angle Pt. No. 7, Tract 37 and Angle Pt. No. 11, Tract 40, hereinbefore described.
	N. 2°23'40" W., on line 13-1, Tract 38, identical with a partition line of Carson Lake and also identical with line 7-6, Tract 37.
294.366	Angle Pt. No. 1, Tract 38, identical with Angle Pt. No. 6, Tract 37 and also identical with the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp. and point of beginning.
SURVEY OF TRACT 39 T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA	
	Beginning at Angle Pt. No. 1, Tract 39, identical with Angle Pt. No. 6, Tract 38, at the intersection of the fifth course of the private claim with the centerline of State Highway No. 120, hereinbefore described.
	From this point, the point for the centerline of State Highway No. 120 at Sta. "O" 211+99.30 P.O.T., bears N. 0°16'20" E., 45.857 chs. dist.
	S. 89°58'10" W., on line 1-2, Tract 39, identical with a portion of the fifth course of the private claim.
20.092	Angle Pt. No. 2, Tract 39, identical with an angle point of the private claim, hereinbefore described.
	SOUTH, on line 2-3, Tract 39, identical with the sixth course of the private claim.
24.189	Angle Pt. No. 3, Tract 39, identical with an angle point of the private claim, hereinbefore described.
	N. 89°56'00" W., on line 3-4, Tract 39, identical with a portion of the seventh course of the private claim.
13.240	Angle Pt. No. 4, Tract 39, identical with an angle point of the private claim, at the intersection with the adjusted original meander line of Carson Lake, sec. 9, hereinbefore described.
	From this point, the point for the meander cor. of secs. 4 and 9, bears N. 17°24'30" E., 25.339 chs. dist.

097

SURVEY OF TRACT 39,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>S. 17°24'30" W., on line 4-5, Tract 39, identical with a portion of the adjusted original meanders of Carson Lake, sec. 9.</p>
6.750	<p>Angle Pt. No. 5, Tract 39, identical with Angle Pt. No. 9, Tract 38, at the intersection with the centerline of State Highway No. 120, hereinbefore described.</p> <p>From this point, the point for the centerline of State Highway No. 120 at Sta. "E" 131+82.14, bears S. 75°57'20" W., 7.952 chs. dist.</p>
	<hr/> <p>N. 75°57'20" E., on line 5-6, Tract 39, identical with a portion of the centerline of State Highway No. 120 and also identical with line 9-8, Tract 38.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
15.144	<p>The point for Angle Pt. No. 6, Tract 39, identical with the centerline of State Highway No. 120 at Sta. "E" 147+06.65 P.C. and also identical with Angle Pt. No. 8, Tract 38, hereinbefore described.</p>
	<hr/> <p>Thence on line 6-7, Tract 39, identical with the centerline of State Highway No. 120, a curve to the left having a radius of 1800.00 ft., the long chord of which bears N. 38°06'50" E., 33.463 chs. dist. and also identical with line 8-7, Tract 38.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
18.013	<p>The point for the centerline of State Highway No. 120 at Sta. "E" 158+95.51, hereinbefore described.</p>
36.026	<p>The point for Angle Pt. No. 7, Tract 39, identical with the centerline of State Highway No. 120 at Sta. "E" 170+84.36 P.T. and also identical with Angle Pt. No. 7, Tract 38, hereinbefore described.</p>
	<hr/> <p>N. 0°16'20" E., on line 7-1, Tract 39, identical with a portion of the centerline of State Highway No. 120 and also identical with line 7-6, Tract 38.</p> <p>Along asphalt surfaced road, 36 lks. wide.</p>
0.625	<p>Angle Pt. No. 1, Tract 39, identical with Angle Pt. No. 6, Tract 38 and point of beginning.</p>
	<hr/> <p style="text-align: center;">SURVEY OF TRACT 40, T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Beginning at Angle Pt. No. 1, Tract 40, identical with the meander cor. of secs. 8 and 9, and Angle Pt. No. 12, Tract 38, hereinbefore described.</p> <p>S. 11°18'50" W., on line 1-2, Tract 40, identical with the adjusted original meander line of Carson Lake, sec. 8.</p>

098

SURVEY OF TRACT 40,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 15.779	Angle Pt. No. 2, Tract 40, identical with the meander cor. of secs. 8 and 17, hereinbefore described.
	S. 81°34'50" W., on line 2-3, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 17.
53.572	Angle Pt. No. 3, Tract 40, identical with Angle Pt. No. 2 of the adjusted original meanders of Carson Lake, sec. 17, hereinbefore described.
	S. 59°23'30" W., on line 3-4, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 17.
21.586	Angle Pt. No. 4, Tract 40, identical with Angle Pt. No. 1 of the adjusted original meanders of Carson Lake, sec. 17, hereinbefore described.
	S. 5°13'40" W., on line 4-5, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 17.
56.417	Angle Pt. No. 5, Tract 40, identical with the meander cor. of secs. 17 and 18, hereinbefore described.
	S. 45°24'00" W., on line 5-6, Tract 40, identical with the adjusted original meander line of Carson Lake, sec. 18.
8.549	Angle Pt. No. 6, Tract 40, identical with the meander cor. of secs. 18 and 19, hereinbefore described.
	S. 57°04'00" W., on line 6-7, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 19.
22.343	Angle Pt. No. 7, Tract 40, identical with Angle Pt. No. 2 of the adjusted original meanders of Carson Lake, sec. 19, hereinbefore described.
	N. 73°01'30" W., on line 7-8, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 19.
37.722	Angle Pt. No. 8, Tract 40, identical with Angle Pt. No. 1 of the adjusted original meanders of Carson Lake, sec. 19, hereinbefore described.
	S. 62°04'40" W., on line 8-9, Tract 40, identical with a portion of the adjusted original meanders of Carson Lake, sec. 19.
23.960	Angle Pt. No. 9, Tract 40, identical with the meander cor. of secs. 19 and 24, on the W. bdy. of the Tp. and also identical with Angle Pt. No. 1, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 4, Parcel A, T. 17 N., R. 28 E., hereinbefore described.

099

SURVEY OF TRACT 40,
T. 17 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	S. 0°04'00" W., on line 9-10, Tract 40, identical with a portion of the W. bdy. of the Tp. and also identical with line 1-5, Tract 37, T. 17 N., R. 28 E.
66.562	Angle Pt. No. 10, Tract 40, identical with Angle Pt. No. 8, Tract 37 and the crossing closing cor. on the W. bdy. of the Tp. and also identical with Angle Pt. No. 5, Tract 37, T. 17 N., R. 28 E. and Angle Pt. No. 1, Tract 38, T. 17 N., R. 28 E., hereinbefore described.
	N. 84°36'50" E., on line 10-11, Tract 40, identical with a portion of a partition line of Carson Lake and also identical with line 8-7, Tract 37.
258.274	The witness point between Tracts 37 and 40, hereinbefore described.
296.274	The point for Angle Pt. No. 11, Tract 40, identical with the centroid of Carson Lake and also identical with Angle Pt. No. 7, Tract 37 and Angle Pt. No. 13, Tract 38, hereinbefore described.
	N. 42°00'20" W., on line 11-1, Tract 40, identical with a partition line of Carson Lake and also identical with line 13-12, Tract 38, hereinbefore described.
198.608	Angle Pt. No. 1, Tract 40, identical with the meander cor. of secs. 8 and 9, and Angle Pt. No. 12, Tract 38 and point of beginning.
	<p style="text-align: center;">GENERAL DESCRIPTION</p> <p>The area surveyed and resurveyed within Township 17 North, Range 29 East, varies in terrain from gently rolling to nearly level. The elevation ranges from about 3,900 to 3,925 ft. above sea level. The soil varies from sandy clay loam and gravel to sandy clay loam. The vegetation consists of sagebrush, rabbitbrush, Brigham tea and native grass with scattered cottonwoods.</p> <p>Access is by U.S. Highway No. 95 crossing the area from the S. to the N. near the west boundary of the township and by improved gravel roads and trail roads. A power line and telephone line crosses the area paralleling U.S. Highway No. 95.</p>

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS


Ronald E. Williams	Cadastral Surveyor
Peter F. Perazzo	Surveying Technician
Clay W. Morrow	Surveying Technician
Dylan S. Hansen	Surveying Technician

CERTIFICATE OF SURVEY

We, Brock R. Clifford and Thomas E. Casinger, Cadastral Surveyors, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 10th day of June, 1996, and Supplemental Special Instructions bearing date of the 30th day of April, 1998, we have dependently resurveyed portions of the west and north boundaries, a portion of the subdivisional lines, and the meanders of Carson Lake, and determined the partition lines in the rellicted lands of Carson Lake, surveyed the south boundary, completed the survey of the east and west boundaries, surveyed by metes-and-bounds a private claim and a portion of State Highway No. 120, and surveyed Tracts 37, 38, 39 and 40, Township 17 North, Range 29 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

11/23/98

(Date)



/For Brock R. Clifford

(Cadastral Surveyor)

11/23/98

(Date)



(Cadastral Surveyor)


CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Reno, Nevada

The foregoing field notes of the dependent resurvey of portions of the west and north boundaries, a portion of the subdivisional lines, and the meanders of Carson Lake, and the determination of the partition lines in the rellicted lands of Carson Lake, the survey of the south boundary, the completion survey of the east and west boundaries, the metes-and-bounds surveys of a private claim and a portion of State Highway No. 120, and the survey of Tracts 37, 38, 39 and 40, Township 17 North, Range 29 East, Mount Diablo Meridian, Nevada, executed by Brock R. Clifford and Thomas E. Casinger, Cadastral Surveyors, having been critically examined and found correct, are hereby approved.

11/23/98

(Date)



(Chief Cadastral Surveyor, Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 17 N., R. 29 E., M.D.M., Nevada, is a true copy of the original field notes.~~

~~(Date)~~~~(Chief Cadastral Surveyor, Nevada)~~