

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Original

FIELD NOTES

OF

THE REMONUMENTATION OF

THE CORNER OF SECTIONS 29, 30, 31, AND 32,

IN

TOWNSHIP 24 NORTH, RANGE 34 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA

EXECUTED BY

Ronald E. Williams, Cadastral Surveyor

Under Special Instructions dated August 17, 1998,

and approved August 17, 1998,

which provided for the remonumentations included under Group No. 775,

and Assignment Instructions dated April 17, 2001.

Remonumentation commenced April 17, 2001

Remonumentation completed April 17, 2001

INDEX TO SECTION
CORNER MONUMENTS
TOWNSHIP 24 NORTH, RANGE 34 EAST

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

242

TOWNSHIP 24 NORTH, RANGE 34 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

These field notes are those of the remonumentation of a corner of the survey executed by T.A. Haigh, U.S. Surveyor, and H.W. Reppert, U.S. Transitman, in 1912.

The cor. of secs. 29, 30, 31 and 32, monumented with the bottom portion of an iron post, 2 ins. diam., rusted off flush with the ground, alongside of which is lying the top portion of the iron post, 18 ins. long, with brass cap mkd. "T24N R34E S29 S30 S31 S32 1912" with a mound of stone W. of cor. This corner will now refer to the cor. of secs. 29 and 30 only.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T24N	R34E
S 30	S 29

S 31

2001

Insert the piece of the original iron post with the brass cap inside the stainless steel post, deposit pieces of the iron post alongside the stainless steel post, destroy the mound of stone W. of cor., and build a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANT

Clay W. MorrowSurveying Technician

CERTIFICATE OF SURVEY

I, Ronald E. Williams, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 17th day of August, 1998, I have remonumented the corner of sections 29, 30, 31 and 32, in Township 24 North, Range 34 East, of the Mount Diablo Meridian, in the State of Nevada, which is represented in the foregoing field notes as having been executed by me and under my direction; and that said remonumentation has been made in strict conformity with said Special Instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

December 27 2001
(Date)

Ronald E. Williams
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Reno, Nevada

The foregoing field notes of the remonumentation of the corner of sections 29, 30, 31 and 32, in Township 24 North, Range 34 East, Mount Diablo Meridian, Nevada, executed by Ronald E. Williams, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

May 15, 2003
(Date)

R. M. Scurry
(Chief Cadastral Surveyor, Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described remonumentation in T. 24 N., R. 34 E., Nevada, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor, Nevada)~~