

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

ORIGINAL

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF

A PORTION OF THE SUBDIVISIONAL LINES,

MINERAL SURVEY NO. 3808

AND PORTIONS OF MINERAL SURVEY NO. 3961,

TOWNSHIP 46 NORTH, RANGE 39 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA

EXECUTED BY

Brandon K. Grace, Cadastral Surveyor

Under Special Instructions dated December 18, 2014,
and approved December 18, 2014,
which provided for the surveys included under Group No. 939,
and Assignment Instructions dated December 18, 2014.

Survey commenced January 14, 2015

Survey completed January 18, 2015

TOWNSHIP 46 NORTH, RANGE 39 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

The following field notes are those of the dependent resurvey of a portion the subdivisional lines, Mineral Survey No. 3808 and portions of Mineral Survey No. 3961, Township 46 North, Range 39 East, Mount Diablo Meridian, Nevada.

The west boundary was surveyed by U.S. Deputy Surveyor O.A. Palmer in 1869 under Contract No. 22.

The west boundary was retraced and the south boundary (Ninth Standard Parallel North), north and east boundaries and the subdivisional lines were surveyed by U.S. Deputy Surveyor W.D. Minckler in 1881 under Contract No. 131.

A portion of the south boundary (Ninth Standard Parallel North) was dependently resurveyed by Cadastral Surveyor J.R. Munson in 1972 under Group No. 485.

Mineral Survey No. 3808, Cheefoo lode was surveyed by U.S. Mineral Surveyor F.R. O'Leary in 1909.

Mineral Survey No. 3961, Coyote and Sage Hen lodes were surveyed by U.S. Mineral Surveyor F.R. O'Leary in 1911.

An unrecorded U.S. Forest Service survey was conducted in the area in 1991.

Before restoring the corners, the lines of the original surveys were retraced and a diligent search made for any evidence of the original corners and other calls of the field note records.

The rules of proportionate measurement and record bearings and distance were applied in order to ascertain the position of lost corners, after completing the necessary retracements to connect with identified corner locations. In order to simplify the record, the true line notes only are supplied herewith, which refer to the completed survey.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions (2009) and the Special Instructions dated December 18, 2014.

Measurements were made with Trimble R8 Global Positioning System (GPS) receivers using the real-time kinematic method. The direction of each line is with reference to the true meridian. All bearings are mean bearings and the distances are reported as horizontal measurement at a mean ground elevation of 6,000 feet above sea level.

The NAD 83 (2011) (epoch 2010.0000) geographic positions of the following corners were determined from GPS static observations processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuous Operating Reference Stations (CORS) SHLD SHELDON REFUGE CORS ARP, P739 MCDERMITT_OR2008 CORS ARP and P013 SPRINGCREKNV2007 CORS ARP, and carried forward by RTK observations.

The standard corner of sections 33 and 34, on the south boundary of the township, is as follows:

TOWNSHIP 46 NORTH, RANGE 39 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Latitude 41°49'03.658" N. Longitude 117°34'39.781" W.</p> <p>The corner of sections 28, 29, 32 and 33 is as follows:</p> <p>Latitude 41°49'56.159" N. Longitude 117°35'49.561" W.</p> <p>The January 5, 2015 mean magnetic declination was determined to be 13°42' E., as obtained from the National Oceanic and Atmospheric Administration's National Geophysical Data Center declination calculator.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by W.D. Minckler, U.S. Deputy Surveyor, in 1881</p> <hr/> <p>From the standard cor. of secs. 33 and 34, on the S. bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set in a mound of stone, 4 ft. base, 2 1/2 ft. high, with brass cap mkd. as described in the field notes of the dependent resurvey of the Ninth Standard Parallel North through a portion of R. 39 E., executed under Group No. 485.</p> <p>From this cor., Cor. No. 1, Mineral Survey No. 3808, Cheefoo lode, bears N. 45°32'30' W., 55.499 chs. dist., hereinafter described.</p> <p>N. 0°07'20" W., bet. secs. 33 and 34.</p> <p>Over mountainous land, covered with scattered sage brush and cheat grass.</p>
10.87	Ravine, drains SSE.
16.63	Spur, slopes WSW.
28.41	Ravine, drains W.
39.01	Rounded spur, slopes W.
40.46	Barbed wire fence, 4 strands, bears SE. and NW.
40.520	<p>The 1/4 sec. cor. of secs. 33 and 34, perpetuated by person(s) unknown, for the U.S. Forest Service, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above a mound of stone, 4 ft. base, 1 ft. high, with a USFS aluminum cap mkd. T46N R39E 1/4 S33 S34 1991. The original volcanic stone, 18x12x8 ins., mkd. 1/4 on a face, was found buried alongside the aluminum post. The aluminum post is accepted as a careful and faithful perpetuation of the position of the original corner.</p> <hr/>

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	N. 0°07'00" W., beginning new measurement.
10.60	Rounded spur, slopes NW.
16.13	Dirt road, 15 lks. wide, bears NE. and NW., intersecting a ravine, drains NNW.
16.759	Intersect line 3-4, Mineral Survey No. 3961, Coyote lode, at a point from which cor. No. 4, Mineral Survey No. 3961, Coyote lode, hereinafter described, bears N. 70°03'00" W., 4.508 chs. dist.
40.523	The cor. of secs. 27, 28, 33 and 34, perpetuated by person(s) unknown, for the U.S. Forest Service, monumented with an aluminum post, 2 1/2 ins. diam., firmly set in a mound of stone, 4 ft. base, 2 ft. high, with a USFS aluminum cap mkd. T46N R39E S27 S28 S33 S34 1991. The original volcanic stone, 16x14x10 ins., mkd. with 3 grooves on a face (record: 3 notches on edge) and 1 groove on another face (Record: 1 notch on edge), was found buried alongside the aluminum post. The aluminum post is accepted as a careful and faithful perpetuation of the position of the original corner.
	<p>From the standard cor. of secs. 32 and 33, on the S. bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 12 ins above a mound of stone, 3 1/2 ft. base, 1 ft. high, with brass cap mkd. as described in the field notes of the dependent resurvey of the Ninth Standard Parallel North through a portion of R. 39 E., executed under Group No. 485.</p> <p>N. 0°10'00" W., bet. secs. 32 and 33.</p> <p>Over mountainous land, covered with scattered sage brush and cheat grass.</p>
1.00	Ravine, drains SW.
18.54	Spur, slopes W.
40.215	Point for the 1/4 sec. cor. of secs. 32 and 33, at proportionate distance; there is no remaining evidence of the position of the original corner.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T46N R39E 1/4 S32 S33</p> <p style="text-align: center;">2015</p>
40.69	From this point, a mound of stone, 4 ft. base, 1 ft. high, bears S. 41°10'20" E., 1.503 chs. dist. Brook, 10 lks. wide, course WSW.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS									
41.65	Trail road, 15 lks. wide, bears ENE. and WSW.								
52.68	Ravine, drains SSW.								
69.89	Ravine, drains SSE.								
80.430	The cor. of secs. 28, 29, 32 and 33, monumented with a volcanic stone, 14x12x8 ins., firmly set in an embedded mound of stone, 3 ft. base, mkd. with 4 grooves on the east face (Record: 4 notches on E. edge) and no distinct marks found on S. face.								
	At the corner point								
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.								
	<table border="1"> <tbody> <tr> <td colspan="2">T46N R39E</td> </tr> <tr> <td>S29</td> <td>S28</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td>S32</td> <td>S33</td> </tr> </tbody> </table>	T46N R39E		S29	S28	<hr/>		S32	S33
T46N R39E									
S29	S28								
<hr/>									
S32	S33								
	2015								
	Bury the mkd. stone alongside the stainless steel post.								
	From this cor., Cor. No. 4, Mineral Survey No. 3808, Cheefoo lode, bears S. 63°11'10" E., 39.583 chs. dist., hereinafter described.								
	<hr/>								
	From the cor. of secs. 27, 28, 33 and 34.								
	S. 89°36'00" W., bet. secs. 28 and 33.								
	Over mountainous land, covered with scattered sage brush and cheat grass.								
2.67	Dry brook, 6 lks. wide, courses N.								
4.50	Trail road, 15 lks. wide, bears NNE. and SSW.								
5.807	Intersect line 3-4, Mineral Survey No. 3961, Sage Hen lode, at a point from which cor. No. 4, Mineral Survey No. 3961, Sage Hen lode, hereinafter described, bears N. 19°57'00" E., 7.724 chs. dist.								
12.47	Spur, slopes SE.								
15.76	Trail road, 15 lks. wide, bears SE. and NW.								
16.73	Barbed wire fence, 4 strand, bears SE. and NW.								
21.79	Ravine, drains SW.								
26.69	Spur, slopes S.								
36.02	Ravine, drains SSE.								



DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 39.685</p>	<p>The 1/4 sec. cor. of secs. 28 and 33, monumented with a volcanic stone, 15x8x6 ins., broken in 2 pieces, loosely set in an embedded mound of stone, 3 ft. base, mkd. 1/4 on a face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T46N R39E S28 1/4 — S33</p> <p style="text-align: center;">2015</p> <p>Bury the mkd. stone alongside the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°40'50" W., beginning new measurement.</p>
<p>12.09</p>	<p>Spur, slopes S.</p>
<p>24.83</p>	<p>Rounded ravine, drains S.</p>
<p>31.62</p>	<p>Rocky spur, slopes S.</p>
<p>40.210</p>	<p>The cor. of secs. 28, 29, 32 and 33.</p>
<hr/> <p>DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3808, T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of the Survey Executed by U.S. Deputy Surveyor F.R. O'Leary in 1909</p> <hr/>	
<p>Cheefoo lode</p>	
<p>Memorandum</p>	
<p>Numerous 2x2 ins. wood posts with aluminum tags marking mineral claim corners were found during the course of this survey. The positions cannot be related to original evidence and were not utilized in the course of this survey.</p>	
<p>From Cor. No. 1, Mineral Survey No. 3808, Cheefoo lode, determined at the center of an embedded mound of stone, 8 ft. diam., with the remains of a wood post, 4x4x36 ins., lying on the ground alongside, with no visible markings. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.</p>	
<p>At the corner point</p>	

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3808,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">MS3808 CH 1 / T46N R39E</p> <p style="text-align: center;">S33</p> <p style="text-align: center;">2015</p>
	<p>Bury remains of wood post alongside stainless steel post.</p> <p>From this same point, the standard 1/4 sec. cor. of sec. 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of the Ninth Standard Parallel North through a portion of R. 39 E., executed under Group No. 485, bears S. 0°23'10" W., 38.906 chs. dist., with a mound of stone, 3 1/2 ft. base, 1 ft. high, N. of cor.</p>
0.78	N. 9°04'00" E., on line 1-2, Mineral Survey No. 3808, Cheefoo lode.
10.50	Gulch, drains WSW.
11.436	Faint trail road, bears NE. and SW.
	Point for Cor. No. 2, Mineral Survey No. 3808, Cheefoo lode, determined by record bearing and distance; there is no remaining evidence of the position of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	<p style="text-align: center;">MS3808/ T46N CH 2 / R39E S33</p> <p style="text-align: center;">2015</p>
2.35	N. 9°11'00" E., on line 2-3, Mineral Survey No. 3808, Cheefoo lode.
11.194	Gulch, drains SSW.
	<p>Cor. No. 3, Mineral Survey No. 3808, determined at the center of an embedded mound of stone, 4 ft. diam., with the remains of a wood post, 4x4x24 ins., lying loose on the mound, with no visible markings. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p>

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3808,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>CH 3 T46N MS3808 R39E S33</p> </div> <p style="text-align: center;">2015</p> <p>Bury remains of wood post alongside stainless steel post.</p> <hr style="width: 30%; margin: auto;"/>
	<p>N. 80°25'00" W., on line 3-4, Mineral Survey No. 3808, Cheefoo lode.</p>
0.30	<p>Trail road, 15 lks. wide, bears N. and S.</p>
4.53	<p>From this point, the discovery shaft for this lode, bears S. 9°12' W., 36.4 lks., 10x12 ft., 7 ft. deep (Record: 4.5x7 ft., 44 ft. deep).</p>
8.841	<p>Cor. No. 4, Mineral Survey No. 3808, determined at the center of an embedded mound of stone, 4 ft. diam. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T46N 4 R39E CH S33 MS3808</p> </div> <p style="text-align: center;">2015</p> <hr style="width: 30%; margin: auto;"/>
	<p>S. 10°06'00" W., on line 4-5, Mineral Survey No. 3808, Cheefoo lode.</p>
11.186	<p>Point for Cor. No. 5, Mineral Survey No. 3808, Cheefoo lode, determined by record bearing and distance; there is no remaining evidence of the position of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3808,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	T46N / MS3808 R39E / 5 CH S33 /
	2015


	S. 9°25'00" W., on line 5-6, Mineral Survey No. 3808, Cheefoo lode.
6.86	From this point, the E. edge of a draining adit, bears W., 0.47 chs. dist.
7.09	Barbed wire fence, 4 strands, bears SSE. and NNW., enter marsh land.
11.444	Point for Cor. No. 6, Mineral Survey No. 3808, Cheefoo lode, identical with Cor. No. 2, cancelled Mineral Survey No. 3980, Starter lode, determined by record bearing and distance; point falls in a marshland below a draining adit, there is no remaining evidence of the position of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the ground, over a plastic-encased magnet, with brass cap mkd.
	T46N MS3808 R39E / CH S33 / 6
	2015
	From this point, Cor. No. 1, cancelled Mineral Survey No. 3980, Starter lode, bears S. 9°31'40" W., 22.727 chs. dist., monumented with an embedded mound of stone, 5 ft. diam., with the remains of a wood post broken in 3 pieces, lying on the ground alongside, with no visible markings.
	From this same point, Cor. No. 3, cancelled Mineral Survey No. 3980, Starter lode, bears N. 80°25'00" W., 9.091 chs. dist., monumented with an embedded mound of stone, 5 ft. diam., with the remains of a burnt wood post, 2x3x18 ins., lying on the ground alongside, with no visible markings.

	S. 80°25'00" E., on line 6-1, Mineral Survey No. 3808, Cheefoo lode.
0.05	Barbed wire fence, 4 strands, bears NE. and SW.
0.32	Trail road, 15 lks. wide, bears NE. and SW.
9.091	Cor. No. 1, Mineral Survey No. 3808, Cheefoo lode, and place of beginning.



DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3961,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Reestablishment of a Portion of the Survey Executed by U.S. Mineral Surveyor F.R. O'Leary in 1911</p> <hr/>
	<p>Coyote lode</p> <p>Memorandum</p>
	<p>Numerous 2x2 ins. wood posts with aluminum tags marking mineral claim corners were found during the course of this survey. The positions cannot be related to original evidence and were not utilized in the course of this survey.</p>
	<p>From Cor. No. 3, Mineral Survey No. 3961, Coyote lode, determined at the center of a mound of stone, 5 ft. base, 1 ft. high, with the burnt remains of a wood post, 2x4x12 ins., lying loose on the mound, with no visible markings. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.</p>
	<p>At the corner point</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<p>MS3961 CO 3</p>
	<p>T46N R39E S34</p> <p>2015</p>
	<p>Bury remains of wood post alongside stainless steel post.</p>
	<p>From this point, Cor. No. 2, Mineral Survey No. 3961, Coyote lode, monumented with an embedded mound of stone, 3 ft. diam., bears N. 19°57'00" E., 22.727 chs. dist.</p>
	<p>N. 70°03'00" W., on line 3-4, Mineral Survey No. 3961, Coyote lode.</p>
2.64	Trail road, 15 lks. wide, bears SSW. and NNE.
3.79	Trail road, 15 lks. wide, bears NE. and SW.
4.36	Gulch, drains N.
4.546	<p>From this point, the location and discovery monument for this lode, bears N. 19°57' E., 10.606 chs. dist., monumented with an embedded mound of stone, 4 ft. diam.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3961,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
4.583	Intersect the line bet. secs. 33 and 34, at a point from which the cor. of secs. 27, 28, 33 and 34, hereinbefore described, bears N. 0°07'00" W., 23.764 chs. dist.
5.94	Trail road, 15 lks. wide, bears NNW. and SSE.
9.091	Cor. No. 4, Mineral Survey No. 3961, Coyote lode, perpetuated by person(s) unknown, for the U.S. Forest Service, monumented with an aluminum rod, 1 in. diam., firmly set, projecting 4 ins. above a mound of stone, 3 ft. base, 1 ft. high, with 2 wood posts lying loose on the mound, with no visible markings on either post, with a USFS aluminum cap mkd. MS3961 COYOTE 4 1991. This aluminum rod correlates well with other existing corners and is accepted as a careful and faithful perpetuation of the position of the original corner.
	<hr/> <p>N. 19°57'00" E., on a portion of line 4-1, Mineral Survey No. 3961, Coyote lode.</p>
3.82	Trail road, 15 lks. wide, bears SE. and NW.
5.300	Cor. No. 2, Mineral Survey No. 3961, Sage Hen lode, on line 4-1, Mineral Survey No. 3961, Coyote lode, hereinafter described.
	<hr/> <p style="text-align: center;">Sage Hen lode</p>
	<p style="text-align: center;"><u>Memorandum</u></p>
	<p>Numerous 2x2 ins. wood posts with aluminum tags marking mineral claim corners were found during the course of this survey. The positions cannot be related to original evidence and were not utilized in the course of this survey.</p>
	<p>From Cor. No. 2, Mineral Survey No. 3961, Sage Hen lode, on line 4-1, Mineral Survey No. 3961, Coyote lode, determined at the center of an embedded mound of stone, 4 ft. base. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.</p>
	<p>At the corner point</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	
	<p style="text-align: center;">2015</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3961,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	N. 70°03'00" W., on line 2-3, Mineral Survey No. 3961, Sage Hen lode.
3.36	Trail road, 15 lks. wide, bears SE. and NW.
6.02	Ridge, bears NNE. and SSW.
9.091	<p>Point for Cor. No. 3, Mineral Survey No. 3961, Sage Hen lode, determined by record bearing and distance; the rotten remains of a wood post, 2x4x25 ins., mkd. with a legible H, was found lying loose on the ground near record point, the original position indeterminate.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>2015</p> <p>Bury remains of wood post alongside stainless steel post.</p>
	<p>N. 19°57'00" E., on line 3-4, Mineral Survey No. 3961, Sage Hen lode.</p> <p>2.58 Trail road, 15 lks. wide, bears ESE. and WNW.</p> <p>4.62 Trail road, 15 lks. wide, bears SE. and NW., on top of ridge, bears SE. and NW.</p> <p>15.003 Intersect the line bet. secs. 28 and 33, at a point from which the cor. of secs. 27, 28, 33 and 34, hereinbefore described, bears N. 89°36'00" E., 5.807 chs. dist.</p> <p>22.727 Point for Cor. No. 4, Mineral Survey No. 3961, Sage Hen lode, determined by record bearing and distance; there is no remaining evidence of the position of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>2015</p> <p>Cor. is located on a mine tailings pile.</p>

DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 3961,
T. 46 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From this point., Cor. No. 2, Mineral Survey No. 3961, Coyote lode, bears, S. 1°51'00" E, 24.478 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <p>The lands included in this survey are located in Humboldt County, Nevada, on the westerly slope of the Santa Rosa Range. Access is gained by way of U.S. Highway No. 95. The average elevation of the area is 6000 feet.</p> <p>Vegetation is mostly cheat grass and sagebrush on the hill sides with willows growing along a small tributary to Threemile Creek.</p>
--------	---

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

Brandon G. Courtright

Cadastral Surveyor

Joseph J. Johnson

Cadastral Surveyor

CERTIFICATE OF SURVEY

I, Brandon K. Grace, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 18th day of December, 2014, I have dependently resurveyed a portion of the subdivisional lines, Mineral Survey No. 3808 and portions of Mineral Survey No. 3961, Township 46 North, Range 39 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

MAR 02 2015

(Date)

Brandon K. Grace

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Reno, Nevada

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines, Mineral Survey No. 3808 and portions of Mineral Survey No. 3961, Township 46 North, Range 39 East, Mount Diablo Meridian, Nevada, executed by Brandon K. Grace, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

MAR 02 2015

(Date)

Michael O. Hammering

(Chief Cadastral Surveyor for Nevada)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above described surveys in T. 46 N., R. 39 E., Mount Diablo Meridian, Nevada, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor for Nevada)~~