UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ORIGINAL

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF

MINERAL SURVEY NOS. 3962 AND 3971,

IN UNSURVEYED TOWNSHIP 5 SOUTH, RANGE 46 EAST,

OF THE MOUNT DIABLO MERIDIAN,

IN THE STATE OF NEVADA.

EXECUTED BY

Brandon K. Grace, Cadastral Surveyor

Under Special Instructions dated May 20, 2015,

and approved May 20, 2015,

which provided for the surveys included under Group No. 946,

and Assignment Instructions dated May 20, 2015.

Survey commenced May 22, 2015 Survey completed May 25, 2015

INDEX DIAGRAM

TOWNSHIP 5 SOUTH, RANGE 46 EAST, MOUNT DIABLO MERIDIAN, NEVADA

6	5	4	. 3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

TOWNSHIP 5 SOUTH, RANGE 46 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

The following field notes are those of the dependent resurvey of Mineral Survey Nos. 3962 and 3971 in unsurveyed Township 5 South, Range 46 East, Mount Diablo Meridian, Nevada.

The north boundary (First Standard Parallel South) was surveyed by U.S. Deputy Surveyor O.E. Brashears in 1905-1906 under Contract No. 248.

The south, east, and west boundaries were surveyed by U.S. Deputy Surveyor A.R. Talamantes in 1906-1907 under Contract No. 251.

Mineral Survey No. 3962, Daisy, Last Chance and Mohawk lodes, was surveyed by U.S. Mineral Surveyor W.T. Olmstead in 1911.

Mineral Survey No. 3971, Golden Chariot No. 1, Golden Chariot No. 2 and Golden Chariot No. 3 lodes, was surveyed by U.S. Mineral Surveyor J. Hagel in 1911.

Before restoring the corners, the lines of the original surveys were retraced and a diligent search made for any evidence of the original corners and other calls of the field note records.

In order to simplify the record, the true line notes only are supplied herewith, which refer to the completed survey.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions (2009) and the Special Instructions dated May 20, 2015.

Measurements were made with Trimble R8 Global Positioning System (GPS) receivers using the real-time kinematic (RTK) method. The direction of each line is with reference to the true meridian and are reported as mean bearings. The distances are reported as horizontal measurement at a mean ground elevation of 5,600 feet above sea level.

The NAD 83 (2011) (Epoch 2010.0000) geographic positions of the corners below were determined from GPS static observations processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuous Operating Reference Stations (CORS) P651 CHALFANTVACS2006 CORS ARP, P091 HUNTER_MTNCS2007 CORS ARP, TONO TONO_BRGN_NV1999 CORS ARP, and carried forward by RTK observations.

The standard 1/4 section corner of section 36, T. 4 S., R. 46 E., is as follows:

Latitude 37°32'33.913" N. Longitude 116°46'38.851" W.

The standard corner of sections 35 and 36, T. 4 S., R. 46 E., is as follows:

Latitude 37°32'33.949" N. Longitude 116°47'11.782" W.

The June 06, 2015 mean magnetic declination was determined to be 12°35' E., as obtained from the National Oceanic and Atmospheric Administration's National Geophysical Data Center declination calculator.

CHAINS


Reestablishment of the Survey Executed by U.S. Mineral Surveyor William T. Olmstead in 1911

Mohawk lode

From Cor. No. 1, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 2, Mineral Survey No. 3962, Daisy lode, on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, determined at the center of a mound of stone, 4 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the mound, faintly mkd. D2 on a side and M1 on the opposite side. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.



2015

Bury wood post alongside stainless steel post.

From this corner, Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, hereinafter described, bears S. 58°51'00" W., 8.559 chs. dist.

N. 58°51'00" E., on line 1-2, Mineral Survey No. 3962, Mohawk lode, identical with a portion of line 4-3, Mineral Survey No. 3971, Golden Chariot No. 1 lode.

8.10 | Trail road, 15 lks. wide, bears SE. and NW.

8.459

Cor. No. 2, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 1, Mineral Survey No. 3962, Last Chance lode, on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, determined at the center of a mound of stone, 6 ft. diam., 1 ft. high, with a wood post, 4x4x30 ins., lying loose on the mound, faintly mkd. 3962 on a side and M2 on the adjacent side. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 6 ft. base, to top, with brass cap mkd.

CHAINS GO CH 1 MS3971 /LA CH MS3962 MO MS3962 2015 Bury wood post alongside stainless steel post. From this corner, the location discovery monument of this lode, monumented with a mound of stone, 4 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the mound, with a faint illegible mk., bears S. 3°01'50" E., 11.113 chs. dist. (Record: S. 3°32' E., 735.5 ft. dist.). From this same cor., the SE. corner of an old stone retaining wall, 2 ft. high, bears N. 43°43'30" W., 1.744 chs. dist. S. 26°04'00" E., on line 2-3, Mineral Survey No. 3962, Mohawk lode, identical with line 1-4, Mineral Survey No. 3962, Last Chance lode. Cor. No. 3, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 4, Mineral Survey No. 3962, Last Chance lode, 21.111 determined at the center of a mound of stone, 3 ft. diam., 1 ft. high, with a wood post, 4x4x30 ins., lying loose on the mound, mkd. LC4. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd. MS3962 MS3962 LA CH T5S R46E 2015 Bury wood post alongside stainless steel post and raise a mound of stone, 4 ft. diam., 2 ft. high N. of corner. S. 58°51'00" W., on line 3-4, Mineral Survey No. 3962, Mohawk lode.


CHAINS

8.486

Cor. No. 4, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 3, Mineral Survey No. 3962, Daisy lode, determined at the center of a mound of stone, 5 ft. diam., 1 ft. high, with a wood post, 4x4x24 ins., lying loose on the mound, faintly mkd. DA on a side and 3762 on the opposite side. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.



2015

Bury wood post alongside stainless steel post.

N. 26°00'00" W., on line 4-1, Mineral Survey No. 3962, Mohawk lode, identical with line 3-2, Mineral Survey No. 3962, Daisy lode.

21.114

Cor. No. 1, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 2, Mineral Survey No. 3962, Daisy lode, on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, and place of beginning.

Daisy lode

From Cor. No. 1, Mineral Survey No. 3962, Daisy lode, identical with Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 1 lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 2 lode, determined at the center of a mound of stone, 3 ft. diam., 2 ft. high, with a wood post, 4x4x42 ins., lying loose on the mound, faintly mkd. D1 3962. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd.

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3962

T. 5 S., R. 46 E., MOUNT DIABLO MERIDIAN, NEVADA CHAINS GO CH 1 MS3971 GO CH 2 MS3971 DA MS3962 2015 Bury wood post alongside stainless steel post. From this cor., the location discovery monument of this lode, monumented with a mound of stone, 6 ft. diam., 2 ft. high, with a wood post, 4x4x24 ins., lying loose on the mound, with illegible mks., bears S. 47°36'00" E., 10.853 chs. dist. From this same cor., the standard cor. of secs. 35 and 36, T. 4 S., R. 46 E., bears N. $13^{\circ}28'40"$ W., 31.904 chs. dist., monumented with the original basalt stone, 18x12x6 ins. (Record: 14x10x8 ins.), firmly set, projecting 10 ins. above an embedded mound of stone, 3 ft. diam., clearly mkd. SC on N. face, 1 notch on E. edge and 5 notches on W. edge. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd. T45 | R46E S35 S36 T5S R46E 2015 Bury mkd. stone alongside stainless steel post. N. 58°51'00" E., on line 1-2, Mineral Survey No. 3962, Daisy lode, identical with a portion of line 4-3, Mineral Survey No. 3971, Golden Chariot No. 1 lode. Cor. No. 2, Mineral Survey No. 3962, Daisy lode, identical with Cor. No. 1, Mineral Survey No. 3962, Mohawk lode, on line 4-3, 8.559 Mineral Survey No. 3971, Golden Chariot No. 1 lode, hereinbefore described. S. 26°00'00" E., on line 2-3, Mineral Survey No. 3962, Daisy lode., identical with line 1-4, Mineral Survey No. 3962, Mohawk lode, hereinbefore described.

	1. 3 B., K. 40 E., MOONI DIABLO MERIDIAN, NEVADA
CHAINS 21.114	Cor. No. 3, Mineral Survey No. 3962, Daisy lode, identical with Cor. No. 4, Mineral Survey No. 3962, Mohawk lode, hereinbefore described.
	S. 58°51'00" W., on line 3-4, Mineral Survey No. 3962, Daisy lode.
8.559	Cor. No. 4, Mineral Survey No. 3962, Daisy lode, determined at the center of a mound of stone, 4 ft. diam., 1 1/2 ft. high, with a wood post, 4x4x30 ins., lying loose on the ground, with no visible mks. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	MS3962 DA 4
	T5S R46E
	2015
	Bury wood post alongside stainless steel post.
	N. 26°00'00" W., on line 4-1, Mineral Survey No. 3962, Daisy lode, identical in part with line 3-2, Mineral Survey No. 3971, Golden Chariot No. 2 lode.
8.017	Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 2 lode, hereinafter described.
	Continue measurement on a portion of line 4-1, Mineral Survey No. 3962, Daisy lode, identical with line 3-2, Mineral Survey No. 3971, Golden Chariot No. 2 lode.
21.114	Cor. No. 1, Mineral Survey No. 3962, Daisy lode, identical with Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 1 lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 2 lode, and place of beginning.
	Last Chance lode
	From Cor. No. 1, Mineral Survey No. 3962, Last Chance lode, identical with Cor. No. 2, Mineral Survey No. 3962, Mohawk lode, on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, hereinbefore described.
	N. 51°21'00" E., on line 1-2, Mineral Survey No. 3962, Last Chance lode.

	1, 6 50, Kt 16 Et, 100M2 ELIEE HEREELIE, HEVIEM
CHAINS 3.497	Intersect line 2-3, Mineral Survey No. 3971, Golden Chariot No. 1 lode, at a point from which Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 1 lode, bears S. 30°42'00" E., 0.457 chs. dist., hereinafter described.
7.982	Cor. No. 2, Mineral Survey No. 3962, Last Chance lode, determined at the center of a mound of stone, 5 ft. diam., 2 ft. high, with a wood post, 4x4x48 ins., with no visible mks., and a second wood post, 4x4x24 ins., mkd. 2 3962, both lying loose on the ground. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd.
	T5S R46E
	LA CH MS3962
	2015
	Bury wood posts alongside stainless steel post.
	From this cor., the location discovery monument of this lode, monumented with a mound of stone, 4 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the mound, with illegible mks., bears S. 0°42'00" W., 9.121 chs. dist.
	S. 29°11'00" E., on line 2-3, Mineral Survey No. 3962, Last Chance lode.
20.888	Cor. No. 3, Mineral Survey No. 3962, Last Chance lode, determined at the center of a mound of stone, 6 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., clearly mkd. LC3 3962, lying loose on the mound. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.
*	

CHAINS	
	LA CH \
	MS3962 \
	3 T5S
	R46E
	2015
•	Bury wood post alongside stainless steel post.
	From this corner, the standard 1/4 sec. cor. of sec. 36, T. 4 S., R. 46 E., bears N. 2°52'50" E., 35.466 chs. dist., monumented with the original basalt stone, 13x7x4 ins. (Record: 12x10x6 ins.), firmly set, projecting 4 ins. above an embedded mound of stone, 2 ft. diam., clearly mkd. 1/4 SC on N. face, with a steel post, firmly set alongside, projecting 7 ft. above ground, E. of cor.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.
	SC
	T4S R46E
	1/4 S36
	 T5S R46E
	2015
	Bury mkd. stone alongside stainless steel post.
	S. 51°21'00" W., on line 3-4, Mineral Survey No. 3962, Last Chance lode.
9.142	Cor. No. 4, Mineral Survey No. 3962, Last Chance lode, identical with Cor. No. 3, Mineral Survey No. 3962, Mohawk lode, hereinbefore described.
	N. 26°04'00" W., on line 4-1, Mineral Survey No. 3962, Last Chance lode, identical with line 3-2, Mineral Survey No. 3962, Mohawk lode, hereinbefore described.
21.111	Cor. No. 1, Mineral Survey No. 3962, Last Chance lode, identical with Cor. No. 2, Mineral Survey No. 3962, Mohawk lode, on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, and place of beginning.

CHAINS Reestablishment of the Survey Executed by U.S. Mineral Surveyor John Hagel in 1911 Golden Chariot No. 1 lode From Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 1 lode, monumented with a wood post, 4x4x30 ins., loosely set, projecting 2 1/2 ft. above a mound of stone, 4 ft. diam., 1 ft. high, faintly mkd. NO1. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd. T5S R46E GO CH 1 MS3971 2015 Bury wood post alongside stainless steel post. N. 53°24'00" E., on line 1-2, Mineral Survey No. 3971, Golden Chariot No. 1 lode. 4.30 Trail road, 15 lks. wide, bears SE. and NW. 9.232 Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 1 lode, determined at the center of a mound of stone, 3 ft. diam., 2 ft. high, with the remains of a wood post, 4x4x22 ins., lying loose on the mound, faintly mkd. CH NO 1. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd. T5S R46E MS3971 2015 Bury wood post alongside stainless steel post.

	1. 5 S., R. 46 E., MOUNI DIABLO MERIDIAN, NEVADA
CHAINS	S. 30°42'00" E., on line 2-3, Mineral Survey No. 3971, Golden Chariot No. 1 lode.
4.237	Point for the east end center, at a point from which the location monument of this lode, monumented with a mound of stone, 3 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the ground, with no visible mks., bears S. 58°24'50" W., 14.130 chs. dist. (Record: S. 58°51' W., 933.1 ft. dist.).
8.326	Intersect line 1-2, Mineral Survey No. 3962, Last Chance lode.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T5S GO CH 1 R46E MS3971 LA CH MS 3962
	2015
	From this point, Cor. No. 2, Mineral Survey No. 3962, Last Chance lode, hereinbefore described, bears N. 51°21'00" E., 4.485 chs. dist.
	Continue measurement on line 2-3, Mineral Survey No. 3971, Golden Chariot No. 1 lode.
8.783	Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 1 lode, determined at the center of a mound of stone, 5 ft. diam., 2 ft. high, with a wood post, 4x4x36 ins., with no visible mks., and a second wood post, 4x4x24 ins., faintly mkd. 3971, both lying loose on the ground. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd.
	GO CH 1 MS3971 3 LA CH MS 3962
	2015
	Bury wood posts alongside stainless steel post.


	T. 5 S., R. 46 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	S. 58°51'00" W., on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode.
3.464	Cor. No. 2, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 1, Mineral Survey No. 3962, Last Chance lode, hereinbefore described.
	S. 58°51'00" W., on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, identical with line 2-1, Mineral Survey No. 3962, Mohawk lode, hereinbefore described.
8.459	Cor. No. 1, Mineral Survey No. 3962, Mohawk lode, identical with Cor. No. 2, Mineral Survey No. 3962, Daisy lode, hereinbefore described.
	S. 58°51'00" W., on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, identical with line 2-1, Mineral Survey No. 3962, Daisy lode, hereinbefore described.
8.559	Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, identical with Cor. No. 1, Mineral Survey No. 3962, Daisy lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 2 lode, hereinbefore described.
	N. 30°42'00" W., on line 4-5, Mineral Survey No. 3971, Golden Chariot No. 1 lode, identical with line 2-1, Mineral Survey No. 3971, Golden Chariot No. 2 lode.
4.545	Point for the west end center.
8.774	Cor. No. 5, Mineral Survey No. 3971, Golden Chariot No. 1 lode, identical with Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 2 lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 3 lode, determined at the center of a mound of stone, 4 ft. diam., 1 ft. high, with a wood post, 4x4x30 ins., with no visible mks., and a second wood post, 4x4x24 ins., faintly mkd. CH NO 1, both lying loose on the mound. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	<u> </u>

	1. 5 b., k. 16 b., hooki biibbo hakibiim, havibh
CHAINS	
	GO CH 3 T5S MS3971 R46E 2 GO CH 1 5 MS3971 GO CH 2 MS3971
	2015
·	Bury wood posts alongside stainless steel post.
	N. 63°15'00" E., on line 5-1, Mineral Survey No. 3971, Golden Chariot No. 1 lode.
11.325	Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 1 lode, and place of beginning.
	Golden Chariot No. 2 lode
	From Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with Cor. No. 5, Mineral Survey No. 3971, Golden Chariot No. 1 lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 3. lode, hereinbefore described.
	S. 30°42'00" E., on line 1-2, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with line 5-4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, hereinbefore described.
8.774	Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with Cor. No. 1, Mineral Survey No. 3962, Daisy lode and Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 1 lode, hereinbefore described.
	S. 26°00'00" E., on line 2-3, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with a portion of line 1-4, Mineral Survey No. 3962, Daisy lode, hereinbefore described.
13.097	Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 2 lode, on line 1-4, Mineral Survey No. 3962, Daisy lode, determined at the center of a mound of stone, 3 ft. diam., 1 ft. high, with the remains of a wood post, 4x4x30 ins., lying loose on the ground, mkd. GCH NO 2 3971. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

CHAINS MS3971 GO CH 2 DA MS3962 T5S R46E 2015 Bury wood post alongside stainless steel post. From this corner, a wood post, origin unknown, 4x4 ins, loosely set, projecting 3 ft. above a mound of stone, 4 ft. diam., 2 ft. high, with no mks. visible, bears N. 15°00'20" W., 0.104 chs. dist. S. 59°15'00" W., on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 2 lode. 4.545 Point for the south end center. 9.079 Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 2 lode, monumented with a wood post, 4x4x36 ins., loosely set, projecting 2 1/2 ft. above a mound of stone, 3 ft. diam., 1 ft. high, mkd. 4 3971 CH NO 2, with a mound of stone, 4 ft. base, 1 1/2 ft. high, W. of corner. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 2 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd. MS3971 T5S GO CH 2 2015 Deposit wood post on top of mound of stone. N. 26°00'00" W., on line 4-5, Mineral Survey No. 3971, Golden Chariot No. 2 lode. 13.093 Cor. No. 5, Mineral Survey No. 3971, Golden Chariot No. 2 lode, determined at the center of a mound of stone, 3 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the ground, mkd. 5 3971. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner. At the corner point

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.



Bury wood post alongside stainless steel post.


N. $30^{\circ}42'00"$ W., on line 5-6, Mineral Survey No. 3971, Golden Chariot No. 2 lode.

8.778

Cor. No. 6, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 3 lode, determined at the center of a mound of stone, 4 ft. diam., 1 ft. high, with a wood post, 4x4x36 ins., lying loose on the mound, mkd. NO 3 3971. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.



Bury wood post alongside stainless steel post.

N. 59°15'00" E., on line 6-1, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with line 3-2, Mineral Survey No. 3971, Golden Chariot No. 3 lode.

Point for the north end center, at a point from which the location monument of this lode, monumented with a mound of stone, 3 ft. diam., 1 ft. high, with a wood post, 4x4x31 ins., lying loose on ground, with no visible mks., bears S. 30°42'00" W., 7.576 chs. dist.

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 3971

T. 5 S., R. 46 E., MOUNT DIABLO MERIDIAN, NEVADA CHAINS 9.079 Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 2 lode, identical with Cor. No. 5, Mineral Survey No. 3971, Golden Chariot No. 1 lode and Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 3. lode, and place of beginning. Golden Chariot No. 3 lode From Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 3 lode, determined at the center of a mound of stone, 3 ft. diam., 1 ft. high, with the remains of two wood posts, both 4x4x10 ins., lying loose on the mound, with no visible mks. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the original corner. At the corner point Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd. T5S R46E GO CH 3 MS3971 2015 Bury wood posts alongside stainless steel post. S. 35°53'00" E., on line 1-2, Mineral Survey No. 3971, Golden Chariot No. 3 lode. 19.948 Cor. No. 2, Mineral Survey No. 3971, Golden Chariot No. 3 lode, identical with Cor. No. 5, Mineral Survey No. 3971, Golden Chariot No. 1 lode and Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 2 lode, hereinbefore described. S. 59°15'00" W., on line 2-3, Mineral Survey No. 3971, Golden Chariot No. 3 lode, identical with line 1-6, Mineral Survey No. 3971, Golden Chariot No. 2 lode. 4.546 Point for the south end center, at a point from which the location monument of this lode, monumented with a mound of stone, 3 ft. diam., 1 ft. high, with a wood post, 4x4x30 ins., lying loose on ground, with no visible mks., bears N. 35°53'00" W., 4.545 chs. dist. Cor. No. 3, Mineral Survey No. 3971, Golden Chariot No. 3 lode, identical with Cor. No. 6, Mineral Survey No. 3971, Golden 9.079 Chariot No. 2 lode, hereinbefore described.

N. 35°55'00" W., on line 3-4, Mineral Survey No. 3971, Golden Chariot No. 3 lode.

CHAINS 19.950

9.091

Cor. No. 4, Mineral Survey No. 3971, Golden Chariot No. 3 lode, determined at the center of a mound of stone, 5 ft. diam., 1/2 ft. high, with a wood post, 4x4x36 ins., lying loose on the mound, with illegible mks., and a second wood post, 3x3x36 ins., lying loose on the ground, with no visible mks. This mound of stone correlates well with other existing corners and is accepted as the best available evidence of the position of the

At the corner point

original corner.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 5 ft. base, to top, with brass cap mkd.



2015

Bury wood posts alongside stainless steel post.

From this corner, the SW. corner of an old wood mine building, bears N. 10°52'50" E., 2.325 chs. dist.

N. 59°15'00" E., on line 4-1, Mineral Survey No. 3971, Golden Chariot No. 3 lode.

4.545 Point for the north end center.

Cor. No. 1, Mineral Survey No. 3971, Golden Chariot No. 3 lode, and place of beginning.

GENERAL DESCRIPTION

The mineral surveys dependently resurveyed within unsurveyed Township 5 South, Range 46 East, are located on the Nevada Test and Training Range (NTTR). The terrain varies from rocky hills to sandy washes generally draining westerly. The average elevation of the area is approximately 5,600 feet above sea level. Numerous shafts and remnants of old mining activity scar the area.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

Michael E. Swope Cadastral Surveyor

Wyatt B. Butler Student Technician

Austin D. Garner Student Technician

CERTIFICATE OF SURVEY

I, Brandon K. Grace, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of May, 2015, I have dependently resurveyed Mineral Survey Nos. 3962 and 3971, in unsurveyed Township 5 South, Range 46 East, of the Mount Diablo Meridian, in the State of Nevada, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

JUL 2 9 2015	Brundon K. Nace
(Date)	(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT Reno, Nevada

The foregoing field notes of the dependent resurvey of Mineral Survey Nos. 3962 and 3971, in unsurveyed Township 5 South, Range 46 East, of the Mount Diablo Meridian, Nevada, executed by Brandon K. Grace, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

JUL 2 9 2015	Mulmo O. Hummer
(Date)	(Chief Cadastral Surveyor for Nevada)
	RTTFTCATE OF TRANSCRIPT
I CERTIFY that the foregoi	ng transcript of the field notes of the above
described surveys in unsu Diablo Meridian, Nevada, is	nrveyed Township 5 South, Range 46 East, Mount a true copy of the original field notes.
(Date)	(Chief Cadastral Surveyor for Nevada)