

## 5th Standard Parallel N., through R. 20 E.

Chains. Aug. 20, 1911.

In my survey of the reservation bdy. I find the C.C. on the 5th Standard Parallel, which is a volcanic rock, 24x18x12 ins. above ground, mkd. S.C. on N., C C on W., P L I R on E., and witnessed by a mound of stone to the west. The notes of Perry Powers state that this C.C. is 54.28 chs. E. of the Standard Cor. of secs. 33 and 34.

Thence I run

East on a true line along the S. bdy. of sec. 34.

Descending steep E. slope.

7.00 Foot of descent.

Thence along S. slope of low ridge.

11.00 A drain, 150 lks. S., course E.

16.00 Begin steep descent of E. slope.

Difference in measurement of 25.72 chs. by two sets of chainmen is 2 lks.

By first set, 25.71 chs.

By 2nd set, 25.73 " , the mean of which is

25.72 Set an iron post for S.C. of secs. 34 and 35, with brass cap stamped

S C in N. edge  
T 26 N S 35 in NE. quadrant  
R 20 E S 34 in NW. quadrant  
2 notches on E. and 4 on W. edges

Build a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Land, mountainous, - grazing.  
Soil, stony, 3rd rate.

From the S.C. of secs. 34 and 35, I run

East on a true line along the S. bdy. of sec. 35.

Over mountainous land.

8.00 Rocky Canyon, course N. 60° E.

Thence gradual descent to lake.

35.50 Drain, course N. 15° E.

39.00 Wire fence, cor., brs. N. 60 lks. dist., from which fences  
bear N. 80° E. and N. 10° W.

Difference in mean of 40 chs. by 2 sets of chainmen is