Chains

West of and alongside stone set an iron post for W.C. with brass cap stamped

\$ S 12 in W. half S 7 in E. half W C in addition

60.25 Set an iron post for the 1/16 sec. cor. No. 6 bet. secs. 7 and 12 $(N.\frac{1}{2})$ with brass cap stamped

1/16 S 12 in W. half S 7 in E. half No 6 in S.

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., raise a mound of earth $3\frac{1}{2}$ ft.

base, l_2 ft. high, W. of cor.

80.28 The cor. of secs. 1, 6, 7, and 12.

West of and alongside stone set an iron post for W.C. with brass cap stamped

T 22 N S 6 in NE. quadrant
R 24 E S 7 in SE. quadrant
S 12 in SW. quadrant
R 23 E S 1 in NW. quadrant
W C in addition
1 notch on N. and 5 notches on S.edges

Land, broken and level. Soil, sandy, 2nd rate.

From the cor. of secs. 1, 6, 7, and 12 I run North on a random line bet. secs. 1 and 6.

20.00 Set temp. 1/16 sec. cor.

39.92 Intersect the 4 sec. cor. bet. secs. 1 and 6, which is a granite stone 8x6x6 ins. above ground, mkd. 4 on W. face and witnessed by pits and mounds.

Returning to the cor. of secs. 1, 6, 7 and 12 Thence I run North on a true line bet. secs. 1 and 6.

Descending steep NW. slope of bluff.

12.00 Truckee River, 3.00 chs. wide, course N. 45° E.

19.96 Set an iron post for the 1/16 sec. cor. No. 12 bet. secs.

1 and 6 (S.½) with brass cap stamped

1/16 S l in W. half
No 12 S 6 in E. half
No 12 in S.

Dig pits 18x18x12 ins., N. and S. of cor.