

West Bdy. of T. 23 N. R. 24 E.

Chains

1/16 S 24 in W. half
 S 19 in E. half
 No 12 in S.

Dig pits 18x18x12 ins. N. and S. of cor.

3 ft. dist. raise a mound of stone $3\frac{1}{2}$ ft.

base, $1\frac{1}{2}$ ft. high, W. of cor.

40.06 The $\frac{1}{4}$ sec. cor. bet. secs. 19 and 24.

West of and alongside stone set an iron post for W. C.
 with brass cap stamped

$\frac{1}{4}$ S 24 in W. half
 S 19 in E. half
 W C in addition

From this $\frac{1}{4}$ sec. cor., I run

North on a random line bet. secs. 19 and 24 (N. $\frac{1}{2}$)

20.00 Set temp. 1/16 sec. cor.

22.18 Intersect C.C. of secs. 19 and 24 on reservation bdy.
 which is a volcanic stone mkd. C.C., P.L.I.R. on S.
 face and witnessed by pits and mounds.

Returning to the $\frac{1}{4}$ sec. cor., I run

North on a true line bet. secs. 19 and 24 (N. $\frac{1}{2}$)

20.03 Set an iron post for the 1/16 sec. cor. No. 6 bet. secs.
 19 and 24 (N. $\frac{1}{2}$) with brass cap stamped

1/16 S 24 in W. half
 S 19 in E. half
 No 6 in S.

Dig pits 18x18x12 ins. N. and S. of cor.

3 ft. dist. raise mound of earth $3\frac{1}{2}$ ft.

base, $1\frac{1}{2}$ ft. high, W. of cor.

22.18 The C.C. of secs. 19 and 24 on reservation bdy.

West of and alongside of stone set an iron post for W.C.
 with brass cap stamped

C C in S. edge
 T 23 N R 23 E S 24 in SW. quadrant
 R 24 E S 19 in SE. quadrant
 P L I R in middle
 W C in addition
 6 notches on W. and E. edges

The C.C. is 3.53 chs. N. $21^{\circ} 56'$ E. of the 21 M.P.

Land, gently rolling prairie.
 Soil, sandy loam, 1st rate.

Guy P. Harrington,
 U. S. Surveyor.