

## West bdy. of Trac. T. 24 N. R. 22 E.

## Chains

July 15, 1911. At 8 a.m., l.m.t., I set off  $39^{\circ} 54' N.$  on the lat. arc,  $21^{\circ} 40' N.$  on the decl. arc, and determine a meridian with the solar at the cor. of Tps. 23 and 24 N., Rgs. 21 and 22 E.

Thence I run

North bet. secs. 31 and 36.

Over rolling land.

4.00 Wire fence, brs. N.  $30^{\circ}$  W. and S.  $30^{\circ}$  E.

15.50 Wire fence, brs. N.  $35^{\circ}$  E. and S.  $35^{\circ}$  W.

23.00 Mullen Creek, 50 lks. wide, at present dry, course N. $45^{\circ}$ W.

36.50 Same creek, course N.  $45^{\circ}$  E.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 31 and 36, with brass cap stamped

$\frac{1}{4}$  S 36 in W. half  
S 31 in E. half

Dig pits 18x18x12 ins. N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

58.75 Road, brs. E. and W.

75.00 Road, brs. E. and W.

76.75 Road, brs. N.  $60^{\circ}$  W. and S.  $60^{\circ}$  E.

77.70 Bank of Pyramid Lake.

Set an iron post 3 ft. long, 3 ins. dia., 26 ins. in the ground, for M.C. bet. secs. 31 and 36, with brass cap stamped

M C in N. half  
T 24 N R 21 E S 36 in SW. quadrant  
R 22 E S 31 in SE. quadrant  
6 notches on E. edge and 6 on W. edge

Dig a pit 36x36x12 ins. S ft. S. of cor., and raise a mound of earth 4 ft. base, 2 ft. high, S. of post.

Land, rolling, broken, and grazing.  
Soil, sandy, 2nd rate.

GUY P. HARRINGTON

U. S. Surveyor