

Subdivision of frac. T. 27 N. R. 20 E.

Chains.

Sept. 7, 1911. At 8 a.m., l.m.t., I set off $40^{\circ} 10\frac{1}{2}'$ on the lat. arc, and $6^{\circ} 21\frac{1}{2}'$ N. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 27, 28, 33 and 34.

Thence I run

West on a true line bet. secs. 28 and 33.

Over nearly level land.

40.00 Set an iron post 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. bet. secs. 28 and 33, with brass cap stamped

$\frac{1}{4}$ S 28 in N. half
S 33 in S. half

Dig pits 18x18x12 ins. E. and W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

51.00 Main road, hrs. N. 10° W. and S. 10° E.

67.00 Begin ascent of E. slope.

75.75 Summit of ridge, hrs. NW. and SE.

80.00 Set an iron post 26 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap stamped

T 27 N S 28 in NE. quadrant
R 20 E S 33 in SE. quadrant
S 32 in SW. quadrant
S 29 in NW. quadrant

1 notch on S. and 4 notches on E. edge.

Build a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level and mountainous - grazing.
Soil, stony and sandy, 3rd rate.

From the cor. of secs. 26, 29, 32 and 33, I run

S. $0^{\circ} 03'$ E. on a true line bet. secs. 32 and 33.

Ascend along gradual E. slope of ridge.

28.00 Summit of ridge, hrs. NW. and SE.

40.00 Set an iron post 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. bet. secs. 32 and 33, with brass cap stamped

$\frac{1}{4}$ S 32 in W. half
S 33 in E. half

Build a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

55.41 Intersect the Reservation bdy. 5.92 chs. N. $14^{\circ} 56'$ W. of the $92\frac{1}{2}$ Mile Post.

Set an iron post 26 ins. in the ground, for C.C. of secs. 32 and 33, with brass cap stamped