

Subdivision of frac. T. 24 N. R. 21 E.

Chains.

- 7.00 Draw, drains E. Thence ascend N. slope of ridge.
- 13.00 Low ridge, brs. E. and W. Thence descend.
- 19.50 Draw, drains E. Thence ascend high ridge.
- 38.50 Summit of ridge, brs. E. and W.
Thence over nearly level summit.
- 40.04 Set an iron post 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. bet. secs.
5 and 6, with brass cap stamped
 $\frac{1}{4}$ S 6 in W. half
S 5 in E. half
Build a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 40.50 Begin descent of S. slope.
- 55.00 Draw, drains S. 45° E. Thence along E. slope.
- 73.50 Top of ascent on E. slope.
Thence gradual descent on E. slope.
- 80.04 The cor. of secs. 5, 6, 7 and 8.
Land, grazing mountainous.
Soil, stony, 3rd rate.
Scattered juniper brush, full distance.

*

Meanders of Pyramid Lake.

Aug. 2, 1911. At 8h a.m., l.m.t., I set off 39° 55' on the lat. arc, 17° 58 $\frac{1}{2}$ ' N. on the decl. arc, and determine a meridian with the solar, at the M.C. of secs. 31 and 36, on E. bdy. of Tp.
Thence I run with meanders through sec. 36.
Along rocky shore of Pyramid Lake.
N. 43° 22' W. 3.32 chs. To M.C. bet. secs. 25 and 36.
Land, broken and rolling, grazing.
Soil, stony, 3rd rate.

Thence through sec. 25.

Along rocky shore .

- N. 34° 45' W. 8.15 chs.
- N. 68° 45' W. 14.55 "
- N. 44° 00' W. 15.10 "
- N. 56° 00' W. 12.90 "
- N. 39° 30' W. 12.85 "
- N. 53° 00' W. 15.10 "
- N. 33° 00' W. 10.75 "
- N. 33° 30' W. 8.60 "
- N. 61° 36' W. 8.47 " To M.C. bet. secs. 25 and 26.

Land, rolling and broken, grazing.
Soil, stony, 3rd rate.