

Subdivision of frac. T. 25 N., R. 22 E.

Chains

30.15 Drain, course W.

33.90 Bottom of descent. Dry draw, course W. Begin ascent of S. slope of low ridge.

40.00 Set an iron post for the $\frac{1}{4}$ sec. cor. bet. secs. 14 and 15, with brass cap stamped

$\frac{1}{4}$ S 15 in W. half
 S 14 in E. half
 1912 in S.

Build a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

47.60 Top of ascent. Low ridge, brs. E. and W. Begin descent of N. slope.

60.85 To shore of Pyramid Lake, brs. N. 10° E. and S. 10° W.

Set an iron post for M.C. of frac. secs. 14 and 15, with brass cap stamped

M C in N.
 T 25 N S 15 in SW. quadrant
 R 22 E S 14 in SE. quadrant
 1912 in S.
 2 notches on E. edge

Build a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.

Land, mountainous, - barren.
 Soil, sandy and rocky, 3rd rate.
 No timber.

Meanders of Pyramid Lake.

May 29, 1912. At 8 A.M., l.m.t., I set off $39^{\circ} 59'$ on the lat. arc, $21^{\circ} 38\frac{1}{4}'$ N. on the decl. arc, and determine a meridian with the solar, at the M.C. of frac. secs. 3 and 34, on S. bdy. of Tp., which M.C. is 48.10 chs. West of the cor. of secs. 2, 3, 34 and 35.

Thence I run with meanders in sec. 34.

Over rocky and broken land, along shore of Pyramid Lake.

N. $18^{\circ} 30'$ W. 6.60 chs.N. $4^{\circ} 15'$ W. 8.80 "N. $4^{\circ} 15'$ E. 15.40 "N. $9^{\circ} 15'$ E. 22.90 "N. $46^{\circ} 45'$ E. 39.50 "

Leave rocky and broken land;
 thence along level shore.
 To M.C. of frac. secs. 27 and
 34, which brs. 17.32 chs. west
 of the cor. of secs. 26, 27,
 34 and 35.