

Subdivision of frac. T. 24 N., R. 23 E.

Chains

with brass cap stamped

T 24 N S 22 in NE. quadrant

R 23 E S 27 in SE. quadrant

S 28 in SW. quadrant

S 21 in NW. quadrant

1912 in S.

2 notches on S. and 3 notches on E. edge

Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and

raise a mound of earth 4 ft. base, 2 ft. high, W. of

cor.

Land, rolling, - grazing.

Soil, sandy, 3rd rate.

Scattered sage brush, full distance.

East on a true line bet. secs. 22 and 27.

Over rolling land.

24.25 Road, brs. N. 60° E. and S. 60° W.

40.00 Set an iron post for the $\frac{1}{4}$ sec. cor. bet. secs. 22 and

27, with brass cap stamped

$\frac{1}{4}$ S 22 in N. half

S 27 1912 in S. half

Dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist.,

and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,

N. of cor.

46.05 Road, brs. N. and S.

73.65 Intersect the E. bdy. of the Pyramid Lake Indian Reserva-
tion at a point from which the $26\frac{1}{2}$ M.P. brs. S. $19^\circ 35' E.$,
17.26 chs.

Set an iron post for C.C. of secs. 22 and 27, with brass
cap stamped

P L in E.

C C P L I R in W.

T 24 N S 27 in SW. quadrant

R 23 E S 22 in NW. quadrant

1912 in S.

2 notches on S. edge

Dig a pit 30x24x12 ins. on line, SE. of post, 3 ft. dist.,

and a pit 24x18x12 ins., W. of post, 7 ft. dist., and

raise a mound of earth 4 ft. base, 2 ft. high, W. of

cor.

Land, rolling, - grazing.

Soil, sandy, 3rd rate.

Scattered sage brush, full distance.