

Subdivision of frac. T. 27 N., R. 23 E.

Chains

$\frac{1}{2}$ S 6 in W. half
 S 5 in E. half
 1912 in S.

Build a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

64.46 Intersect the N. bdy. of Tp., at a point from which the cor. of secs. 5, 6, 31 and 32, Tps. 27 and 28 N., R. 23 E., brs. West 4.86 chs. dist.

Set an iron post for the C.C. of frac. secs. 5 and 6, with brass cap stamped

C C 1912 in S.
 T 27 N S 6 in SW. quadrant
 R 23 E S 5 in SE. quadrant
 5 notches on E. and 1 notch on W.

Build a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.

I change the markings of the cor. of secs. 5, 6, 31 and 32, Tps. 27 and 28 N., R. 23 E., to a cor. common to T. 28 N., R. 23 E., secs. 31 and 32; corner now marked

T 28 N S 32 in NE. quadrant
 R 23 E S 31 in NW. quadrant
 1911 in S.
 5 notches on E. and 1 notch on W. edge

Land, rough and mountainous, - grazing.
 Soil, rocky, 3rd rate.
 No timber.

June 20, 1912. At 8h 00m A.M., l.m.t., I set off $40^{\circ}09\frac{1}{2}'$ on the lat. arc; $23^{\circ}27\frac{1}{2}'$ N. on the decl. arc, and determine a meridian with the solar at the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp.

From this cor., Mt. Tohakum brs. N. $59^{\circ}51'$ W.

Thence I run

N. $0^{\circ}02'$ E. bet. secs. 32 and 33.

Over rough, mountainous land, descending.

3.10 Bottom of descent. Drain, running water 1 lk. wide, course E. Begin ascent.

30.00 Top of ascent. Ridge, brs. NE. and SW. Begin descent.

40.00 Set an iron post for the $\frac{1}{4}$ sec. cor. bet. secs. 32 and 33, with brass cap stamped