

9th Standard Parallel North
Through Range 53 E.

Chains

58.00 Dry creek, course NE.

Foot of descent.

58.20 Ascend grassy NW. slope.

68.00 Wash, willows, 50 lks. wide, brs. NE. and SW.

74.00 Placer ditch, N. 30 lks. dist.

Difference bet. measurements of 80.00 chs. by two sets of chainmen is 30 lks.; position of middle point

By 1st set 79.85 chs.

By 2nd set 80.15 chs., mean of which is

80.00 Set an iron post, 3 ft. long, 1 in. in dia., with brass cap, 26 ins. in the ground for S.C. of secs. 35 and 36, marked on top

T 46 N S 36 in NE. quadrant

R 53 E S 35 in NW. quadrant

S C on N. edge and 1911 on S.

5 notches on W. and 1 notch on E. edge

Build a mound of stone, 2 ft. base, 1½ ft. high,

N. of cor.

Land, mountainous. Grazing, 80.00 chs.

Brush, willows and aspen.

Soil, 3rd rate, stony.

No timber.

July 8, 1911: At this corner, I set off 22° 33' N. on the decl. arc and at 12h. 05m., l.m.t., observe the sun on the meridian. The resulting latitude is 41° 51'.

East on S. bdy. of sec. 36.

Over mountainous grazing and scattering brush, descend NE. slope.

4.00 Placer drain, course NE.

6.00 Wood road, brs. NW. and SE.

12.00 Wood road, brs. SW. and NE.

33.50 Dim road, brs. N. and S.

33.80 Wire fence, brs. N. and S.

34.20 Enter meadow land, brs. NW. and SE.

Difference bet. measurements of 40.00 chs. by two sets of chainmen is 12 lks.; position of middle point

By 1st set 40.06 chs.

By 2nd set 39.94 chs., mean of which is