

Township 30 NORTH Range 64 EAST

Monte Diablo Base and Meridian.

Chains. North, on a *True* line between Sections 2 and 3.

Variation 17° East.

40.00 Descend along *W.* slope of *high Summit.*
 Set a *Lead* stone $18 \times 14 \times 9$ ins. 12
 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on *W.*
 face, and raised a mound of stone alongside. Whence bears
 Δ *Nat Pms* 10 ins. diam., $N 66^{\circ} E 37$ fks. dist.
 marked $\frac{1}{4}$ S. B. T.
 Δ *Nat Pms* 14 ins. diam., $N 81^{\circ} W 89$ fks. dist.
 marked $\frac{1}{4}$ S. B. T.

48.42 Intersect the *South* Standard Parallel North at a
 point 37.18 chs. *West* of the Standard Cor. to
 Secs. 34 and 35 T. 31 N. R. 64 E.
 Which is a post 4 ft. long, 4 ins. square, firmly set
 in the ground, marked $T 31 N 64 E - S 35$
 on E & $S 34$
 on *W.* faces, with 2 notches on E and 4 notches
 on *W.* edges.

At point of intersection I
 Set a *Lead* stone $16 \times 10 \times 9$ ins. 10 ins. in the
 ground for S Cor. to Secs. 2 and 3 marked
 C . with 2 notches on E . and 4 notches on *W.* edges,
 and raised a mound of stone alongside.

Land mountainous
 scattering timber
 Soil rocky and 3^{rd} rate. August 22nd 1882