

THIRD STANDARD PARALLEL NORTH
THROUGH RANGE 38 EAST

Chains.

West on South Boundary of section 31

Variation $16\frac{3}{4}^{\circ}$ East.

Over rough broken mountains

12.00

Cross Ravine Course S.

18.00

Cross Ravine Course S and ascend

24.00

Top of Ridge, bears N 7/8 W. and descend

33.00

Ravine about 40 feet deep, course NW

35.00

Top of low ridge bears N 1/2 W and descend

38.00

Ravine about 30 feet deep, course W and ascend

40.00

Set a Granite stone 19 x 14 x 12 ins. 13

ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W

face, and raised a mound of stone alongside. Whence bears

A Nut Pine 11 ins. diam., N 17 $^{\circ}$ E 60 fms. dist.

marked $\frac{1}{4}$ S. B. T.

A Nut Pine 8 ins. diam., N 19 $^{\circ}$ W 35 fms. dist.

marked $\frac{1}{4}$ S. B. T.

46.00

Top of Ridge, bears N 1/2 S and descend

53.00

Ravine about 60 feet deep, course NW.

61.00

Top of Ridge, bears N 1/2 W and descend

72.00

Enter Canon S 14 $^{\circ}$ W

74.20

ascend out of Canon S 14 $^{\circ}$ W

80.00

Set a Granite stone 19 x 11 x 6 ins. 13 ins. in the

ground for Standard Cor. to Secs. 31 and 36 marked

S. C. with 6 notches on E. and 6 notches on NW. edges,

and raised a mound of stone alongside. Whence bears

A Nut Pine 11 ins. diam., N 4 $^{\circ}$ E 60 fms. dist.

marked T. 16 N R. 38 S., 31 B. T.

A Nut Pine 12 ins. diam., N 8 $^{\circ}$ W 30 fms. dist.

marked T. 16 N R. 37 S., 36 B. T.

No other tree within the limits.

Land mountainous
Nut Pine and Cedar timber Soil rocky and 3 $^{\text{d}}$ rate of