

Monte Diablo Base and Meridian.

Chains. North, on a random line between Sections 2 and 3.
Variation $17^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.27 Intersect N. B. of Tp. 27 Wks E of cor. to secs
which is a stone 10×7 ins.

marked with 4 notches on W and 2 notches on E edges
and mound of stone

from which cor. 1 run $12'$ E
on a true line between sections 2 & 3 with same c.

Ascend 0° slope

88.00 Ascend 3° slope

40.27 Set a lime stone 10×5 ins. 11 ins. in the g
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{2}$ on W face. Dug pits 18×6
 $\times 12$ ins. W and S of stone $5\frac{1}{2}$ ft. dist., and raised a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.27 The cor. to secs. 2, 3, 80 & 11

The necessary corrections corresponding
to the giving slope 2 has been applied and
the corner 2 located according to the true
distance thus obtained.

Sand level south 42.27 chs

Land mountainous North 38.07 chs

sagebrush and bunchgrass

soil 2×3 rate

January 9th 1885-