

50

33

Township 40 NORTH Range 47 EAST  
Monte Diablo Base and Meridian.

Chains.	West, on a random line between Sections 19 and 30. Variation $17^{\circ}40'$ East.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
$\nearrow, \searrow$	Intersect West B. of Tp. 19 $\frac{1}{2}$ ms N of cor. to secs $19, 24, 25, 28$ which is a stone $18 \times 11 \times 8$ ins. marked with 2 notches on Land & 4 notches on Wedges and mound of stone from which cor. I run $189.52'$ C on a true line between sections 19 & 30 with same va
$\nearrow, \searrow$	Descend $6^{\circ}$ slope Set a <u>Draft</u> stone $17 \times 10 \times 5$ ins. 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, and raised a mound of stone alongside. Pits impracticable
$\nearrow, \searrow$	Descend $14^{\circ}$ slope The cor. to secs. $19, 20, 29, 30$ The necessary corrections corresponding to the giving slope & has been applied and the corner located according to the true distance thus obtained.
	Land mountainous sagebrush and bunchgrass soil $\mathcal{P}$ rate