

Monte Diablo Base and Meridian.

Chains.

East, on a random line between Sections 24 and 25.

Variation $17^{\circ} 45'$ East.

40.00 Set temporary $\frac{1}{2}$ sec. cor.

80, 84 Intersect East B. of Tp. 14 lks \int of cor. to secs

19, 24, 25 & 30

which is a stone $20 \times 11 \times 8$ ins.

marked with 2 notches on \int and 4 notches on \backslash and mound of stone

from which cor. 1 run $579.54'$ W

on a true line between sections 24 & 25 with same pg

Ascend 3° slope

25, 00 Top of Ridge, bears \int E and descend 8° slope

40, 17 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on

N face, dug pits, $18 \times 18 \times 12$ ins., E and W of,

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.

high, $3\frac{1}{2}$ ft. base, around post.

03, 00 Dry Channel 15 lks. wide, course \int E and ascend 10° slope

80, 84 The cor. to secs. 23, 24, 25 & 26

The necessary corrections corresponding to the giving slope has been applied and the corner located according to the true distance thus obtained.

Land rolling 03, 00 chs

Land mountainous 17, 84 chs

sagebrush and bunchgrass

soil $\frac{26}{a}$ rate