

Monte Diablo Base and Meridian.

Chains.

North, on a random line between Sections 2 and 3.

Variation $17^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{2}$ sec. cor.

80.14 Intersect North B. of Tp. 10 lks W of cor. to secs 2, 8, 80 & 30

which is a stone $16 \times 10 \times 10$ ins.

marked with 4 notches on W and 2 notches on E edges and mound of stone

from which cor. is run $f \rightarrow W$

on a true line between sections 2 & 3 with same va

Descend 14° slope

8.00 Ravine about 60 feet deep, course W. and

Ascend 4° slope

80.00 Top of Ridge, bears $f \rightarrow W$ and descend 5° slope

40.14 Set a line stone $16 \times 9 \times 4$ ins. 11

ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W face, and raised a mound of stone alongside. Pits impracticable.

69.00 Descend 12° slope

80.14 The cor. to secs. 2, 8, 10 & 11

The necessary corrections corresponding to the giving slope R has been applied and the corner located according to the true distance thus obtained.

Land mountainous

sagebrush and bunchgrass

soil $\$ \frac{20}{17}$ rate

March 6th 1885