

12

Township 39 NORTH Range 42 EAST

Monte Diablo Base and Meridian.

Chains

From the established Cor. to Secs.

11. 12. 13. 14

which is a stone  $24 \times 8 \times 4$  ins.

marked with 4 notches on S. and 1 notch on E. edges  
and mound of stone  $\text{O m m}$

North between sections 11 & 12

Variation  $17^{\circ} 45'$  East.

Ascend  $12^{\circ}$  slope

18.00

Top of Ridge, bears S. E. and descend  $6^{\circ}$  slope

29.00

Ravine about 2 feet deep, course S. E.

Ascend  $10^{\circ}$  slope

37.00

Top of Ridge, bears S. E. and descend  $8^{\circ}$  slope

40.00

Set a line stone  $17 \times 10 \times 7$  ins. 11

ins. in the ground for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on W  
face, and raised a mound of stone alongside. Pits impracticable.

57.00

Descend  $14^{\circ}$  slope

60.00

Ravine about 80 feet deep, course S. E.

Ascend  $16^{\circ}$  slope

80.00

Set a line stone  $16 \times 12 \times 10$  ins. 11 ins. in

the ground for Cor. to Secs. 1, 2, 11 & 12 marked

with 3 notches on S. and 1 notch on E. edges and

raised a mound of stone alongside. Pits impracticable.

The necessary corrections corresponding  
to the giving slope & has been applied and  
the corners located according to the true  
distance thus obtained.

Land mountainous  
sagebrush and bunchgrass

soil  $\text{S} \text{D}$  rate