Chains	
	From the Established Cor. to secs
	19. 20. 29. 30
	which is a stone 14 x 12 x 10 ins.
	marked with 2 notches on S and 3 notches on E edges.
	and mound of stone I run
	West on a random line bet. secs. 19 and 30
	Variation 17° 45' East
40.00	Set temporary ¼ sec. cor.
77.03	Intersect West B. of Tp. 17 lks S of cor. to secs
	19, 24, 20 & 30
	which is a stone 21 x 13 x 12 ins.
	marked with 2 notches on S and 4 notch es on N edges
	and mound of stone **from which cor. I run** S 89° 5' 3" E
	on a true line between sections 19 & 8 with same va
	Descend 12° slope
19.30	Creek 10 lks. wide, runs S 20° E in ravine
	Ascend 7° slope
28.00	Top of Ridge, bears South and descend 8° slope
37.55	Set a brass stone 16 x 10 x 8 ins, 11
	ins. in the ground, for ¼ Sec. Cor., marked ¼ on N
	face, and raised a mound of stone alongside. **Pits impracticable.**
40.00	Over nearly level grou d bears N E & S W
77.55	The cor. to secs. 19, 20, 29 & 8 o
	The necessary corrections corresponding
	to the giving slope s has been applied and
	the corner located according to the true
	distance thus obtained. sagebrush and bunchgra
	Land level and slightly rolling East 37.55 chs soil 3 N rate
	Land mountainous West 40.00 chs