

Township **39 NORTH** Range **45 EAST**
 Monte Diablo Base and Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary,
 which is a stone $26 \times 16 \times 14$ ins.

marked with 5 notches on W side / notch on E edges
 and mound of stone *J. Cur*

North between sections **35 0 36**

Variation $17^{\circ} 45'$

Over nearly level ground

40, 00

Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ S. on
 W face, dug pits, $18 \times 18 \times 12$ ins., N and S of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base, around post.

48, 00

Ascend 10° slope of Mountain bearing N E by N

74, 00

Ascend 20° slope

80, 00

Set a *lime* stone $17 \times 9 \times 9$ ins. 1 ins. in
 the ground for Cor. to Secs. 25, 26, 35 & 36 marked
 with 1 notch on S. and 1 notch on E. edges and
 raised a mound of stone alongside. Pits impracticable.

The necessary corrections corresponding
 to the giving slope & has been applied and
 the corner & located according to the true
 distance thus obtained.

Sand rolling level south 48, 00 chs
 Land mountainous north 32, 00 chs

sagebrush and bunchgrass

soil *Sandy*