

Chains

East, on a random line between Sections 25 and 36.

Variation $12^{\circ}45'$ East.

40:00 Set temporary $\frac{1}{4}$ sec. cor.

1964 Intersect East B. of Tp. 18 lks \int of cor. to secs

25, 30, 31, 36

which is a stone $12 \times 12 \times 12$ ins.

marked with notch on \int and shot holes on N edges and mound of stone.

from which cor. 1 run $\int 89^{\circ}05'2''$ W

on a true line between sections 25 & 36 with same ca Over nearly level ground

34:10 A Spring bears south 5.10 chs

33:80 Dry Channel 10 lks. wide. course south.

37:40 A Spring bears south, 12.15 chs.

38:00 Ascend 10 slope

39:52 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S on N face, dug pits, 18 x 18 x 12 ins., E and W of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.

61:00 Ascend 18 slope

1964 The cor. to secs. 25, 26, 31, 36

The necessary corrections corresponding to the giving slope has been applied and the corner located according to the true distance thus obtained.

Land mountainous

West 41.54 chs

Land level and slightly rolling sagebrush and bunchgrass

East 38.00 chs

soil \int $\frac{1}{4}$ rate