

# Sixth Standard Parallel North Through R. 27 E.

chains S.  $89^{\circ} 56' W.$  on the tangent,  
S. of sec. 31.

6.00 Ridge bears N.  $70^{\circ} W.$   
Difference between measurements  
of 40.00 chs. by two sets of chain  
men is 2 lbs. position of middle  
point  
By 1<sup>st</sup> set is 40.01 chs.  
By 2<sup>nd</sup> set is 39.99 chs., the  
mean of which is  
40.00 N.  $96\frac{3}{4}$  lbs. from the tangent.  
Set a slate stone 14 X 14 X 4 ins,  
10 ins. in the ground for the  
Standard  $\frac{1}{4}$  sec. cor. marked  
S.C.  $\frac{1}{4}$  on N. face, and raise  
a mound of stone 2 ft. base,  
 $1\frac{1}{2}$  ft. high, N. of cor.  
Pits impracticable.

44.70 Ridge bears N. W.  
Difference between measurements  
of 80.00 chs. by two sets of  
chainmen, is 4 lbs., position  
of middle point  
By 1<sup>st</sup> set is 80.02 chs.  
By 2<sup>nd</sup> set is 79.98 chs., the  
mean of which is  
80.00 N. 31 lbs. from the tangent.