

Re Survey of Subdivision T16N R43E. M.D.M.

Survey Commenced July 1, 1905 and executed with a Lietz transit No 1882, the horizontal limb being provided with two opposite levellers reading to 1' of an arc.

The instrument was tested and examined on the true meridian at San Francisco and found correct per Certificate dated August 19, 1904.

I begin at Standard Cor. of Secs. 35 $\frac{1}{2}$, 36 on the S. bay. of the Tp. for a description of same and a record of the observation from which these lines were deflected see notes of 3rd Standard parallel. N

Thence I run

North on blank line bet. Secs. 35 $\frac{1}{2}$, 36

40.00 No trace of old $\frac{1}{4}$ Sec. Cor. Set temp.

79.90 To point 2 kts. E. of old Cor. of Secs. 25, 26, 35 $\frac{1}{2}$, 36 which is old post in old stone md. Not marked and probably set by County Surveyor in re-establishment of old Cor. and so recognized as such. I rebled said Cor. at the same point as follows, Set limestone 16x8x5 ins. 11 ins. in the ground marked with 1 notch on S $\frac{1}{4}$, E edges from which

A pine 8 ins. chain marked T16N R43E S35 BT
bears S 63° N 65 kts. dist.

A pine 6 ins. chain marked T16N R43E S26 BT
bears N 59 $\frac{1}{4}$ ° W 88 kts. dist.

A pine 12 ins. chain marked T16N R43E S25 BT