

38  
Range Line between Ranges 47 and 48 E., through T. 8 S.

Chains	
50.00	Enter canyon.
66.00	Bottom of canyon, course SE.
73.00	Leave canyon.
80.00	Set a basalt stone 18X12X6 ins. 12 ins. in the ground for cor. of secs. 25, 30, 31, and 36, marked with 5 nothes on N. and I notch on S. edges, and raise a mound of stone 2ft. base 1½ ft. high W. of cor. Pits impracticable. Land mountainous. Soil rocky, 4th. rate. Scattering greasewood. Mountainous land, 80.00 chs.
	South between secs. 31 and 36. Over rolling land.
40.00	Set a basalt stone 20X12X6 ins. 15 ins. in the ground for ¼ sec. cor. marked ¼ on W. face, and raise a mound of stone 2ft. base 1½ ft. high W. of cor. Pits impracticable.
80.00	Set a basalt stone 24X18X6 ins. 18 ins. in the ground for std. cor. of Tps. 8 S. Rgs. 47 and 48 E., marked S C 8 S on N., 48 E. on E., and 47 E. on W. faces, with 6 grooves on N. E. and W. faces, and raise a mound of stone 4ft. base 2ft. high N. of cor. Pits impracticable. Land rolling. Soil sandy, 3rd. rate.
	From the std. cor. of Tps. 8 S. Rgs. 47 and 48 E. here tofore described I run W. on a true line
8.80	Set a basalt stone 16X14X6 ins. 11 ins. in the ground for std. closing corner of Tps. 9 S. Rgs. 47 and 48 E. marked C C 9 S. on S, 48 E. on E., and 47 E. on W. faces, with 6 grooves on S. E. and W. faces, and