

Third Standard Parallel South through Range 46 E.

Chains.	is
40.00	<p>At a point 0.88 ft. S. of secant</p> <p>Set a basalt stone 14X10X6 ins. 9 ins. in the ground for std. $\frac{1}{4}$ sec. cor. marked S C $\frac{1}{4}$ on N. face, and raise a mound of stone 2ft. base $1\frac{1}{2}$ ft. high N. of cor. Pits impracticable.</p>
69.00	<p>Dry wash, course SE.</p> <p>Difference between measurements of 80.00 chs. by two sets of chainmen is 4 lks. position for middle point</p> <p style="padding-left: 40px;">By 1st. set, 80.02 chs.</p> <p style="padding-left: 40px;">By 2nd. set, 79.98 chs. the mean of which is</p>
80.00	<p>Set a basalt stone 16X14X6 ins. 11 ins. in the ground for std. cor. of secs. 31 and 32, marked S C on N. with I groove on W. and 5 grooves on E. faces, and raise a mound of stone 2ft. base $1\frac{1}{2}$ ft. high N. of cor. Pits impracticable.</p> <p>Land rolling.</p> <p>Soil rocky, 4th. rate.</p> <p>Greasewood.</p>
	<p>✓ S. 89° 58' W. on secant S. of sec. 31. ✓</p>
39.00	<p>Over rolling land.</p> <p>Ravine, course SE.</p> <p>Difference between measurements of 40.00 chs. by two sets of chainmen is 8 lks. position for middle point by</p> <p style="padding-left: 40px;">By 1st. set, 39.96 chs.</p> <p style="padding-left: 40px;">By 2nd. set, 40.04 chs. the mean of which is</p>
40.00	<p>At a point 1.13 ft. N. of secant</p> <p>Set a basalt stone 16X8X8 ins. 11 ins. in the ground for std. $\frac{1}{4}$ sec. cor. marked S C $\frac{1}{4}$ on N. face, and raise a mound of stone 2ft. base $1\frac{1}{2}$ ft. high N. of cor. Pits impracticable.</p> <p>Difference between measurements of 80.00 chs. by two sets of chainmen is 10 lks. position for middle point</p> <p style="padding-left: 40px;">By 1st. set, 80.05 chs.</p> <p style="padding-left: 40px;">By 2nd. set, 79.95 chs. the mean of which is</p>