

West Boundary Township 12 South, Range 45 East.

Chains.

June 25, 1906 at 7 h. 50. a. m. l.m.t. I set off 36°48' N. on lat. arc, 23°25'30" N. on decl. arc and determine the true meridian with solar at the standard Cor. of Tps. 12 S. Rgs. 44 and 45 E. on the Third Standard Parallel South, heretofore described.

Thence I run

N. on a true line bet. secs. 31 and 36

Over mountainous land. Descending.

8.00 Dry wash, course E. Ascend S. slope.

29.00 High spur, slopes E. Descend over steep N. slope.

38.00 Ravine course E. Descend along steep N. slope.

40.00 Set a basalt stone 14X10X6 ins. 9 ins. in the ground for 1/2 sec. cor. marked 1/2 on W. face, and raise a mound of stone 2 ft. base 1 1/2 ft. high W. of cor. Pits impracticable.

75.00 Spur slopes NE. Descend.

80.00 Set a basalt stone 20X10X8 ins. 15 ins. in the ground for cor. of secs. 25, 30, 31, and 36, marked with 1 notch on S. and 5 notches on N. edges, and raise a mound of stone 2ft. base 1 1/2 ft. high W. of cor. Pits impracticable.

Land mountainous.

Soil sandy and rocky, 3rd. rate.

Greasewood.

Mountainous land, 80.00chs.

North on a true line bet. secs. 25 and 30.

Over mountainous land. Descending.

12.00 Dry wash, course NE. Enter rolling land.

20.00 Dry wash, course NE.

40.00 Set a basalt stone 14X12X6 ins. 9 ins. in the ground for 1/2 sec. cor. marked 1/2 on W. face, and raise a mound of stone 2 ft. base 1 1/2 ft. high W. of cor. Pits impracticable.

60.00 Low ridge bears NE. and SW.

64.50 Dry wash, course NE.

80.00 Set a basalt stone 16X12X6 ins. 11 ins. in the ground for cor. of secs. 19, 24, 25, and 30, marked with 2 notches