

FIRST STANDARD PARALLEL SOUTH, through RANGE 50 EAST.

CHAINS

~~By 2nd.set, 39.97 chs., the mean of which is~~  
 40.00 ~~Set a quartzite stone, 15x12x7 ins., 10 ins. in the ground, for standard  $\frac{1}{4}$  sec. cor., marked S C  $\frac{1}{4}$  on N. face, and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor. Pits impracticable.~~

See Book B P. 2(462)

58.00 Enter Kawich Mountains, bear N. and S. Ascend along bottom of hollow, course W.

67.75 Same road, bears N.E. and S.W. Leave hollow, course from NE. to W. Begin abrupt ascent over broken land.

~~Difference between measurement of 80.00 chs. by two sets of chainmen is 8 lks., position of middle point,~~

~~By 1st. set, 80.04 chs.,~~

~~By 2nd. set, 79.96 chs., the mean of which is~~

~~80.00 Set a basalt stone, 28x12x6 ins., 21 ins. in the ground, for standard cor. of secs. 35 and 36, marked S C on N., with 1 groove on E. and 5 grooves on W. face, and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.~~

See Book Q P. 1(461)

~~Pits impracticable.~~

Land, rolling on 58.00 chs.

balance, mountainous.

Soil, rocky, 3rd. rate.

No timber; undergrowth greasewood.

Dense undergrowth or mountainous land on 80.00 chs.

East, on S. bdy. of sec. 36.

Ascend abruptly over broken, rocky and mountainous land.

37.10 Ridge, bears N. and S.

Descend.

39.90 Hollow, 100 ft. deep, course N.W.

Abrupt ascent.

~~Difference between measurement of 40.00 chs. by two sets of chainmen is 12 lks., position of middle point,~~

~~By 1st. set, 40.06 chs.,~~

~~By 2nd. set, 39.94 chs., the mean of which is~~

See Book Q P. 1(461)