

FIRST STANDARD PARALLEL SOUTH, through RANGE 51 EAST.

CHAINS

80.00 Set a basalt stone, 18x8x6 ins., 12 ins. in the ground, for standard cor. of Tps. 4 S., Rs. 51 and 51½ E., marked S C 4 S on N., 51½ E on E., and 51 E. on W. face, with 6 grooves on N., E. and W. faces, dig pits, 30x24x12 ins., crosswise on each line, E. and W., 4 ft., and N. of stone, 8 ft. dist.; and raise a mound of earth, 5 ft. base, 2½ ft. high, N. of cor. Land, rolling.

Soil, sandy, 3rd. rate.

No timber: undergrowth, greasewood.

Dense undergrowth on 80.00 chs.

October 25, 1906

GENERAL DESCRIPTION

The country traversed by the First Standard Parallel South through R. 48 E. is broken by many ridges and washes draining S., which continues for 2 miles into R. 49 E., at this point it crosses Gold Flat, which drains south and is covered by a dense growth of desert brush.

On the eastern portion of R. 50 E. and western portion of R. 51 E., the Kawich range of mountains is crossed at about the lowest point on the range, this mountain is rocky and broken on the slopes; the balance of R. 51 E., falls in Kawich Valley, which is a large basin, surrounded by mountains and covered by a dense growth of desert brush. There is no surface water, springs or wells at any point on or near this line.

The town of Kawich bears N. 35.00 chs. dist. from the standard cor. of secs. 32 and 33, T. 4 S., R. 51 E.

There are some indications of mineral along this line where it crosses the Kawich Mountains in Tps. 4 S., Rs. 50 and 51 E.

Frank T. Polite
U. S. Deputy Surveyor.