

## FIRST STANDARD PARALLEL NORTH, through R. 50 E.

## CHAINS

marked S C  $\frac{1}{4}$  S 32 B T.

No other trees within limits, and raise a mound of stone,  
2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

Pits impracticable.

45.00 Hollow, 200 ft. deep, course NE.

Ascend.

49.00 Spur, projects NE.

Descend.

65.60 Hollow, 250 ft. deep, course NE.

Abrupt ascent.

Difference between measurement of 80.00 chs., by two sets  
of chainmen is 18 lks., position of middle point

By 1st. set, 80.09 chs.,

By 2nd. set, 79.91 chs., the mean of which is

80.00 Set a basalt stone, 18x10x4 ins., 12 ins. in the ground, for  
standard cor. of secs. 31 and 32, marked S C on N., with 1  
groove on W. and 5 grooves on E. faces, from which

A pinon, 12 ins. diam., bears N. 77° W., 63 lks. dist.,  
marked S C T 6 N R 50 E S 31 B T .

No other trees within limits, and raise a mound of stone,  
2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

Pits impracticable.

Land, mountainous.

Soil, rocky, 3rd. and 4th. rate.

Timber, cedar and pinon.

Mountainous land on 80.00 chs.

---

West, on S. bdy. of sec. 31.

Ascend abruptly over rocky and mountainous land, through  
scattering cedar and pinon timber.

14.00 Ridge, bears NE. and SW.

Descend.

18.75 Hollow, 100 ft. deep, course NE.

Abrupt ascent.