

CORRECTIVE NOTES OF
NORTH BOUNDARY OF T.4 N., R.52 E.

CHAINS

Pits impracticable.

75.00 Leave mountainous land, bears NW. and SE.

Descend over rolling land, through dense undergrowth.

80.00 Set a basalt stone, 15x10x6 ins., 10 ins. in the ground, for cor. of secs. 5-6-31 and 32, marked with 5 notches on E. and 1 notch on W. edges, dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, mountainous and rolling.

Soil, rocky, 3rd. and 4th. rate.

No timber.

Undergrowth, greasewood, sage and shad scale.

Mountainous land or land covered with dense undergrowth on 80.00 chs.

West, bet. secs. 6 and 31.

Descend over rolling land, through dense undergrowth.

40.00 Set a basalt stone, 15x12x8 ins., 10 ins. in the ground, for ¼ sec. cor., marked ¼ on N. face, dig pits, 18x18x12 ins., E. and W. of stone, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

70.37 Intersect E. bdy. of T.5 N., R.51 E., 38.14 chs. N. of the cor. of Tps. 4 and 5 N., Rs. 51 and 52 E., which is a granite stone, 10x8x6 ins. above ground, marked and witnessed as described by the surveyor general.

Set a basalt stone, 20x8x5 ins., 15 ins. in the ground, for closing cor. of Tps. 4 and 5 N., R.52 E., marked CC 52 E on E., 4 N on S., and 5 N on N. faces, with 6 grooves on N., S., and E. faces, dig pits, 30x24x12 ins., crosswise on each line, N. and S., 4 ft. and E. of stone 8 ft. dist., and raise a mound of earth, 5 ft. base, 3½ ft. high, E. of cor.