## EAST BOUNDARY OF T.6 S., R. 45 F.

		,
STREET, SQUARE, SQUARE,	CHAINS	$\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, and raise a mound of stone,
-		2 ft.base, la ft.high, W. of cor.
-		Pits impracticable.
The second second second	80.00	Set a basalt stone, 14x12x10 ins., 10 ins.in the ground, for
material resistances		cor. of secs. 7-12-13 and 18, marked with 4 notches on S.
And the Party of Street, Stree		and 2 notches on N.edges, dig pits, 18x18x12 ins., in each
	*	sec., 5 ft. dist., and raise a mound of earth, 4 ft. base,
The same against the same and	-	2 ft.high, W. of cor.
AND PASSING SUCCESSION		Land, rolling.
AND PROPERTY OF THE PERSONS IN COLUMN	# 1 * *	Soil, rocky, 3rd. rate.
State of the Committee		No timber; undergrowth, greasewood.
The street of th		Dense undergrowth on 80.00 chs.
Section of the sectio	ÿ	
-		North, bet. secs. 7 and 12.
		Ascend over rolling land, through dense undergrowth.
	40.00	Set a basalt stone, 28x24x8 ins., 21 ins. in the ground,
		for \(\frac{1}{4}\) sec.cor., marked \(\frac{1}{4}\) on W.face, and raise a mound of
		stone, 2 ft. base, l ft. high, W. of cor.
		Pits impracticable.
	41.00	Ridge, bears E. and W.
	NI III ES	Descend.
	.80.00	Set a basalt stone, 15x8x6 ins., 10 ins.in the ground, for
	S	cor. of secs. 1-6-7 and 12, marked with 5 notches on S.
	8	and 1 notch on N. edges, and raise a mound of stone, 2 ft.
		base, la ft. high, W. of cor.
9	196	Pits impracticable.
	2	Land, rolling.
		Soil, rocky, 3rd. rate.
		No timber; undergrowth, greasewood.
		Dense undergrowth on 80.00 chs.
		North, bet.secs.1 and 6.
		Descend over rolling land, through dense undergrowth.
	20.00	Hollow, 75 ft. deep, course SW.
		Ascend.
	40.00	Set a basalt stone, 14x10x8 ins., 10 ins. in the ground, for