WEST BOUNDARY OF T.9 S., R. 44 E.

CHAINS

Pits impracticable.

80.00 Set a basalt stone, 15x8x6 ins., 10 ins. in the ground, for cor. of secs. 1-6-7 and 12, marked with 5 notches on S. and 1 notch on N. edges, and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor.

Pits impracticable.

Land, mountainous.

Soil, gravelly, 3rd. rate.

No timber.

Mountainous land on 80.00 chs.

North, bet. secs. 1 and 6.

Descend along gravelly east slope, through dense undergrowth.

33.50 Hollow, 75 ft.deep, course NE. Ascend.

40.00 Set a basalt stone, 15x12x7 ins., 10 ins.in the ground, for $\frac{1}{4}$ sec.cor., marked $\frac{1}{4}$ on W.face, and raise a mound of stone, 2 ft.base, $l_{\frac{1}{2}}$ ft.high, W.of cor.

Pits impracticable.

40.40 Rocky ridge, bears E. and W. Descend.

74.10 Road, bears NW. and SE.

87.90 Intersect the Second Standard Parallel South, 2.71 chs.

W. of the stan.cor. of Tps. 8 S., Rs. 43 and 44 E., which is a basalt stone, 10x6x6 ins. above ground, marked and witnessed as returned under contract No. 251, Alfredo R. Talamantes, D. S.

Set a basalt stone, 15x8x8 ins., 10 ins.in the ground, for closing cor. of Tps.9.S., Rs.43 and 44 E., marked C C 9 S on S., 43 E on W., and 44 E on E., with 6 grooves on E., W. and S. faces, and raise a mound of stone, 2 ft. base, 12 ft. high, S. of cor.

Pits impracticable.

Land, rolling.