

CORRECTIVE NOTES OF

THE THIRD STANDARD PARALLEL SOUTH, through RANGE 53 EAST.

CHAINS

EAST, on S. Bdy. of sec. 33.

Descend over rolling land, through dense undergrowth.

Difference between measurement of 40.00 chs., by two sets of chainmen is 10 lks., position of middle point

By 1st. set., 39.95 chs.,

By 2nd. set, 40.05 chs., the mean of which is

40.00 The original standard $\frac{1}{4}$ sec. cor., bears east, 1.08 chs.

Set original stone, a basalt stone, 12x12x7 ins., 8 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., marked SC $\frac{1}{4}$ on N. face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Pits impracticable.

I destroy all traces of the original corner.

73.00 Enter sandy wash, 10 ft. deep, course NE.

Difference between measurement of 80.00 chs. by two sets of chainmen is 12 lks., position of middle point

By 1st. set, 79.94 chs.,

By 2nd. set, 80.06 chs., the mean of which is

80.00 The original standard cor. of secs. 33 and 34, bears east, 1.03 chs.

Set original stone, a basalt stone, 12x12x10 ins., 8 ins. in the ground, for standard cor. of secs. 33 and 34, marked SC on N., with 3 grooves on E. and W. faces, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Pits impracticable.

I destroy all traces of the original corner.

East, on S. bdy. of sec. 34.

In sandy wash, through dense undergrowth.

.50 Leave wash, over rolling land.

17.00. Enter wash, 10 ft. deep, course NE.

Difference between measurement of 40.00 chs. by two sets of chainmen is 10 lks., position of middle point

By 1st. set, 40.05 chs.,

By 2nd. set, 39.95 chs., the mean of which is

40.00 The original standard $\frac{1}{4}$ sec. cor., bears E., 1.01 chs.

For orig. Field Notes See Bk A "A 33" [p. 32]