

CORRECTIVE NOTES OF

THE THIRD STANDARD PARALLEL SOUTH, through RANGE 55 EAST.

CHAINS

East, on S. Bdy. sec. 33.

Difference between measurement of 40.00 chs., by two sets of chainmen is 6 lks., position of middle point

By 1st. set, 39.97 chs.,

By 2nd. set, 40.03 chs., the mean of which is

40.00 The original stan. $\frac{1}{4}$ sec. cor., bears E. 29 lks. dist.

Set original stone, a basalt stone, 15x9x5 ins., 10 ins. in the ground, for stan. $\frac{1}{4}$ sec. cor., marked SC $\frac{1}{4}$ on N. face, dig pits, 18x18x12 ins., E. and W. of stone, 3 ft. dist., and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

I destroy all traces of the original stan. $\frac{1}{4}$ sec. cor.

Difference between measurement of 80.00 chs., by two sets of chainmen is 10 lks., position of middle point

By 1st. set, 80.05 chs.,

By 2nd. set, 79.95 chs., the mean of which is

80.00 The original stan. sec. cor., bears E., 28 lks. dist.

Set original stone, a basalt stone, 12x9x6 ins., 8 ins. in the ground, for stan. cor. of secs. 33 and 34, marked SC on N. with 3 grooves on E. and W. faces, dig pits, 24x18x12 ins., crosswise on each line, E. and W. 3 ft. and N. of stone, 7 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, N. of cor.

I destroy all traces of the original stan. sec. cor.

Note:

There is no change of topography on this line.

For copy see 187A - p. 43 [149]

East, on S. Bdy. of sec. 34.

Difference between measurement of 40.00 chs., by two sets of chainmen is 12 lks., position of middle point

By 1st. set, 40.06 chs.,

By 2nd. set, 39.94 chs., the mean of which is

40.00 The original stan. $\frac{1}{4}$ sec. cor., bears E. 23 lks. dist.

Set original stone, a basalt stone, 15x12x7 ins., 10 ins. in the ground, for stan. $\frac{1}{4}$ sec. cor., marked SC $\frac{1}{4}$ on N. face, dig pits, 18x18x12 ins. E. and W. of stone, 3 ft. dist., and raise