

Survey of Exteriors of T. 17 N., R. 43 E.

Chains

58.50 Rock Creek, course SE.,
 71.15 Ledge of rock, bears N. and S.,
 80.00 Falls in loose rock; impossible to set a cor. with any
 degree of permanency. Set temp. cor. for Tps. 16 and
 17 N., Rs. 43 and 44 E.

Land, mountainous.

Soil, stony and third rate.

Timber, pine, cedar, mahogany and sagebrush.

Mountainous land, covered with timber, very difficult
 to survey, 80.00 chs.

I now go to the cor. of secs. 3, 4, 33, and 34 on the
 S. bdy. of T. 17 N., R. 44 E. and run due W. for 3
 miles on a blank line to an intersection of the range
 line bet. Rs. 43 and 44 E. which I intersect 13.65 chs.
 S. of the temp. cor. established for Tps. 16 and 17 N.,
 Rs. 43 and 44 E. Here I set a granite stone 20x8x8 ins.
 15 ins. in the ground for cor. of Tps. 16 and 17 N.,
 R. 44 E. marked with 6 notches on the N., S. and E. edges.
 I also mark C C on E. face for closing Tp. cor. and
 raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high E. of
 cor. Pits impracticable.

(I set this cor. for the reason that I must later
 close upon the E. bdy. of T. 17 N., R. 43 E. in sub-
 dividing T. 17 N., R. 44 E.)

I now make permanent the temp. cor. established as
 follows: 20 lks. due S. a mahogany tree, 8 ins. diam.,
 which I use for witness cor. of Tps. 16 and 17 N.,
 R. 43 E. marked W C T 17 N R 43 E S 36 on NW.; T 16
 N R 43 E S 1 on SW.; with 6 notches facing N., S. and
 W. From true point for cor.

A mahogany, 4 ins. diam., bears S. $22\frac{1}{2}$ ° W. 25 lks.

dist., marked T 16 N R 43 E S 1 B T.

A cottonwood, 6 ins. diam., bears N. $17\frac{1}{2}$ ° W. 90 lks.

dist., marked T 17 N R 43 E S 36 B T.