

## Survey of Exteriors of T. 17 N., R. 43 E.

## Chains

- 24.00 Leave drift of loose slate.
- 40.00 Set a slate rock 14x8x6 ins., 11 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face, and raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor. Pits impracticable.
- 53.65 Set a slate rock 26x12x6 ins., 19 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W. face, and raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor. Pits impracticable.
- 62.39 Base of rocky cliff, almost impassable.
- 80.00 At N. side cliffs set a slate rock 28x12x4 ins., 21 ins in the ground for cor. of secs. 6 and 7, marked with 1 notch on the N. and 5 notches on the S. edge, whence
- A pine 20 ins in dia. bears N. 10o 15' E. 38 lks. dist., marked T. 17 N. R. 44 E. S6 B.T.
- A pine 30 inches in diameter, bears S. 40o 30' E. 30 links distant, marked T. 17 N. R. 44 E. S. 7 B.T.
- ( This corner is set beside a tree 6 ins in diameter N. of a huge cliff, and below a slide of loose rock.)
- Land, mountainous
- Soil, rocky, third rate.
- Timber, pine
- Mountainous land, exceedingly difficult to survey, 80 chs.

---

N. on a blank line bet. secs. 1 and 6.

At 105.8 chs. set temp. cor.

Thence I go to the  $\frac{1}{4}$  sec. cor. bet. secs. 2 and 35 on the N. bdy. of T. 17 N., R. 44 E. and run W. on a blank line to an intersection with the N. and S. line bet. Rs. 43 and 44 E. just run. Here I establish a temp. cor.

Thence I return to the cor. of secs. 6 and 7 on the W. bdy. of T. 17 N., R. 44 E. and run N. on W. bdy. of sec. 6.