Chains W. bet. secs. 6 and 31. 6.30 Summit of hill, bears E. and W., 31.85 Ravine, course N., Ridge, bears N. and S., 32.80 37.60 Rocky ridge, bears N. and S., 38.08 At base of precipice, set a slate rock 24x8x8 ins., 18 ins. in the ground for $\frac{1}{4}$ sec. cor. to sec.31, marked $\frac{1}{4}$ on N. face, and build a mound of stones 2 ft. base, 12 ft. high. N.. of cor. Pits impracticable. 40.00 On summit, set a slate rock 18x10x4 ins.,12 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. to sec. 6, marked \$\frac{1}{4}\$ on N. face, and build a mound of stones 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor. Pits impracticable. 60.75 Ravine, course N., 76.00 Summit of ridge, bears SE. and NW., 87.13 Intersect the E. bdy. of T. 17 N., R. 43 E., 16.70 chs. S. of cor. to Tps. 17 and 18 N., Rs. 43 E. Here I establish the cor. of Tps. 17 and 18 N., R. 44 E., as a closing cor. and set a granite stone 12x12x6 ins. 8 ins. in the ground, marked with 6 notches on N., E. and S. faces, and C C on E. face, and raise a mound of stone 2 ft. base, 1 ft. high E. of cor. Pits impracticable. Land, mountainous. Soil, stony, second rate. Timber, pine, cedar, mahogany and sagebrush. Mountainous land, very difficult to survey, 87.13 chs.